



# BUCHU OIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830  
Date of issue:4/6/2016 Revision date:5/13/2016Supersedes:11/3/2015 Version: 1.1

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance  
Substance name : BUCHU OIL  
EC no : 283-474-3  
CAS No : 84649-93-4  
Synonyms : CAS N° USA : 68650-46-4  
Product group : Essential oil

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Industrial use,Professional use  
Industrial/Professional use spec : For professional use only

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

EXAFLOR  
5 rue des Pyrénées  
94653 Rungis Cedex - France  
T +33 (0)1 41 73 23 10 - F +33 (0)1 41 73 23 19  
[exaflor@orange.fr](mailto:exaflor@orange.fr) - [www.exaflor.fr](http://www.exaflor.fr)

#### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
	ORFILA (FRANCE)		+33 1 45 42 59 59	

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315  
Serious eye damage/eye irritation, Category 2 H319  
Sensitisation — Skin, Category 1 H317  
Aspiration hazard, Category 1 H304  
Hazardous to the aquatic environment — Chronic Hazard, Category 2 H411

Full text of H statements : see section 16

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

GHS08

GHS09

Signal word (CLP) : Danger

Hazard statements (CLP) : H304 - May be fatal if swallowed and enters airways  
H315 - Causes skin irritation  
H317 - May cause an allergic skin reaction  
H319 - Causes serious eye irritation  
H411 - Toxic to aquatic life with long lasting effects

Precautionary statements (CLP) : P261 - Avoid breathing mist, fume, dust, vapours  
P264 - Wash hands thoroughly after handling  
P272 - Contaminated work clothing should not be allowed out of the workplace  
P273 - Avoid release to the environment  
P280 - Wear protective gloves, protective clothing, eye protection  
P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER, a doctor

# BUCHU OIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

P302+P352 - IF ON SKIN: Wash with plenty of water  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P321 - Specific treatment (see Read label before use on this label)  
P331 - Do NOT induce vomiting  
P332+P313 - If skin irritation occurs: Get medical advice/attention  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention  
P337+P313 - If eye irritation persists: Get medical advice/attention  
P362+P364 - Take off contaminated clothing and wash it before reuse  
P391 - Collect spillage  
P405 - Store locked up  
P501 - Dispose of contents/container to contents/container to agreed companies according to national regulations

Child-resistant fastening : No

Tactile warning : No

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substance

Name : BUCHU OIL

CAS No : 84649-93-4

EC no : 283-474-3

Name	Product identifier	%
ISOMENTHONE	(CAS No) 491-07-6 (EC no) 207-727-4	20 - 26
D-LIMONENE	(CAS No) 5989-27-5 (EC no) 227-813-5 (EC index no) 601-029-00-7	12 - 20.4
DL-MENTHONE	(CAS No) 1074-95-9 (EC no) 214-049-2	8.5 - 10

Full text of H-statements: see section 16

### 3.2. Mixture

Not applicable

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures after skin contact : Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see Read label before use on this label). If skin irritation or rash occurs: Gently wash with plenty of soap and water.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Immediately call a POISON CENTER or doctor/physician.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause an allergic skin reaction.

Symptoms/injuries after skin contact : Causes skin irritation.

Symptoms/injuries after eye contact : Causes serious eye irritation.

Symptoms/injuries after ingestion : May be fatal if swallowed and enters airways.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

No additional information available

### 5.2. Special hazards arising from the substance or mixture

No additional information available

### 5.3. Advice for firefighters

No additional information available

# BUCHU OIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

No additional information available

##### 6.1.2. For emergency responders

No additional information available

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

No additional information available

#### 6.4. Reference to other sections

No additional information available

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid breathing mist, fume, dust, vapours.  
Hygiene measures : Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

Maximum storage period : 12 months Shelf life to guarantee the quality and properties of the product; After this period, it is recommended to control organoleptic and physicochemical properties before using the raw material.  
Storage temperature :  $\approx 18$  (5 - 25) °C

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

Skin and body protection : Wear suitable protective clothing  
Respiratory protection : Wear respiratory protection

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid  
Colour : light yellow. brown.  
Odour : herbaceous. peppermint odour. Fruity.  
Odour threshold : No data available  
pH : No data available  
Relative evaporation rate (butylacetate=1) : No data available  
Melting point : No data available  
Freezing point : No data available  
Boiling point : No data available  
Flash point : 64 °C  
Auto-ignition temperature : No data available  
Decomposition temperature : No data available  
Flammability (solid, gas) : No data available  
Vapour pressure : No data available  
Relative vapour density at 20 °C : 0.89 - 0.98  
Relative density : 0.89 - 0.98  
Solubility : No data available  
Log Pow : No data available  
Viscosity, kinematic : No data available  
Viscosity, dynamic : No data available

# BUCHU OIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Explosive properties : No data available  
Oxidising properties : No data available  
Explosive limits : No data available

### 9.2. Other information

Refractive index : 1.46 - 1.491

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

No additional information available

### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

No additional information available

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

No additional information available

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

#### ISOMENTHONE (491-07-6)

LD50 oral rat	2500 mg/kg
---------------	------------

#### DL-MENTHONE (1074-95-9)

LD50 oral rat	2500 mg/kg
---------------	------------

#### D-LIMONENE (5989-27-5)

LD50 oral rat	4400 mg/kg
---------------	------------

LD50 dermal rabbit	> 5000 mg/kg
--------------------	--------------

Skin corrosion/irritation : Causes skin irritation.  
Serious eye damage/irritation : Causes serious eye irritation.  
Respiratory or skin sensitisation : May cause an allergic skin reaction.  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified  
Reproductive toxicity : Not classified  
Specific target organ toxicity (single exposure) : Not classified  
Specific target organ toxicity (repeated exposure) : Not classified  
Aspiration hazard : May be fatal if swallowed and enters airways.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - water : Toxic to aquatic life with long lasting effects.

#### D-LIMONENE (5989-27-5)

LC50 fish 1	0.702 mg/l Pimephales promela (fathead minnow) -96h
-------------	---

EC50 Daphnia 1	69.6 daphnia - 48h
----------------	--------------------

### 12.2. Persistence and degradability

#### BUCHU OIL (84649-93-4)

Persistence and degradability	May cause long-term adverse effects in the environment.
-------------------------------	---

#### ISOMENTHONE (491-07-6)

Persistence and degradability	Not established.
-------------------------------	------------------

# BUCHU OIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

DL-MENTHONE (1074-95-9)	
Persistence and degradability	May cause long-term adverse effects in the environment.

D-LIMONENE (5989-27-5)	
Persistence and degradability	May cause long-term adverse effects in the environment.

### 12.3. Bioaccumulative potential

ISOMENTHONE (491-07-6)	
Bioaccumulative potential	Not established.

DL-MENTHONE (1074-95-9)	
Log Pow	3.05
Bioaccumulative potential	Not established.

D-LIMONENE (5989-27-5)	
Bioaccumulative potential	Not established.

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste disposal recommendations : Dispose of contents/container to contents/container to agreed companies according to national regulations.

Ecology - waste materials : Hazardous waste due to toxicity.

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

### 14.1. UN number

Not regulated for transport

UN-No. (ADR) : 3082  
UN-No. (IMDG) : Not applicable  
UN-No. (IATA) : Not applicable  
UN-No. (ADN) : Not applicable  
UN-No. (RID) : Not applicable


### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
Proper Shipping Name (IMDG) : Not applicable  
Proper Shipping Name (IATA) : Not applicable  
Proper Shipping Name (ADN) : Not applicable  
Proper Shipping Name (RID) : Not applicable  
Transport document description (ADR) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (D-LIMONENE(5989-27-5) ; DL-MENTHONE(1074-95-9)), 9, III, (E)

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : 9  
Danger labels (ADR) : 9



#### IMDG

Transport hazard class(es) (IMDG) : Not applicable

# BUCHU OIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



### IATA

Transport hazard class(es) (IATA) : Not applicable



### ADN

Transport hazard class(es) (ADN) : Not applicable



### RID

Transport hazard class(es) (RID) : Not applicable



#### 14.4. Packing group

Packing group (ADR) : III  
Packing group (IMDG) : Not applicable  
Packing group (IATA) : Not applicable  
Packing group (ADN) : Not applicable  
Packing group (RID) : Not applicable

#### 14.5. Environmental hazards

Dangerous for the environment : Yes  
Marine pollutant : Yes  
Other information : No supplementary information available

#### 14.6. Special precautions for user

##### - Overland transport


Classification code (ADR) : M6  
Special provisions (ADR) : 274, 335, 601, 375  
Limited quantities (ADR) : 5I  
Excepted quantities (ADR) : E1  
Packing instructions (ADR) : P001, IBC03, LP01, R001  
Special packing provisions (ADR) : PP1  
Mixed packing provisions (ADR) : MP19  
Portable tank and bulk container instructions (ADR) : T4  
Portable tank and bulk container special provisions (ADR) : TP1, TP29  
Tank code (ADR) : LGBV  
Vehicle for tank carriage : AT  
Transport category (ADR) : 3  
Special provisions for carriage - Packages (ADR) : V12  
Special provisions for carriage - Loading, unloading and handling (ADR) : CV13

# BUCHU OIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazard identification number (Kemler No.) : 90  
Orange plates :



Tunnel restriction code (ADR) : E

### - Transport by sea

No data available

### - Air transport

No data available

### - Inland waterway transport

No data available

### - Rail transport

No data available

## 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

BUCHU OIL is not on the REACH Candidate List

Contains no substance on the REACH candidate list

BUCHU OIL is not on the REACH Annex XIV List

Contains no REACH Annex XIV substances

#### 15.1.2. National regulations

##### Germany

VwVwS Annex reference : Water hazard class (WGK) 2, hazard to waters (Classification according to VwVwS, Annex 3;ID No. 6220)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

Full text of H- and EUH-statements:

Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, Category 1
H226	Flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

# BUCHU OIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

---

SDS EU (REACH Annex II)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*