

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 7/21/2014 Revision date: 12/11/2019 Version: 1.4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance
Substance name : CYPRESS OIL
EC-No. : 283-626-9
CAS-No. : 84696-07-1
Product code : CYPHE01

Synonyms : OTHER CAS No 8013-86-3

Product group : Essential oil

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use Industrial/Professional use spec : Industrial

For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

EXAFLOR

5 rue des Pyrénées P.O. Box CP 30561

94653 Rungis Cedex - France

T +33 (0)1 41 73 23 10 - F +33 (0)1 41 73 23 19

exaflor@orange.fr - www.exaflor.fr

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
	ORFILA (FRANCE)		+33 1 45 42 59 59	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3

Skin corrosion/irritation, Category 2

H315

Skin sensitisation, Category 1

H317

Aspiration hazard, Category 1

H304

Hazardous to the aquatic environment — Acute Hazard, Category 1

H400

Hazardous to the aquatic environment — Chronic Hazard, Category 1

H410

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS02

GHS07

GHS08

GHS09

Signal word (CLP) : Danger

Hazard statements (CLP) : H226 - Flammable liquid and vapour.

H304 - May be fatal if swallowed and enters airways.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H410 - Very toxic to aquatic life with long lasting effects.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P233 - Keep container tightly closed.

P240 - Ground and bond container and receiving equipment.

P241 - Use explosion-proof ventilating equipment. P261 - Avoid breathing fume, gas, dust, vapours. P264 - Wash hands thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, eye protection.

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER, a doctor.

P302+P352 - IF ON SKIN: Wash with plenty of with water & soap.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water or shower.

P321 - Specific treatment (see Read label before use. on this label).

P331 - Do NOT induce vomiting.

P332+P313 - If skin irritation occurs: Get medical advice/attention. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P333+P313 - It skin irritation or rash occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse.

P370+P378 - In case of fire: Use foam, extinguishing powder, carbon dioxide (CO2), sand to extinguish.

P391 - Collect spillage.

P403+P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up.

P501 - Dispose of contents and container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

 Name
 : CYPRESS OIL

 CAS-No.
 : 84696-07-1

 EC-No.
 : 283-626-9

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ALPHA-PINENES	(CAS-No.) 80-56-8 (EC-No.) 201-291-9	40 - 65	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
3-CARENE	(CAS-No.) 13466-78-9 (EC-No.) 236-719-3	12 - 25	Flam. Liq. 3, H226 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
CEDROL	(CAS-No.) 77-53-2 (EC-No.) 201-035-6	0.8 - 7	Aquatic Chronic 2, H411
D-LIMONENE	(CAS-No.) 5989-27-5 (EC-No.) 227-813-5 (EC Index-No.) 601-029-00-7	1.8 - 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
A-TERPINYL ACETATE	(CAS-No.) 80-26-2 (EC-No.) 201-265-7	1 - 4	Skin Irrit. 2, H315 Aquatic Chronic 2, H411
MYRCENE	(CAS-No.) 123-35-3 (EC-No.) 204-622-5	1 - 3.5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2, H319
BETA-PINENES	(CAS-No.) 127-91-3 (EC-No.) 204-872-5	0.5 - 3	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
LINALOOL	(CAS-No.) 78-70-6 (EC-No.) 201-134-4	0.3 - 0.9	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317

12/11/2019 (Version: 1.4) EN (English) 2/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

(CAS-No.) 106-24-1 (EC-No.) 203-377-1	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
	Skin Sens. 1, ns17

Full text of H-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash with

plenty of water/.... Wash contaminated clothing before reuse. If skin irritation occurs: Rinse skin with water/shower. Get medical advice/attention. Specific treatment (see Refer to instruction manual/booklet on this label). If skin irritation or rash occurs: Rinse skin with

water/shower.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause an allergic skin reaction.

Symptoms/effects after skin contact : Causes skin irritation.

Symptoms/effects after ingestion : May be fatal if swallowed and enters airways.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream

5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open

flames. No smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.

12/11/2019 (Version: 1.4) EN (English) 3/11

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Avoid breathing smokes, vapours.

Hygiene measures : Wash hands thoroughly after handling. Contaminated work clothing should not be allowed

out of the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond

container and receiving equipment. Use explosion-proof ventilating equipment.

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Heat

sources, Direct sunlight. Keep container tightly closed.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.

Maximum storage period : 36 months Shelf life to guarantee the quality and properties of the product; After this

period, it is recommended to control organoleptic and physicochemical properties before

using the raw material.

Storage temperature : 5 - 25 °C

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

Chemical goggles or safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Liquid mobile.

Colour : light yellow. Yellow. orange.
Odour : characteristic. woody. amber.

Odour threshold : No data available pH : No data available Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available Freezing point : No data available Boiling point : No data available : No data available

Flash point : 35 °C

Auto-ignition temperature : No data available Decomposition temperature : No data available

Flammability (solid, gas) : Flammable liquid and vapour.

Vapour pressure : No data available
Relative vapour density at 20 °C : No data available
Relative density : 0.863 - 0.895

Solubility : Poorly soluble in water. Solubility in ethanol.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Log Pow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

9.2. Other information

Refractive index : 1.465 - 1.48

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

CYPRESS OIL	(84696-07-1)
OII ILLOO OIL	. (0-1000 01 1)

LD50 oral rat	5000 mg/kg
LD50 dermal rabbit	5000 mg/kg

ΔΙ	PHA.	.DINIEN	JFS.	/ 20_5	6-81

· · · · · · · · · · · · · · · · · · ·	
LD50 oral rat	3700 mg/kg
LD50 dermal rabbit	> 5000 mg/kg

3-CARENE (13466-78-9)

LD50 oral rat	4800 mg/kg [National Technical Information Service. Vol. OTS0533894]
LD50 dermal rabbit	> 2000 mg/kg [National Technical Information Service. Vol. OTS0533894]

CEDROL (77-53-2)

LD50 dermal rabbit	> 5000 ma/ka
ED30 definal fabbit	> 3000 mg/kg

D-LIMONENE (5989-27-5)

LD50 oral rat	4400 mg/kg
LD50 dermal rabbit	> 5000 mg/kg

A-TERPINYL ACETATE (80-26-2)

LD50 oral rat	5075 mg/kg

MYRCENE (123-35-3)

LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

LINALOOL (78-70-6)	
LD50 oral rat	2790 mg/kg
LD50 oral	3120 mg/kg LD50 oral mouse
LD50 dermal rabbit	5610 mg/kg

GERANIOL (106-24-1)	
LD50 oral rat	3600 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
D-LIMONENE (5989-27-5)	
IARC group	3 - Not classifiable
Poproductive toxicity	: Not classified
Reproductive toxicity	
Additional information	: Based on available data, the classification criteria are not met

STOT-single exposure : Not classified
Additional information : Based on available data, the classification criteria are not met
STOT-repeated exposure : Not classified
Additional information : Based on available data, the classification criteria are not met

Aspiration hazard : May be fatal if swallowed and enters airways.

Potential adverse human health effects and : Based on available data, the classification criteria are not met.

symptoms

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Very toxic to aquatic life with long lasting effects.

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

ALPHA-PINENES (80-56-8)	
LC50 fish 1	0.28 mg/l Pimephales promela (fathead minnow) - 96h
LC50 other aquatic organisms 1	41 mg/l EC50 48h - Daphnia magna [mg/l]

D-LIMONENE (5989-27-5)	
LC50 fish 1	0.702 mg/l Pimephales promela (fathead minnow) -96h
EC50 Daphnia 1	69.6 daphnia - 48h

LINALOOL (78-70-6)	
LC50 fish 1	27.8 mg/l EC 50 (fish : rainbow trout) : - 96h
LC50 other aquatic organisms 1	88.3 mg/l Desmodesmus subspicatus (green algae) - 96h
EC50 Daphnia 1	59 mg/l EC50 48h - Daphnia magna [mg/l]
NOEC chronic fish	3.5 mg/l Oncorhynchus mykiss (Rainbow trout)- 96h
NOEC chronic crustacea	25 mg/l daphnia - 48h

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830		
GERANIOL (106-24-1)		
LC50 fish 1	env. 22 mg/l Brachydanio rerio (zebra-fish) - 96h	
EC50 Daphnia 1	10.8 mg/l EC50 48h - Daphnia magna [mg/l]	
EC50 other aquatic organisms 1	13.1 mg/l Desmodesmus subspicatus (green algae) -72h	
12.2. Persistence and degradability		
CYPRESS OIL (84696-07-1)		
Persistence and degradability	May cause long-term adverse effects in the environment.	
AL DUA DINENEO (OC EC O)		
ALPHA-PINENES (80-56-8)		
Persistence and degradability	Readily biodegradable. May cause long-term adverse effects in the environment.	
3-CARENE (13466-78-9)		
Persistence and degradability	May cause long-term adverse effects in the environment.	
a constant and anglessaming		
CEDROL (77-53-2)		
Persistence and degradability	May cause long-term adverse effects in the environment.	
D-LIMONENE (5989-27-5)		
Persistence and degradability	May cause long-term adverse effects in the environment.	
A-TERPINYL ACETATE (80-26-2)		
Persistence and degradability	May cause long-term adverse effects in the environment.	
MYRCENE (123-35-3)		
Persistence and degradability	Not established.	
BETA-PINENES (127-91-3)		
	Not cotablished	
Persistence and degradability	Not established.	
LINALOOL (78-70-6)		
Persistence and degradability	Readily biodegradable. Not established.	
Biodegradation	100 % 13 DAYS- ZAHN-WELLENS TEST OECD N° 302 B	
GERANIOL (106-24-1)		
Persistence and degradability	Readily biodegradable. Not established.	
Biodegradation	80 - 100 % aérobic, Exposure duration 3 days	
12.3. Bioaccumulative potential		
CYPRESS OIL (84696-07-1)		
Bioaccumulative potential	Not established.	
ALPHA-PINENES (80-56-8)		
	4.834	
Log Pow		
Bioaccumulative potential	Not established.	
3-CARENE (13466-78-9)		
Log Pow	4.476	
Bioaccumulative potential	Not established.	
	•	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

CEDROL (77-53-2)	
Log Kow	4.33
Bioaccumulative potential	Not established.

D-LIMONENE (5989-27-5)	
Bioaccumulative potential	Not established.

A-TERPINYL ACETATE (80-26-2)	
Log Kow	3.96
Bioaccumulative potential	Not established.

MYRCENE (123-35-3)	
Log Kow	4.17
Bioaccumulative potential	Not established.

BETA-PINENES (127-91-3)	
Bioaccumulative potential	Not established.

LINALOOL (78-70-6)		
	Log Pow	2.97
	Bioaccumulative potential	Not established.

GERANIOL (106-24-1)	
Log Pow	2.5 at 25 °C
Bioaccumulative potential	Not established.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local,

regional, national and/or international regulation.

Additional information : Handle empty containers with care because residual vapours are flammable.

Ecology - waste materials : Avoid release to the environment. Hazardous waste due to toxicity.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

 UN-No. (ADR)
 : UN 1169

 UN-No. (IMDG)
 : UN 1169

 UN-No. (IATA)
 : UN 1169

 UN-No. (ADN)
 : UN 1169

 UN-No. (RID)
 : UN 1169

14.2. UN proper shipping name

Proper Shipping Name (ADR) : EXTRACTS, AROMATIC, LIQUID

Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Transport document description (ADR) : UN 1169 EXTRACTS, AROMATIC, LIQUID, 3, III, (D/E), ENVIRONMENTALLY

HAZARDOUS

Transport document description (IMDG) : UN 1169, 3, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS

Transport document description (IATA) : UN 1169, 3, ENVIRONMENTALLY HAZARDOUS
Transport document description (ADN) : UN 1169, 3, ENVIRONMENTALLY HAZARDOUS
Transport document description (RID) : UN 1169, 3, ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 3
Danger labels (ADR) : 3



IMDG

Transport hazard class(es) (IMDG) : 3

:

IATA

Transport hazard class(es) (IATA) : 3

:

ADN

Transport hazard class(es) (ADN) : 3

:

RID

Transport hazard class(es) (RID) : 3
Danger labels (RID) : 3



14.4. Packing group

Packing group (ADR) : III

Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : F1
Special provisions (ADR) : 601, 640E
Limited quantities (ADR) : 5I

Limited quantities (ADR) : 5I

Excepted quantities (ADR) : E1

Vehicle for tank carriage : FL

Transport category (ADR) : 3

Hazard identification number (Kemler No.) : 30

Orange plates :

30 1169

Tunnel restriction code (ADR) : D/E

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Transport by sea

No data available

Air transport

No data available

Inland waterway transport

No data available

Rail transport

No data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:			
Reference code	Applicable on	Entry title or description	
3.	CYPRESS OIL; A-TERPINYL ACETATE; MYRCENE; 3-CARENE; BETA-PINENES; ALPHA-PINENES; D-LIMONENE; LINALOOL; GERANIOL	Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008	
3(a)	CYPRESS OIL ; MYRCENE ; 3-CARENE ; BETA-PINENES ; ALPHA-PINENES ; D- LIMONENE	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	
3(b)	CYPRESS OIL; A-TERPINYL ACETATE; MYRCENE; 3-CARENE; BETA-PINENES; ALPHA-PINENES; D-LIMONENE; LINALOOL; GERANIOL	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	
3(c)	CYPRESS OIL ; A-TERPINYL ACETATE ; 3-CARENE ; ALPHA-PINENES ; D- LIMONENE	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	
40.	CYPRESS OIL ; MYRCENE ; 3-CARENE ; BETA-PINENES ; ALPHA-PINENES ; D- LIMONENE	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	

CYPRESS OIL is not on the REACH Candidate List

CYPRESS OIL is not on the REACH Annex XIV List

CYPRESS OIL is not subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

CYPRESS OIL is not subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

Germany

Reference to AwSV : Water hazard class (WGK) 2, Significantly hazardous to water (Classification according to

AwSV; ID No. 5824)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16

December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1

12/11/2019 (Version: 1.4) EN (English) 10/11

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
H226	Flammable liquid and vapour.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.