



# EUCALYPTUS DIVES OIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830  
Issue date: 4/27/2015 Revision date: 9/11/2020 Version: 1.2

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance  
Substance name : EUCALYPTUS DIVES OIL  
EC-No. : 289-839-3  
CAS-No. : 90028-48-1  
Product code : EUCHE03  
Product group : Essential oil

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use  
Industrial/Professional use spec : Industrial  
For professional use only

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

EXAFLOR  
5 rue des Pyrénées  
P.O. Box CP 30561  
94653 Rungis Cedex - France  
T +33 (0)1 41 73 23 10  
[exaflor@orange.fr](mailto:exaflor@orange.fr) - [www.exaflor.co](http://www.exaflor.co)

#### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
	ORFILA (FRANCE)		+33 1 45 42 59 59	

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3 H226  
Skin corrosion/irritation, Category 2 H315  
Skin sensitisation, Category 1 H317  
Aspiration hazard, Category 1 H304  
Hazardous to the aquatic environment — Chronic Hazard, Category 2 H411  
Full text of H statements : see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Signal word (CLP) :

Danger

# EUCALYPTUS DIVES OIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazard statements (CLP)	: H226 - Flammable liquid and vapour. H304 - May be fatal if swallowed and enters airways. H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed. P240 - Ground/bond container and receiving equipment. P241 - Use explosion-proof ventilating equipment. P261 - Avoid breathing mist, fume, dust, vapours. P264 - Wash hands thoroughly after handling. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective gloves, protective clothing, eye protection. P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER, a doctor. P302+P352 - IF ON SKIN: Wash with plenty of water. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P321 - Specific treatment (see Read label before use. on this label). P331 - Do NOT induce vomiting. P332+P313 - If skin irritation occurs: Get medical advice/attention. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse. P370+P378 - In case of fire: Use alcohol resistant foam, extinguishing powder, carbon dioxide (CO <sub>2</sub> ) to extinguish. P391 - Collect spillage. P403+P235 - Store in a well-ventilated place. Keep cool. P405 - Store locked up. P501 - Dispose of contents/container to contents/container to agreed companies according to national regulations.

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Name	: EUCALYPTUS DIVES OIL
CAS-No.	: 90028-48-1
EC-No.	: 289-839-3

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
PIPERITONE	(CAS-No.) 89-81-6 (EC-No.) 201-942-7	40 – 50	Skin Irrit. 2, H315
ALPHA-PHELLANDRENE	(CAS-No.) 99-83-2 (EC-No.) 202-792-5	20 – 30	Flam. Liq. 3, H226 Asp. Tox. 1, H304
BETA-PHELLANDRENE	(CAS-No.) 555-10-2 (EC-No.) 209-081-9	0 – 10	Flam. Liq. 3, H226 Asp. Tox. 1, H304
P-CYMENE	(CAS-No.) 99-87-6 (EC-No.) 202-796-7	0 – 10	Flam. Liq. 3, H226 Aquatic Chronic 2, H411
ALPHA-PINENES	(CAS-No.) 80-56-8 (EC-No.) 201-291-9	0 – 5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

# EUCALYPTUS DIVES OIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EUCALYPTOL	(CAS-No.) 470-82-6 (EC-No.) 207-431-5	0 – 5	Flam. Liq. 3, H226
TERPINOLENE	(CAS-No.) 586-62-9 (EC-No.) 209-578-0	0 – 3	Flam. Liq. 3, H226 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
D-LIMONENE	(CAS-No.) 5989-27-5 (EC-No.) 227-813-5 (EC Index-No.) 601-029-00-7	0 – 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
LINALOOL	(CAS-No.) 78-70-6 (EC-No.) 201-134-4	0 – 1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317

Full text of H-statements: see section 16

### 3.2. Mixtures

Not applicable

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash with plenty of water/... Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). If skin irritation or rash occurs:
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: May cause an allergic skin reaction.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after ingestion	: May be fatal if swallowed and enters airways.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: Flammable liquid and vapour.
Explosion hazard	: May form flammable/explosive vapour-air mixture.

### 5.3. Advice for firefighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
---------------------------	---

# EUCALYPTUS DIVES OIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

## 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

## 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.  
Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Avoid breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures : Wash hands, forearms and face thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment.

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep container tightly closed.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.

Maximum storage period : 36 months Shelf life to guarantee the quality and properties of the product; After this period, it is recommended to control organoleptic and physicochemical properties before using the raw material.

Storage temperature :  $\approx 18$  (5 – 25) °C

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

# EUCALYPTUS DIVES OIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 8.2. Exposure controls

**Personal protective equipment:**

Avoid all unnecessary exposure.

**Hand protection:**

Wear protective gloves.

**Eye protection:**

Chemical goggles or safety glasses

**Skin and body protection:**

Wear suitable protective clothing

**Respiratory protection:**

[In case of inadequate ventilation] wear respiratory protection.

**Other information:**

Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Liquid mobile.
Colour	: Colourless. Yellow. orange.
Odour	: characteristic. strong. peppermint odour.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 50 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Flammable liquid and vapour.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 0.884 – 0.906
Solubility	: Soluble in oil. Insoluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

### 9.2. Other information

Refractive index : 1.476 – 1.482

# EUCALYPTUS DIVES OIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

#### 10.3. Possibility of hazardous reactions

Not established.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

#### 10.5. Incompatible materials

Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### PIPERITONE (89-81-6)

LD50 oral rat	2450 mg/kg
LD50 dermal	1420 mg/kg LD50 dermal mouse

#### ALPHA-PHELLANDRENE (99-83-2)

LD50 oral rat	5700 mg/kg
---------------	------------

#### P-CYMENE (99-87-6)

LD50 oral rat	4750 mg/kg
LD50 dermal rabbit	5000

#### ALPHA-PINENES (80-56-8)

LD50 oral rat	3700 mg/kg
LD50 dermal rabbit	> 5000 mg/kg

#### EUCALYPTOL (470-82-6)

LD50 oral rat	2480 ml/kg
---------------	------------

#### TERPINOLENE (586-62-9)

LD50 oral rat	4390 mg/kg
LD50 oral	300 mg/kg LD50 oral mouse
LD50, acute, oral, rabbit	= 3200 mg/kg

# EUCALYPTUS DIVES OIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### D-LIMONENE (5989-27-5)

LD50 oral rat	4400 mg/kg
LD50 dermal rabbit	> 5000 mg/kg

### LINALOOL (78-70-6)

LD50 oral rat	2790 mg/kg
LD50 oral	3120 mg/kg LD50 oral mouse
LD50 dermal rabbit	5610 mg/kg

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met

### D-LIMONENE (5989-27-5)

IARC group	3 - Not classifiable
------------	----------------------

Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: May be fatal if swallowed and enters airways.
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - water	: Toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.

### P-CYMENE (99-87-6)

LC50 fish 1	48 mg/l 96H -Cyprinodon variegatus (Sheep shead minnow)
EC50 Daphnia 1	6.5 mg/l EC50 48h - Daphnia magna [mg/l]
ErC50 (algae)	4.03 mg/l 72h - Scenedesmus capricornutum (Fresh water algae)

### ALPHA-PINENES (80-56-8)

LC50 fish 1	0.28 mg/l Pimephales promela (fathead minnow) - 96h
LC50 other aquatic organisms 1	41 mg/l EC50 48h - Daphnia magna [mg/l]

# EUCALYPTUS DIVES OIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### EUCALYPTOL (470-82-6)

LC50 fish 1	102 mg/l Pimephales promela (fathead minnow) - 96H
-------------	--

### TERPINOLENE (586-62-9)

LC50 fish 1	0.72 mg/l LC50 96h fish Pimephales promela (fathead minnow)
-------------	---

### D-LIMONENE (5989-27-5)

LC50 fish 1	0.702 mg/l Pimephales promela (fathead minnow) -96h
-------------	---

EC50 Daphnia 1	69.6 daphnia - 48h
----------------	--------------------

### LINALOOL (78-70-6)

LC50 fish 1	27.8 mg/l EC 50 (fish : rainbow trout) : - 96h
-------------	--

LC50 other aquatic organisms 1	88.3 mg/l Desmodesmus subspicatus (green algae) - 96h
--------------------------------	---

EC50 Daphnia 1	59 mg/l EC50 48h - Daphnia magna [mg/l]
----------------	---

NOEC chronic fish	3.5 mg/l Oncorhynchus mykiss (Rainbow trout)- 96h
-------------------	---

NOEC chronic crustacea	25 mg/l daphnia - 48h
------------------------	-----------------------

## 12.2. Persistence and degradability

### EUCALYPTUS DIVES OIL (90028-48-1)

Persistence and degradability	May cause long-term adverse effects in the environment.
-------------------------------	---

### BETA-PHELLANDRENE (555-10-2)

Persistence and degradability	Not established.
-------------------------------	------------------

### P-CYMENE (99-87-6)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

Biodegradation	100 %
----------------	-------

### ALPHA-PINENES (80-56-8)

Persistence and degradability	Readily biodegradable. May cause long-term adverse effects in the environment.
-------------------------------	--

### TERPINOLENE (586-62-9)

Persistence and degradability	51 % biodegradation Product has only a limited biodegradability in soil and water. May cause long-term adverse effects in the environment.
-------------------------------	--

Biodegradation	51 %
----------------	------

### D-LIMONENE (5989-27-5)

Persistence and degradability	May cause long-term adverse effects in the environment.
-------------------------------	---

### LINALOOL (78-70-6)

Persistence and degradability	Readily biodegradable. Not established.
-------------------------------	---

Biodegradation	100 % 13 DAYS- ZAHN-WELLENS TEST OECD N° 302 B
----------------	--



# EUCALYPTUS DIVES OIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 12.3. Bioaccumulative potential

#### EUCALYPTUS DIVES OIL (90028-48-1)

Bioaccumulative potential	Not established.
---------------------------	------------------

#### PIPERITONE (89-81-6)

Partition coefficient n-octanol/water (Log Pow)	2.85
---	------

#### ALPHA-PHELLANDRENE (99-83-2)

Partition coefficient n-octanol/water (Log Pow)	2.36
---	------

Partition coefficient n-octanol/water (Log Kow)	4.62
---	------

#### BETA-PHELLANDRENE (555-10-2)

Partition coefficient n-octanol/water (Log Kow)	4.7
---	-----

Bioaccumulative potential	Not established.
---------------------------	------------------

#### P-CYMENE (99-87-6)

Partition coefficient n-octanol/water (Log Kow)	4.1
---	-----

#### ALPHA-PINENES (80-56-8)

Partition coefficient n-octanol/water (Log Pow)	4.834
---	-------

Bioaccumulative potential	Not established.
---------------------------	------------------

#### TERPINOLENE (586-62-9)

Partition coefficient n-octanol/water (Log Pow)	4.47
---	------

Bioaccumulative potential	Not established.
---------------------------	------------------

#### D-LIMONENE (5989-27-5)

Bioaccumulative potential	Not established.
---------------------------	------------------

#### LINALOOL (78-70-6)

Partition coefficient n-octanol/water (Log Pow)	2.97
---	------

Bioaccumulative potential	Not established.
---------------------------	------------------

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

Additional information : Avoid release to the environment.

# EUCALYPTUS DIVES OIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

- Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
- Additional information : Handle empty containers with care because residual vapours are flammable.
- Ecology - waste materials : Avoid release to the environment. Hazardous waste due to toxicity.

### SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

- UN-No. (ADR) : UN 1169
- UN-No. (IMDG) : Not applicable
- UN-No. (IATA) : Not applicable
- UN-No. (ADN) : Not applicable
- UN-No. (RID) : Not applicable

#### 14.2. UN proper shipping name

- Proper Shipping Name (ADR) : EXTRACTS, AROMATIC, LIQUID
- Proper Shipping Name (IMDG) : Not applicable
- Proper Shipping Name (IATA) : Not applicable
- Proper Shipping Name (ADN) : Not applicable
- Proper Shipping Name (RID) : Not applicable
- Transport document description (ADR) : UN 1169 EXTRACTS, AROMATIC, LIQUID, 3, III, (D/E), ENVIRONMENTALLY HAZARDOUS

#### 14.3. Transport hazard class(es)

##### ADR

- Transport hazard class(es) (ADR) : 3
- Danger labels (ADR) : 3



##### IMDG

- Transport hazard class(es) (IMDG) : Not applicable



##### IATA

- Transport hazard class(es) (IATA) : Not applicable



##### ADN

- Transport hazard class(es) (ADN) : Not applicable

# EUCALYPTUS DIVES OIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830



### RID

Transport hazard class(es) (RID)

: Not applicable



### 14.4. Packing group

Packing group (ADR) : III  
Packing group (IMDG) : Not applicable  
Packing group (IATA) : Not applicable  
Packing group (ADN) : Not applicable  
Packing group (RID) : Not applicable


### 14.5. Environmental hazards

Dangerous for the environment : Yes  
Marine pollutant : Yes  
Other information : No supplementary information available

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR) : F1  
Special provisions (ADR) : 601, 640E  
Limited quantities (ADR) : 5I  
Excepted quantities (ADR) : E1  
Packing instructions (ADR) : P001, IBC03, LP01, R001  
Mixed packing provisions (ADR) : MP19  
Portable tank and bulk container instructions (ADR) : T2  
Portable tank and bulk container special provisions (ADR) : TP1  
Tank code (ADR) : LGBF  
Vehicle for tank carriage : FL  
Transport category (ADR) : 3  
Special provisions for carriage - Packages (ADR) : V12  
Special provisions for carriage - Operation (ADR) : S2  
Hazard identification number (Kemler No.) : 30  
Orange plates :



Tunnel restriction code (ADR) : D/E

#### Transport by sea

No data available

#### Air transport

No data available

#### Inland waterway transport

No data available

#### Rail transport

No data available

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

# EUCALYPTUS DIVES OIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### 15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

Reference code	Applicable on	Entry title or description
3.	EUCALYPTUS DIVES OIL	Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008
3(a)	EUCALYPTOL	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	PIPERITONE	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
40.	EUCALYPTUS DIVES OIL	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

EUCALYPTUS DIVES OIL is not on the REACH Candidate List

EUCALYPTUS DIVES OIL is not on the REACH Annex XIV List

EUCALYPTUS DIVES OIL is not subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

EUCALYPTUS DIVES OIL is not subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

##### 15.1.2. National regulations

###### Germany

Water hazard class (WGK) : WGK 1, Slightly hazardous to water (Classification according to AwSV; ID No. 6391)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2

# EUCALYPTUS DIVES OIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Skin Sens. 1	Skin sensitisation, Category 1
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

### SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.