

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 7/29/2014 Revision date: 7/17/2020 Version: 1.4

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance

Substance name : JUNIPER TWIGS OIL

EC-No. : 283-268-3
CAS-No. : 84603-69-0
Product code : GENHE02
Synonyms : CAS N°: 8002-68-4

Product group : Essential oil

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Industrial use Industrial/Professional use spec : Industrial

For professional use only

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

EXAFLOR 5 rue des Pyrénées P.O. Box CP 30561 94653 Rungis Cedex - France T +33 (0)1 41 73 23 10

exaflor@orange.fr - www.exaflor.co

#### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
	ORFILA (FRANCE)		+33 1 45 42 59 59	

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3

Skin corrosion/irritation, Category 2

H315

Skin sensitisation, Category 1

Aspiration hazard, Category 1

H304

Hazardous to the aquatic environment — Acute Hazard, Category 1

H400

Hazardous to the aquatic environment — Chronic Hazard, Category 1

Full text of H statements: see section 16

# Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. Causes skin irritation. May cause an allergic skin reaction. Very toxic to aquatic life with long lasting effects. May be fatal if swallowed and enters airways.

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)









GHS02

GHS07

SHS08

GHS09

Signal word (CLP) : Danger

Hazard statements (CLP) : H226 - Flammable liquid and vapour.

H304 - May be fatal if swallowed and enters airways.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P210 - Keep away from heat, sparks, open flames, hot surfaces. No smoking.

P261 - Avoid breathing fume, gas, dust, vapours. P264 - Wash hands thoroughly after handling.

P280 - Wear protective gloves, protective clothing, eye protection.

P301+P310+P331 - IF SWALLOWED: Immediately call a POISON CENTER, a doctor. Do

NOT induce vomiting.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse.

P391 - Collect spillage.

#### 2.3. Other hazards

No additional information available

### **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Name : JUNIPER TWIGS OIL

CAS-No. : 84603-69-0 EC-No. : 283-268-3

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ALPHA-PINENES	(CAS-No.) 80-56-8 (EC-No.) 201-291-9	50 – 70	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
BETA-PINENES	(CAS-No.) 127-91-3 (EC-No.) 204-872-5	5 – 20	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
D-LIMONENE	(CAS-No.) 5989-27-5 (EC-No.) 227-813-5 (EC Index-No.) 601-029-00-7	2-7	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
4-TERPINEOL	(CAS-No.) 562-74-3 (EC-No.) 209-235-5	≤ 1.5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
P-CYMENE	(CAS-No.) 99-87-6 (EC-No.) 202-796-7	≤1	Flam. Liq. 3, H226 Aquatic Chronic 2, H411

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

GAMMA-TERPINENE	(CAS-No.) 99-85-4 (EC-No.) 202-794-6	0 – 1	Flam. Liq. 3, H226 Repr. 2, H361 Asp. Tox. 1, H304
ESTRAGOLE (METHYL CHAVICOL)	(CAS-No.) 140-67-0 (EC-No.) 205-427-8	≤ 0.15	Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317 Muta. 2, H341 Carc. 2, H351

Full text of H-statements: see section 16

#### 3.2. Mixtures

Not applicable

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow affected person to

breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash with

plenty of water/.... Wash contaminated clothing before reuse. If skin irritation occurs: Rinse skin with water/shower. Get medical advice/attention. Specific treatment (see Refer to instruction manual/booklet on this label). If skin irritation or rash occurs: Rinse skin with

water/shower. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists. Rinse eyes with water as a precaution.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor. Do not

induce vomiting. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause an allergic skin reaction.

Symptoms/effects after skin contact : Causes skin irritation. Irritation. May cause an allergic skin reaction. Symptoms/effects after ingestion : May be fatal if swallowed and enters airways. Risk of lung oedema.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

7/17/2020 (Version: 1.4) EN (English) 3/13

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames.

No smoking.

6.1.1. For non-emergency personnel

**Emergency procedures** : Ventilate spillage area. Evacuate unnecessary personnel. No open flames, no sparks, and

no smoking. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

**Emergency procedures** Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or Methods for cleaning up

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed Precautions for safe handling

Storage conditions

- : Handle empty containers with care because residual vapours are flammable.
- : Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Avoid breathing smokes, vapours. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Flammable vapours may accumulate in the container. Use explosion-proof equipment.

Wear personal protective equipment. Avoid contact with skin and eyes.

Wash hands thoroughly after handling. Contaminated work clothing should not be allowed Hygiene measures out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke

when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof ventilating equipment.

: Keep only in the original container in a cool, well ventilated place away from : Heat sources,

Direct sunlight. Keep container tightly closed. Store in a well-ventilated place. Keep cool.

Store locked up.

Incompatible products : Strong bases. Strong acids.

Sources of ignition. Direct sunlight. Heat sources. Incompatible materials

36 months Shelf life to guarantee the quality and properties of the product; After this period, Maximum storage period

it is recommended to control organoleptic and physicochemical properties before using the

raw material.

Storage temperature : 5 - 25 °C

7/17/2020 (Version: 1.4) 4/13 EN (English)

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 7.3. Specific end use(s)

No additional information available

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

No additional information available

#### 8.2. Exposure controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Hand protection:

Wear protective gloves.

#### Eye protection:

Chemical goggles or safety glasses. Safety glasses

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

#### Personal protective equipment symbol(s):



### Environmental exposure controls:

Avoid release to the environment.

### Other information:

Do not eat, drink or smoke during use.

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Colourless. slightly. Yellow.

Odour
Odour : characteristic.
Odour threshold : No data available
pH : No data available
Relative evaporation rate (butylacetate=1) : No data available
Melting point : Not applicable
Freezing point : No data available
Boiling point : No data available

Flash point : 37 °C

Auto-ignition temperature : No data available Decomposition temperature : No data available

Flammability (solid, gas) : Flammable liquid and vapour.

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : 0.86 – 0.872

Solubility : Poorly soluble in water. Solubility in ethanol.

Partition coefficient n-octanol/water (Log Pow) : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available Explosive properties : No data available Oxidising properties : No data available Explosive limits : No data available

#### 9.2. Other information

VOC content :  $\sim 5 (1-9) \%$ Refractive index : 1.47 - 1.48

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Flammable liquid and vapour.

#### 10.2. Chemical stability

Not established. Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

#### 10.3. Possibility of hazardous reactions

Not established.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks. Avoid contact with hot surfaces. No flames, no sparks. Eliminate all sources of ignition.

#### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

JUNIPER TWIGS OIL (84603-69-0)	UNIPER TWIGS OIL (84603-69-0)	
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	

ALPHA-PINENES (80-56-8)	LPHA-PINENES (80-56-8)	
LD50 oral rat	3700 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	

D-LIMONENE (5989-27-5)	
LD50 oral rat	4400 mg/kg

#### Safety Data Sheet

LD50 dermal rabbit

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

	3 3		
4-TERPINEOL (562-74-3)			
LD50 oral rat	1300 mg/kg		
LD50 dermal rabbit	2500 mg/kg		

> 5000 mg/kg

P-CYMENE (99-87-6)	
LD50 oral rat	4750 mg/kg
LD50 dermal rabbit	5000

ESTRAGOLE (METHYL CHAVICOL) (140-67-0)	
LD50 oral rat	1230 mg/kg
LD50 oral	1250 mg/kg mouse
LD50 dermal rabbit	> 5000 mg/kg

GAMMA-TERPINENE (99-85-4)	MMA-TERPINENE (99-85-4)		
LD50 oral rat	3850		

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Not classified

Additional information : Based on available data, the classification criteria are not met

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

D-LIMONENE (5989-27-5)		
IARC group	3 - Not classifiable	

Reproductive toxicity : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-single exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-repeated exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

Aspiration hazard : May be fatal if swallowed and enters airways.

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - general : Very toxic to aquatic life with long lasting effects.

Ecology - water : Very toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term

acute)

(chronic)

: Very toxic to aquatic life with long is

Hazardous to the aquatic environment, long-term

: Very toxic to aquatic life with long lasting effects.

7/17/2020 (Version: 1.4) EN (English) 7/13

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ALPHA-PINENES (80-56-8)		
LC50 fish 1	0.28 mg/l Pimephales promela (fathead minnow) - 96h	
LC50 other aquatic organisms 1	41 mg/l EC50 48h - Daphnia magna [mg/l]	
D-LIMONENE (5989-27-5)		
LC50 fish 1	0.702 mg/l Pimephales promela (fathead minnow) -96h	
EC50 Daphnia 1	69.6 daphnia - 48h	
P-CYMENE (99-87-6)		
LC50 fish 1	48 mg/l 96H -Cyprinodon variegatus (Sheep shead minnow)	
EC50 Daphnia 1	6.5 mg/l EC50 48h - Daphnia magna [mg/l]	
ErC50 (algae)	4.03 mg/l 72h - Scenedesmus capricornutum (Fresh water algae)	
12.2. Persistence and degradability		
JUNIPER TWIGS OIL (84603-69-0)		
Persistence and degradability	May cause long-term adverse effects in the environment.	
ALPHA-PINENES (80-56-8)		
Persistence and degradability	Readily biodegradable. May cause long-term adverse effects in the environment.	
Totalistanio and adgradasiin,	Treadily stocogradate. May cause long term darroles enoute in the environment.	
BETA-PINENES (127-91-3)		
Persistence and degradability	Not established.	
D-LIMONENE (5989-27-5)		
Persistence and degradability	May cause long-term adverse effects in the environment.	
4-TERPINEOL (562-74-3)		
Persistence and degradability	Not established.	
P-CYMENE (99-87-6)		
Persistence and degradability	Readily biodegradable.	
Biodegradation	100 %	
ESTRAGOLE (METHYL CHAVICOL) (140	0-67-0)	
Persistence and degradability	Not established.	
GAMMA-TERPINENE (99-85-4)		
Persistence and degradability	Not established.	
12.3. Bioaccumulative potential		
JUNIPER TWIGS OIL (84603-69-0)		
Bioaccumulative potential	Not established.	
	<u> </u>	

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ALPHA-PINENES (80-56-8)	
Partition coefficient n-octanol/water (Log Pow)	4.834
Bioaccumulative potential	Not established.

#### **BETA-PINENES (127-91-3)**

Bioaccumulative potential Not established.

#### **D-LIMONENE (5989-27-5)**

Bioaccumulative potential Not established.

#### 4-TERPINEOL (562-74-3)

Bioaccumulative potential Not established.

#### **P-CYMENE (99-87-6)**

Partition coefficient n-octanol/water (Log Kow) 4.1

ESTRAGOLE (METHYL CHAVICOL) (140-67-0)		
	Partition coefficient n-octanol/water (Log Kow)	3.47
	Bioaccumulative potential	Not established.

#### **GAMMA-TERPINENE (99-85-4)**

Bioaccumulative potential Not established.

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

Additional information : Avoid release to the environment.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to hazardous or special waste collection point, in accordance with local,

regional, national and/or international regulation.

Additional information : Handle empty containers with care because residual vapours are flammable. Flammable

vapours may accumulate in the container.

Ecology - waste materials : Avoid release to the environment. Hazardous waste due to toxicity.

#### **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

#### 14.1. UN number

UN-No. (ADR) : UN 1169

7/17/2020 (Version: 1.4) EN (English) 9/13

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

 UN-No. (IMDG)
 : UN 1169

 UN-No. (IATA)
 : UN 1169

 UN-No. (ADN)
 : UN 1169

 UN-No. (RID)
 : UN 1169

#### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : EXTRACTS, AROMATIC, LIQUID

Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

Transport document description (ADR) : UN 1169 EXTRACTS, AROMATIC, LIQUID, 3, III, (D/E), ENVIRONMENTALLY

**HAZARDOUS** 

Transport document description (IMDG) : UN 1169, 3, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS

Transport document description (IATA) : UN 1169, 3, ENVIRONMENTALLY HAZARDOUS
Transport document description (ADN) : UN 1169, 3, ENVIRONMENTALLY HAZARDOUS
Transport document description (RID) : UN 1169, 3, ENVIRONMENTALLY HAZARDOUS

#### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : 3
Danger labels (ADR) : 3



### IMDG

Transport hazard class(es) (IMDG) : 3

3 **¥**2

### IATA

Transport hazard class(es) (IATA) :



#### ADN

Transport hazard class(es) (ADN) : 3



#### RID

Transport hazard class(es) (RID) : 3
Danger labels (RID) : 3



### 14.4. Packing group

Packing group (ADR) : III

Packing group (IMDG) : Not applicable Packing group (IATA) : Not applicable

#### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Packing group (ADN) : Not applicable Packing group (RID) : Not applicable

#### 14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes

Other information : No supplementary information available

#### 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR) : F1
Special provisions (ADR) : 601, 640E
Limited quantities (ADR) : 5I
Excepted quantities (ADR) : E1
Vehicle for tank carriage : FL
Transport category (ADR) : 3
Hazard identification number (Kemler No.) : 30

Orange plates :

30 1169

Tunnel restriction code (ADR) : D/E

Transport by sea

No data available

Air transport

No data available

Inland waterway transport

No data available

Rail transport

No data available

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

The following res	The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:		
Reference code	Applicable on	Entry title or description	
JUNIPER TWIGS OIL ; D-LIMONENE ; ALPHA-PINENES ; BETA-PINENES ; P-CYMENE ; GAMMA-TERPINENE		Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	
3(b)	JUNIPER TWIGS OIL; D-LIMONENE; ALPHA-PINENES; BETA-PINENES; 4- TERPINEOL; ESTRAGOLE (METHYL CHAVICOL); GAMMA-TERPINENE	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	
3(c)	JUNIPER TWIGS OIL ; D-LIMONENE ; ALPHA-PINENES ; P-CYMENE	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

40.	JUNIPER TWIGS OIL ; D-LIMONENE ;	Substances classified as flammable gases category 1 or 2, flammable liquids
	ALPHA-PINENES ; BETA-PINENES ; P-	categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures
	CYMENE ; GAMMA-TERPINENE	which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric
		liquids category 1 or pyrophoric solids category 1, regardless of whether they
		appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

JUNIPER TWIGS OIL is not on the REACH Candidate List

JUNIPER TWIGS OIL is not on the REACH Annex XIV List

JUNIPER TWIGS OIL is not subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 july 2012 concerning the export and import of hazardous chemicals.

JUNIPER TWIGS OIL is not subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

VOC content :  $\sim 5 (1 - 9) \%$ 

#### 15.1.2. National regulations

#### Germany

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV; ID No. 3829)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### **SECTION 16: Other information**

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BLV	Biological limit value	
CAS-No.	Chemical Abstract Service number	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC50	Median effective concentration	
EC-No.	European Community number	
EN	European Standard	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
WGK	Water Hazard Class

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16

December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. 2	Carcinogenicity, Category 2
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Muta. 2	Germ cell mutagenicity, Category 2
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.
H351	Suspected of causing cancer.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

#### SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.