

PALMAROSA OIL

Version: 1.6

rue des Pyrénées .O. Box CP 30561 4653 Rungis Cedex - France +33 (0)1 41 73 23 10 xaflor@orange.fr - www.exaflor.co lame Product code Drigin	: PALMAROSA OIL : PALHE01
4653 Rungis Cedex - France +33 (0)1 41 73 23 10 xaflor@orange.fr - www.exaflor.co lame vroduct code Drigin	
xaflor@orange.fr - <u>www.exaflor.co</u> lame Product code Drigin	
roduct code Drigin	
Drigin	: PALHE01
-	
	: India
SECTION 2: PRODUCTION PROCE	ESS
lanufacture	: Water steam distillation of aerial parts of Cymbopogon martinii
ECTION 3: REGULATORY SITUA	TION
dentification of the product	: Essential oil
otanical name	: Cymbopogon martinii (Roxburgh) W. Watson
NCI Name	: CYMBOPOGON MARTINI OIL
AS-No.	: 84649-81-0
C-No.	283-461-2
EMA	: 2831
DA	: 182.20
EE	: 40n
ECTION 4: Physical and chemica	al properties
hysical state	÷ Liquid.
ppearance	: Liquid mobile. Clear.
colour	ilight yellow. Yellow.
dour	characteristic. herbaceous. Floral. sweet.
lash point	: 93 °C
elative density	· 0,884 (0,88 – 0,894)
efractive index	÷ 1,474 (1,47 – 1,478)
optical rotation	÷ -1 – 3 °
olubility	: Insoluble in water.
composition	: GERANIOL; GERANYL ACETATE
ECTION 5: Handling and storage	
recautions for safe handling	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formatic of vapour. Avoid breathing mist, fume, dust, vapours.
lygiene measures	: Wash Wash skin with mild soap and water thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reus
torage conditions	: Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources. Keep container closed when not in use.
ncompatible products	: Strong bases. Strong acids.
ncompatible materials	: Sources of ignition. Direct sunlight.
laximum storage period	 36 months Shelf life to guarantee the quality and properties of the product; After this period, i recommended to control organoleptic and physicochemical properties before using the raw material.
torage temperature	: 18 (10 – 25) °C
torage area	: Store in a well-ventilated place. Keep away from any flames or sparking source. Keep in the dark. Store away from heat.