

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 4/15/2015 Revision date: 11/12/2019 Version: 1.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

Substance name : BLACK PEPPER OIL MADAGASCAR

EC-No. : 284-524-7
CAS-No. : 84929-41-9
Product code : POIHE02

Synonyms : CAS USA No 8006-82-4

Product group : Essential oil

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use Industrial/Professional use spec : Industrial

For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

EXAFLOR

5 rue des Pyrénées P.O. Box CP 30561

94653 Rungis Cedex - France

T +33 (0)1 41 73 23 10 - F +33 (0)1 41 73 23 19

exaflor@orange.fr - www.exaflor.fr

1.4. Emergency telephone number

C	ountry	Organisation/Company	Address	Emergency number	Comment
		ORFILA (FRANCE)		+33 1 45 42 59 59	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3

Skin corrosion/irritation, Category 2

H315

Skin sensitisation, Category 1

H317

Aspiration hazard, Category 1

H304

Hazardous to the aquatic environment — Acute Hazard, Category 1

H400

Hazardous to the aquatic environment — Chronic Hazard, Category 1

H410

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS02

GHS07

GHS08

GHS09

Signal word (CLP) : Danger

Hazard statements (CLP) : H226 - Flammable liquid and vapour.

H304 - May be fatal if swallowed and enters airways.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H410 - Very toxic to aquatic life with long lasting effects.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P233 - Keep container tightly closed.

P240 - Ground/bond container and receiving equipment. P241 - Use explosion-proof ventilating equipment. P261 - Avoid breathing mist, fume, dust, vapours.

P264 - Wash hands thoroughly after handling.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, eye protection.

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER, a doctor.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P321 - Specific treatment (see Read label before use. on this label).

P331 - Do NOT induce vomiting.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse. P370+P378 - In case of fire: Use carbon dioxide (CO2) to extinguish.

P403+P235 - Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents/container to contents/container to agreemented companies

according to national regulations.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Name : BLACK PEPPER OIL MADAGASCAR

CAS-No. : 84929-41-9 EC-No. : 284-524-7

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
BETA-CARYOPHYLLENE	(CAS-No.) 87-44-5 (EC-No.) 201-746-1	10 - 28.4	Not classified
ALPHA-PINENES	(CAS-No.) 80-56-8 (EC-No.) 201-291-9	8 - 26	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
D-LIMONENE	(CAS-No.) 5989-27-5 (EC-No.) 227-813-5 (EC Index-No.) 601-029-00-7	10 - 25	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
3-CARENE	(CAS-No.) 13466-78-9 (EC-No.) 236-719-3	7 - 20.2	Flam. Liq. 3, H226 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
BETA-PINENES	(CAS-No.) 127-91-3 (EC-No.) 204-872-5	7 - 15	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304

Full text of H-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation

First-aid measures after skin contact

: Allow affected person to breathe fresh air. Allow the victim to rest.

: Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash with plenty of water/.... Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see Read label before use. on this label). If skin irritation or rash occurs: Gently wash with plenty of soap and water.

11/12/2019 (Version: 1.2) EN (English) 2/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause an allergic skin reaction.

Symptoms/effects after skin contact : Causes skin irritation.

Symptoms/effects after ingestion : May be fatal if swallowed and enters airways.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour.

Explosion hazard : May form flammable/explosive vapour-air mixture.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open

flames. No smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent

formation of vapour. Avoid breathing smokes, vapours.

Hygiene measures : Wash hands thoroughly after handling. Contaminated work clothing should not be allowed

out of the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Heat

sources, Direct sunlight. Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.

Maximum storage period : 36 months Shelf life to guarantee the quality and properties of the product; After this

period, it is recommended to control organoleptic and physicochemical properties before using the raw material.

using the raw mate

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

11/12/2019 (Version: 1.2) EN (English) 3/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

8.2. Exposure controls

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

Chemical goggles or safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Liquid mobile. Clear.

Colour : Colourless. light yellow. Green.

Light blue fluorescence.

Odour : characteristic. spicy. woody.

Odour threshold : No data available pH : No data available Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available Freezing point : No data available Boiling point : No data available : No data available

Flash point : 48 °C

Auto-ignition temperature : No data available Decomposition temperature : No data available

Flammability (solid, gas) : Flammable liquid and vapour.

Vapour pressure : No data available
Relative vapour density at 20 °C : No data available
Relative density : 0.864 - 0.884
Solubility : Solubility in ethanol.

Ethanol: Soluble in 3 volumes of ethanol for1 volume of Essential oil

Log Pow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

9.2. Other information

Minimum ignition energy : ≈

Refractive index : 1.47 - 1.49

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

11/12/2019 (Version: 1.2) EN (English) 4/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

SECTION '	11· Toxico	logical in	formation
OLUTION	II. IOAICO	logical III	of mation

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

ALPHA-PINENES (80-56-8)

LD50 oral rat	3700 mg/kg
LD50 dermal rabbit	> 5000 mg/kg

D-LIMONENE (5989-27-5)

LD50 oral rat	4400 mg/kg
LD50 dermal rabbit	> 5000 mg/kg

3-CARENE (13466-78-9)

LD50 oral rat	4800 mg/kg [National Technical Information Service. Vol. OTS0533894]
LD50 dermal rabbit	> 2000 mg/kg [National Technical Information Service. Vol. OTS0533894]

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Not classified

Additional information : Based on available data, the classification criteria are not met

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

D-LIMONENE (5989-27-5)

IARC group	3 - Not classifiable

Reproductive toxicity : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-single exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-repeated exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

Aspiration hazard : May be fatal if swallowed and enters airways.

Potential adverse human health effects and : Based on available data, the classification criteria are not met.

symptoms

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Very toxic to aquatic life with long lasting effects.

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

ALPHA-PINENES (80-56-8)

112111111111111111111111111111111111111	
LC50 fish 1	0.28 mg/l Pimephales promela (fathead minnow) - 96h
LC50 other aquatic organisms 1	41 mg/l EC50 48h - Daphnia magna [mg/l]

D-LIMONENE (5989-27-5)

,	
LC50 fish 1	0.702 mg/l Pimephales promela (fathead minnow) -96h

11/12/2019 (Version: 1.2) EN (English) 5/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Persistence and degradability	May cause long-term adverse effects in the environment.
BLACK PEPPER OIL MADAGASCAR (84929-41-9)	
12.2. Persistence and degradability	
EC50 Daphnia 1	69.6 daphnia - 48h

BETA-CARYOPHYLLENE (87-44-5)	
Persistence and degradability	Not established.

ALPHA-PINENES (80-56-8)	
Persistence and degradability	Readily biodegradable. May cause long-term adverse effects in the environment.

D-LIMONENE (5989-27-5)	
Persistence and degradability	May cause long-term adverse effects in the environment.

3-CARENE (13466-78-9)	
Persistence and degradability	May cause long-term adverse effects in the environment.

BETA-PINENES (127-91-3)	
Persistence and degradability	Not established.
12.3. Bioaccumulative potential	

BLACK PEPPER OIL MADAGASCAR (84929-41-9)	
Bioaccumulative potential	Not established.

BETA-CARYOPHYLLENE (87-44-5)	
Bioaccumulative potential	Not established.

ALPHA-PINENES (80-56-8)	
Log Pow	4.834
Bioaccumulative potential	Not established.

D-LIMONENE (5989-27-5)	
Bioaccumulative potential	Not established.

3-CARENE (13466-78-9)	RENE (13466-78-9)	
Log Pow	4.476	
Bioaccumulative potential	Not established.	

•	
BETA-PINENES (127-91-3)	
Bioaccumulative potential	Not established.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations

: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to contents/container to agreemented companies according to national regulations.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Additional information : Handle empty containers with care because residual vapours are flammable.

Ecology - waste materials : Avoid release to the environment. Hazardous waste due to toxicity.

SECTION 14: Transport information

In accordance with ADR

14.1. UN number

UN-No. (ADR) : UN 1169

14.2. UN proper shipping name

Proper Shipping Name (ADR) : EXTRACTS, AROMATIC, LIQUID

Transport document description (ADR) : UN 1169 EXTRACTS, AROMATIC, LIQUID, 3, III, (D/E), ENVIRONMENTALLY

HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 3
Danger labels (ADR) : 3



14.4. Packing group

Packing group (ADR) : III

14.5. Environmental hazards

Dangerous for the environment : Yes

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : F1
Special provisions (ADR) : 601, 640E

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions : T2

(ADR)

Portable tank and bulk container special provisions : TP1

(ADR)

Tank code (ADR) : LGBF
Vehicle for tank carriage : FL
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Operation (ADR) : S2
Hazard identification number (Kemler No.) : 30

Orange plates

30 1169

Tunnel restriction code (ADR) : D/E

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

Reference code | Applicable on | Entry title or description

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

3.	BLACK PEPPER OIL MADAGASCAR	Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008
40.	BLACK PEPPER OIL MADAGASCAR	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

BLACK PEPPER OIL MADAGASCAR is not on the REACH Candidate List

BLACK PEPPER OIL MADAGASCAR is not on the REACH Annex XIV List

BLACK PEPPER OIL MADAGASCAR is not subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

BLACK PEPPER OIL MADAGASCAR is not subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

Germany

Reference to AwSV : Water hazard class (WGK) 2, Significantly hazardous to water (Classification according to

AwSV; ID No. 3825)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16

December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Asp. Tox. 1	Aspiration hazard, Category 1
Flam. Liq. 3	Flammable liquids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

11/12/2019 (Version: 1.2) EN (English) 8/8