

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 5/7/2014 Revision date: 2/11/2021 Version: 1.9

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance

Substance name : THYME CT THYMOL OIL

 EC-No.
 : 285-397-0

 CAS-No.
 : 85085-75-2

 Product code
 : THYHE01

 Product group
 : Essential oil

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Industrial use Industrial/Professional use spec : Industrial

For professional use only

#### 1.2.2. Uses advised against

No additional information available

# 1.3. Details of the supplier of the safety data sheet

EXAFLOR 5 rue des Pyrénées P.O. Box CP 30561 94653 Rungis Cedex - France T +33 (0)1 41 73 23 10 exaflor@orange.fr - www.exaflor.co

Country	Organisation/Company	Address	Emergency number	Comment
	ORFILA (FRANCE)		+33 1 45 42 59 59	

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3

Acute toxicity (oral), Category 4

Skin corrosion/irritation, Category 1B

Skin sensitisation, Category 1

Reproductive toxicity, Category 2

Hazardous to the aquatic environment — Chronic Hazard, Category 2

H411

Full text of H statements : see section 16

# Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. Suspected of damaging fertility or the unborn child. Harmful if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects.

# 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :











# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

GHS02 GHS05 GHS07 GHS08 GHS09

Signal word (CLP) : Danger

Hazard statements (CLP) : H226 - Flammable liquid and vapour.

H302 - Harmful if swallowed.

H314 - Causes severe skin burns and eye damage.

H317 - May cause an allergic skin reaction.

H361 - Suspected of damaging fertility or the unborn child.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P201 - Obtain special instructions before use.

P210 - Keep away from heat, sparks, open flames. No smoking.

P261 - Avoid breathing mist, fume, dust, vapours. P264 - Wash hands thoroughly after handling.

P280 - Wear protective gloves, protective clothing, eye protection.

P301+P330+P331+P310 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

Immediately call a POISON CENTER, a doctor.

P303+P361+P353+P310 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.. Immediately call a POISON CENTER, a doctor. P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER, a doctor.

P308+P313 - IF exposed or concerned: Get medical advice/attention. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse.

P391 - Collect spillage.

#### 2.3. Other hazards

No additional information available

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Name : THYME CT THYMOL OIL

CAS-No. : 85085-75-2 EC-No. : 285-397-0

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
THYMOL	(CAS-No.) 89-83-8 (EC-No.) 201-944-8 (EC Index-No.) 604-032-00-1	37 – 55	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Aquatic Chronic 2, H411
P-CYMENE	(CAS-No.) 99-87-6 (EC-No.) 202-796-7	14 – 28	Flam. Liq. 3, H226 Repr. 2, H361 Aquatic Chronic 2, H411
GAMMA-TERPINENE	(CAS-No.) 99-85-4 (EC-No.) 202-794-6	4 – 11	Flam. Liq. 3, H226 Repr. 2, H361 Asp. Tox. 1, H304
LINALOOL	(CAS-No.) 78-70-6 (EC-No.) 201-134-4	3 – 6.5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
CARVACROL	(CAS-No.) 499-75-2 (EC-No.) 207-889-6	0.5 – 5.5	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314
ALPHA-PINENES	(CAS-No.) 80-56-8 (EC-No.) 201-291-9	0.5 – 2.5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

D-LIMONENE	(CAS-No.) 5989-27-5	0.1 – 1	Flam. Liq. 3, H226
	(EC-No.) 227-813-5		Skin Irrit. 2, H315
	(EC Index-No.) 601-029-00-7		Skin Sens. 1, H317
			Aquatic Acute 1, H400
			Aquatic Chronic 1, H410

Full text of H-statements: see section 16

#### 3.2. Mixtures

Not applicable

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general

First-aid measures after inhalation

First-aid measures after skin contact

First-aid measures after eye contact

First-aid measures after ingestion

Never give anything by mouth to an unconscious person. Call a physician immediately.

Remove person to fresh air and keep comfortable for breathing. Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.

Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER/doctor. Wash with plenty of water/.... If skin irritation or rash occurs: Gently wash with plenty of soap and water. Get medical advice/attention. Specific treatment (see Read label before use. on this label). Wash contaminated clothing before reuse. Call a physician immediately.

: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Call a physician

: Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER/doctor if you feel unwell. Immediately call a POISON CENTER/doctor. Do not induce vomiting. Call a physician

immediately.

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects

: Causes severe skin burns and eye damage. Suspected of damaging fertility or the unborn child.

Symptoms/effects after inhalation Symptoms/effects after skin contact : May cause an allergic skin reaction. : Burns. May cause an allergic skin reaction.

Symptoms/effects after eye contact

Serious damage to eyes.

Symptoms/effects after ingestion

Swallowing a small quantity of this material will result in serious health hazard. May be fatal if swallowed and enters airways. Burns.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour.

Explosion hazard May form flammable/explosive vapour-air mixture.

Hazardous decomposition products in case of fire Toxic fumes may be released.

#### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames.

No smoking.

6.1.1. For non-emergency personnel

**Emergency procedures** : Ventilate spillage area. Evacuate unnecessary personnel. No open flames, no sparks, and

no smoking. Avoid contact with skin and eyes. Do not breathe

dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

**Emergency procedures** Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

# 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or Methods for cleaning up

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed Precautions for safe handling

- : Handle empty containers with care because residual vapours are flammable.
- : Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Do not breathe smokes, vapours. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Flammable vapours may accumulate in the container. Use explosionproof equipment. Wear personal protective equipment. Avoid contact with skin and eyes.

Hygiene measures Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond

container and receiving equipment. Use explosion-proof ventilating equipment. Comply with applicable regulations.

Storage conditions Keep only in the original container in a cool, well ventilated place away from : Heat sources, Direct sunlight. Keep container tightly closed. Store in a well-ventilated place. Keep cool.

> Store locked up. : Strong bases. Strong acids.

Incompatible products Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.

Maximum storage period 36 months Shelf life to guarantee the quality and properties of the product; After this period,

it is recommended to control organoleptic and physicochemical properties before using the

raw material.

2/11/2021 (Version: 1.9) 4/13 EN (English)

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Storage temperature : 5-25 °C

Storage area : Store in a well-ventilated place. Keep away from any flames or sparking source. Keep in the

dark. Store away from heat.

# 7.3. Specific end use(s)

No additional information available

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Hand protection:

Wear protective gloves.

#### Eye protection:

Chemical goggles or face shield. Safety glasses

# Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection. Wear appropriate mask

## Personal protective equipment symbol(s):



# **Environmental exposure controls:**

Avoid release to the environment.

#### Other information:

Do not eat, drink or smoke during use.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Liquid mobile.
Colour : Yellow. red. brown.

Odour : characteristic. aromatic. slightly. spicy.

Odour threshold : No data available pH : No data available Relative evaporation rate (butylacetate=1) : No data available Melting point : Not applicable Freezing point : No data available

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Boiling point : 190 °C Flash point : 60 °C

Auto-ignition temperature : No data available Decomposition temperature : No data available

Flammability (solid, gas) : Flammable liquid and vapour.

Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : 0.91 – 0.937

Solubility : Poorly soluble in water.

Partition coefficient n-octanol/water (Log Pow) : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available

Explosive properties : No data available

Oxidising properties : No data available

Explosive limits : No data available

# 9.2. Other information

Refractive index : 1.494 – 1.504

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Thermal decomposition generates: Corrosive vapours. Flammable liquid and vapour.

# 10.2. Chemical stability

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

#### 10.3. Possibility of hazardous reactions

Not established.

# 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks. Avoid contact with hot surfaces. No flames, no sparks. Eliminate all sources of ignition.

# 10.5. Incompatible materials

Strong acids. Strong bases.

# 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases. Thermal decomposition generates: Corrosive vapours.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

# **THYME CT THYMOL OIL (85085-75-2)**

LD50 dermal rabbit 10000 mg/kg

# **THYMOL (89-83-8)**

LD50 oral rat 980 mg/kg

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

P-CYMENE (99-87-6)	
LD50 oral rat 4750 mg/kg	
LD50 dermal rabbit	5000

GAMMA-TERPINENE (99-85-4)	
LD50 oral rat	3850

LINALOOL (78-70-6)	
LD50 oral rat	2790 mg/kg
LD50 oral	3120 mg/kg LD50 oral mouse
LD50 dermal rabbit	5610 mg/kg

CARVACROL (499-75-2)	
LD50 oral rat 810 mg/kg	
LD50 dermal rabbit	2700 mg/kg

ALPHA-PINENES (80-56-8)	
LD50 oral rat 3700 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg

D-LIMONENE (5989-27-5)	
LD50 oral rat 4400 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg

Skin corrosion/irritation : Causes severe skin burns.

Serious eye damage/irritation : Assumed to cause serious eye damage Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

D-LIMONENE (5989-27-5)	
IARC group	3 - Not classifiable

Reproductive toxicity : Suspected of damaging fertility or the unborn child.

STOT-single exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

STOT-repeated exposure : Not classified

Additional information : Based on available data, the classification criteria are not met

Aspiration hazard : Not classified

Additional information : Based on available data, the classification criteria are not met

Potential adverse human health effects and

symptoms

: Harmful if swallowed.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# **SECTION 12: Ecological information**

# 12.1. Toxicity

: Toxic to aquatic life with long lasting effects. Ecology - general Ecology - water : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

(chronic)

: Toxic to aquatic life with long lasting effects.

THYMOL (89-83-8)	
LC50 fish 1	Average 3.7 (3.2 – 4.2) mg/l Pimephales promela (fathead minnow) - 96h
EC50 Daphnia 1	Averrage 2.5 (1.7 – 3.2) mg/l EC50 (Daphnia Magna) - 96h

P-CYMENE (99-87-6)	
LC50 fish 1	48 mg/l 96H -Cyprinodon variegatus (Sheep shead minnow)
EC50 Daphnia 1	6.5 mg/l EC50 48h - Daphnia magna [mg/l]
ErC50 (algae)	4.03 mg/l 72h - Scenedesmus capricornutum (Fresh water algae)

LINALOOL (78-70-6)	
LC50 fish 1	27.8 mg/l EC 50 (fish : rainbow trout) : - 96h
LC50 other aquatic organisms 1	88.3 mg/l Desmodesmus subspicatus (green algae) - 96h
EC50 Daphnia 1	59 mg/l EC50 48h - Daphnia magna [mg/l]
NOEC chronic fish	3.5 mg/l Oncorhynchus mykiss (Rainbow trout)- 96h
NOEC chronic crustacea	25 mg/l daphnia - 48h

ALPHA-PINENES (80-56-8)	
LC50 fish 1 0.28 mg/l Pimephales promela (fathead minnow) - 96h	
LC50 other aquatic organisms 1	41 mg/l EC50 48h - Daphnia magna [mg/l]

D-LIMONENE (5989-27-5)	
LC50 fish 1	0.702 mg/l Pimephales promela (fathead minnow) -96h
EC50 Daphnia 1	69.6 daphnia - 48h

# 12.2. Persistence and degradability

THYME CT THYMOL OIL (85085-75-2)	
Persistence and degradability	May cause long-term adverse effects in the environment.

THYMOL (89-83-8)	
Persistence and degradability	May cause long-term adverse effects in the environment.

P-CYMENE (99-87-6)	
Persistence and degradability	Readily biodegradable.
Biodegradation	100 %

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

GAMMA-TERPINENE (99-85-4)		
Persistence and degradability	Not established.	
LINALOOL (78-70-6)		
Persistence and degradability	Readily biodegradable. Not established.	
Biodegradation	100 % 13 DAYS- ZAHN-WELLENS TEST OECD N° 302 B	
CARVACROL (499-75-2)		
Persistence and degradability	Not established.	
ALPHA-PINENES (80-56-8)		
Persistence and degradability	Readily biodegradable. May cause long-term adverse effects in the environment.	
D-LIMONENE (5989-27-5)		
Persistence and degradability	May cause long-term adverse effects in the environment.	
12.3. Bioaccumulative potential		
THYME CT THYMOL OIL (85085-75-2)		
Bioaccumulative potential	Not established.	
THYMOL (89-83-8)		
Partition coefficient n-octanol/water (Log Kow)	3.3	
Bioaccumulative potential	Not established.	
P-CYMENE (99-87-6)		
Partition coefficient n-octanol/water (Log Kow)	4.1	
CAMMA TERRINENE (OC. OF 4)		
GAMMA-TERPINENE (99-85-4)  Bioaccumulative potential	Not established.	
Dioaccumulative potential	Not established.	
LINALOOL (78-70-6)		
Partition coefficient n-octanol/water (Log Pow)	2.97	
Bioaccumulative potential	Not established.	
CARVACROL (499-75-2)		
Partition coefficient n-octanol/water (Log Kow)	3.49	
Bioaccumulative potential	Not established.	
ALPHA-PINENES (80-56-8)		
Partition coefficient n-octanol/water (Log Pow)	4.834	
Bioaccumulative potential	Not established.	
D-LIMONENE (5989-27-5)		
Bioaccumulative potential	Not established.	
,		

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

# 12.6. Other adverse effects

Additional information : Avoid release to the environment.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations

Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to contents/container to agreemented companies according to national

regulations

Additional information

: Handle empty containers with care because residual vapours are flammable. Flammable

vapours may accumulate in the container.

Ecology - waste materials

: Avoid release to the environment. Hazardous waste due to toxicity.

# **SECTION 14: Transport information**

In accordance with ADR

#### 14.1. UN number

UN-No. (ADR) : UN 2924

# 14.2. UN proper shipping name

Proper Shipping Name (ADR)

: FLAMMABLE LIQUID, CORROSIVE, N.O.S.

Transport document description (ADR)

: UN 2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (THYMOL(89-83-8); P-CYMENE(99-87-6)), 3 (8), III, (D/E), ENVIRONMENTALLY HAZARDOUS

### 14.3. Transport hazard class(es)

**ADR** 

Transport hazard class(es) (ADR)

Danger labels (ADR)

: 3 (8) : 3, 8



# 14.4. Packing group

Packing group (ADR) : III

#### 14.5. Environmental hazards

Dangerous for the environment

Other information : No supplementary information available

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR) : FC
Special provisions (ADR) : 274
Limited quantities (ADR) : 5I

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

: E1 Excepted quantities (ADR)

Packing instructions (ADR) : P001, IBC03, R001

Mixed packing provisions (ADR) : MP19 Portable tank and bulk container instructions (ADR) : T7 : TP1, TP28

Portable tank and bulk container special provisions

(ADR)

Tank code (ADR) : L4BN Vehicle for tank carriage : FL Transport category (ADR) 3 Special provisions for carriage - Packages (ADR) : V12 Special provisions for carriage - Operation (ADR) : S2 Hazard identification number (Kemler No.) 38

Orange plates

38

Tunnel restriction code (ADR)

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:		
Reference code	Applicable on	Entry title or description
3(a)	THYME CT THYMOL OIL ; P-CYMENE ; GAMMA-TERPINENE ; ALPHA-PINENES ; D-LIMONENE	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	THYME CT THYMOL OIL; P-CYMENE; CARVACROL; GAMMA-TERPINENE; ALPHA-PINENES; LINALOOL; D-LIMONENE	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	THYME CT THYMOL OIL ; P-CYMENE ; ALPHA-PINENES ; D-LIMONENE	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	THYME CT THYMOL OIL ; P-CYMENE ; GAMMA-TERPINENE ; ALPHA-PINENES ; D-LIMONENE	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

THYME CT THYMOL OIL is not on the REACH Candidate List

THYME CT THYMOL OIL is not on the REACH Annex XIV List

THYME CT THYMOL OIL is not subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 july 2012 concerning the export and import of hazardous chemicals.

THYME CT THYMOL OIL is not subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

#### Germany

Water hazard class (WGK) : Not classified according to Regulation Governing Systems for Handling Substances

Hazardous to Waters (AwSV)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BLV	Biological limit value
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
EC-No.	European Community number
EN	European Standard
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
WGK	Water Hazard Class

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16  $\,$ Data sources December 2008 on classification, labelling and packaging of substances and mixtures, amending and

repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Repr. 2	Reproductive toxicity, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

# SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.