



YLANG COMPLETE OIL

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
Date of issue: 10/1/2014 Revision date: 9/23/2019 Version: 1.3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance
Substance name : YLANG COMPLETE OIL
EC-No. : 281-092-1
CAS-No. : 83863-30-3
Product code : YLAHE04
Synonyms : OTHER CAS No : 8006-81-3 ; 68606-83-7
Product group : Essential oil

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use
Industrial/Professional use spec : Industrial
For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

EXAFLOR
5 rue des Pyrénées
P.O. Box CP 30561
94653 Rungis Cedex - France
T +33 (0)1 41 73 23 10 - F +33 (0)1 41 73 23 19
exaflor@orange.fr - www.exaflor.fr

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
	ORFILA (FRANCE)		+33 1 45 42 59 59	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 1 H318
Skin sensitisation, Category 1 H317
Reproductive toxicity, Category 2 H361
Aspiration hazard, Category 1 H304
Hazardous to the aquatic environment — Chronic Hazard, Category 3 H412
Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

GHS07

GHS08

Signal word (CLP) :

Danger

Hazard statements (CLP) :

H304 - May be fatal if swallowed and enters airways.
H315 - Causes skin irritation.
H317 - May cause an allergic skin reaction.
H318 - Causes serious eye damage.
H361 - Suspected of damaging the unborn child. (No certainty about hazards to the foetus).
H412 - Harmful to aquatic life with long lasting effects.

YLANG COMPLETE OIL

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Precautionary statements (CLP) : P201 - Obtain special instructions before use.
P202 - Do not handle until all safety precautions have been read and understood.
P261 - Avoid breathing fume, gas, dust, vapours.
P264 - Wash hands thoroughly after handling.
P272 - Contaminated work clothing should not be allowed out of the workplace.
P273 - Avoid release to the environment.
P280 - Wear protective gloves, protective clothing, eye protection.
P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER, a doctor.
P302+P352 - IF ON SKIN: Wash with plenty of with water & soap.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313 - IF exposed or concerned: Get medical advice.
P310 - Immediately call a POISON CENTER, a doctor.
P321 - Specific treatment (see Read label before use. on this label).
P331 - Do NOT induce vomiting.
P332+P313 - If skin irritation occurs: Get medical advice/attention.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P405 - Store locked up.
P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Name : YLANG COMPLETE OIL
CAS-No. : 83863-30-3
EC-No. : 281-092-1

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
BETA-CARYOPHYLLENE	(CAS-No.) 87-44-5 (EC-No.) 201-746-1	7.5 - 18	Not classified
LINALOOL	(CAS-No.) 78-70-6 (EC-No.) 201-134-4	2 - 16	Skin Irrit. 2, H315 Eye Irrit. 2, H319
GERANYL ACETATE	(CAS-No.) 105-87-3 (EC-No.) 203-341-5	4 - 11.8	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412
BENZYL BENZOATE	(CAS-No.) 120-51-4 (EC-No.) 204-402-9 (EC Index-No.) 607-085-00-9	4 - 10	Acute Tox. 4 (Oral), H302 Aquatic Chronic 2, H411
P-CRESYL METHYLETHER	(CAS-No.) 104-93-8 (EC-No.) 203-253-7	1.8 - 7	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Repr. 2, H361 Aquatic Chronic 3, H412
METHYL BENZOATE	(CAS-No.) 93-58-3 (EC-No.) 202-259-7	0.5 - 5	Acute Tox. 4 (Oral), H302 Aquatic Chronic 3, H412
GERANIOL	(CAS-No.) 106-24-1 (EC-No.) 203-377-1	0.8 - 5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
BENZYL SALICYLATE	(CAS-No.) 118-58-1 (EC-No.) 204-262-9	1 - 4	Skin Sens. 1, H317 Aquatic Chronic 2, H411
FARNESOL	(CAS-No.) 4602-84-0 (EC-No.) 225-004-1	1.4 - 3	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
EUGENOL	(CAS-No.) 97-53-0 (EC-No.) 202-589-1	<= 0.9	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411

YLANG COMPLETE OIL

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ISOEUGENOL	(CAS-No.) 97-54-1 (EC-No.) 202-590-7	<= 0.3	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
METHYL EUGENOL	(CAS-No.) 93-15-2 (EC-No.) 202-223-0	0 - 0.05	Acute Tox. 4 (Oral), H302 Muta. 2, H341 Carc. 2, H351 Aquatic Chronic 2, H411

Full text of H-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Wash with plenty of water/.... Wash contaminated clothing before reuse. If skin irritation occurs: Rinse skin with water/shower. Get medical advice/attention. Specific treatment (see Refer to instruction manual/booklet on this label). If skin irritation or rash occurs: Rinse skin with water/shower.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Suspected of damaging fertility or the unborn child.
Symptoms/effects after inhalation	: May cause an allergic skin reaction.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye damage.
Symptoms/effects after ingestion	: May be fatal if swallowed and enters airways.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures	: Evacuate unnecessary personnel.
----------------------	-----------------------------------

6.1.2. For emergency responders

Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
-------------------------	--

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

YLANG COMPLETE OIL

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid breathing smokes, vapours. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

Hygiene measures : Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Heat sources, Direct sunlight. Keep container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

Maximum storage period : 3 year Shelf life to guarantee the quality and properties of the product; After this period, it is recommended to control organoleptic and physicochemical properties before using the raw material.

Storage temperature : ~ 18 (5 - 25) °C

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves.

Eye protection:

Chemical goggles or safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Liquid mobile.
Colour : light yellow. dark yellow. orange.
Odour : characteristic. flowery and jamine like. sweet.
Odour threshold : No data available
pH : No data available
Relative evaporation rate (butylacetate=1) : No data available
Melting point : No data available
Freezing point : No data available
Boiling point : No data available
Flash point : 76 °C
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : Non flammable.
Vapour pressure : No data available
Vapour pressure at 50 °C : 1750 - 3000 hPa
Relative vapour density at 20 °C : No data available
Relative density : 0.906 - 0.976

YLANG COMPLETE OIL

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Solubility	: Insoluble in water.
Log Pow	: No data available
Viscosity, kinematic	: < 7000000 mm ² /s @ 40°C
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

Refractive index	: 1.495 - 1.515
------------------	-----------------

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

YLANG COMPLETE OIL (83863-30-3)

LD50 oral rat	>= 5000 mg/kg
LD50 dermal rabbit	>= 5000 mg/kg

LINALOOL (78-70-6)

LD50 oral rat	2790 mg/kg
LD50 oral	3120 mg/kg LD50 oral mouse
LD50 dermal rabbit	5610 mg/kg

GERANYL ACETATE (105-87-3)

LD50 oral rat	6330 mg/kg
, Dermal, Guinea pig	= 100 mg (24 Hours, May cause moderate irritation.)
Skin irritation, Dermal, rabbit	= 100 mg (24 Hours, Notes to physician : Risk of severe skin irritation)

BENZYL BENZOATE (120-51-4)

LD50 oral rat	1700 mg/kg
LD50 oral	1400 mg/kg LD50 oral mouse
LD50 dermal rat	4000 mg/kg
LD50 dermal rabbit	4000 mg/kg
LD50, mammalian, acute, oral, rabbit, systemic	= 1680 mg/kg
LD50, mammalian, acute, oral, Guinea pig, systemic	= 1121 mg/kg

P-CRESYL METHYLETHER (104-93-8)

LD50 oral rat	1920 mg/kg
---------------	------------

YLANG COMPLETE OIL

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

LD50 dermal rabbit	> 5000 mg/kg
--------------------	--------------

GERANIOL (106-24-1)

LD50 oral rat	3600 mg/kg
LD50 dermal rabbit	> 5000 mg/kg

METHYL BENZOATE (93-58-3)

LD50 oral rat	1177 mg/kg
---------------	------------

BENZYL SALICYLATE (118-58-1)

LD50 oral rat	2227 mg/kg
LD50 dermal rabbit	14150 mg/kg

FARNESOL (4602-84-0)

LD50 oral rat	6000 mg/kg
LD50 oral	7400 mg/kg mouse
LD50 dermal rabbit	> 5000 mg/kg

EUGENOL (97-53-0)

LD50 oral rat	1930 mg/kg
LC50 inhalation rat (ppm)	> 384 ppmv/4h

ISOEUGENOL (97-54-1)

LD50 oral rat	1560 mg/kg
LD50 oral	1410 mg/kg Guinea pig
LD50 dermal rabbit	1900 mg/kg

METHYL EUGENOL (93-15-2)

LD50 oral rat	810 mg/kg
LD50 dermal rabbit	> 2025
LC50 inhalation rat (mg/l)	> 4800 mg/kg

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met

EUGENOL (97-53-0)

IARC group	3 - Not classifiable
------------	----------------------

METHYL EUGENOL (93-15-2)

IARC group	2B - Possibly carcinogenic to humans
------------	--------------------------------------

Reproductive toxicity	: Suspected of damaging the unborn child. (No certainty about hazards to the foetus).
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: May be fatal if swallowed and enters airways.

YLANG COMPLETE OIL

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

YLANG COMPLETE OIL (83863-30-3)

Viscosity, kinematic < 7000000 mm²/s @ 40°C

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Harmful to aquatic life with long lasting effects.

Acute aquatic toxicity : Not classified

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

YLANG COMPLETE OIL (83863-30-3)

EC50 Daphnia 1 11.2 mg/l EC50 48h - Daphnia magna [mg/l]

LINALOOL (78-70-6)

LC50 fish 1 27.8 mg/l EC 50 (fish : rainbow trout) : - 96h

LC50 other aquatic organisms 1 88.3 mg/l Desmodesmus subspicatus (green algae) - 96h

EC50 Daphnia 1 59 mg/l EC50 48h - Daphnia magna [mg/l]

NOEC chronic fish 3.5 mg/l Oncorhynchus mykiss (Rainbow trout)- 96h

NOEC chronic crustacea 25 mg/l daphnia - 48h

BENZYL BENZOATE (120-51-4)

LC50 fish 2 4.8 mg/l Scud (Gammarus fasciatus) 96h

LC50 other aquatic organisms 1 9.8 mg/l Scud (Gammarus fasciatus) 24h

P-CRESYL METHYLETHER (104-93-8)

LC50 fish 1 46 mg/l 96H - Leuciscus idus (golden orfe)

EC50 Daphnia 1 44.2 mg/l EC50 48h - Daphnia magna [mg/l]

GERANIOL (106-24-1)

LC50 fish 1 env. 22 mg/l Brachydanio rerio (zebra-fish) - 96h

EC50 Daphnia 1 10.8 mg/l EC50 48h - Daphnia magna [mg/l]

EC50 other aquatic organisms 1 13.1 mg/l Desmodesmus subspicatus (green algae) -72h

METHYL BENZOATE (93-58-3)

LC50 fish 1 23 mg/l Brachydanio rerio (zebra-fish) - 96h

EC50 Daphnia 1 62.6 mg/l EC50 24h - Daphnia magna [mg/l]

FARNESOL (4602-84-0)

LC50 fish 1 1.8 mg/l Oncorhynchus mykiss (Rainbow trout) -96h

EC50 Daphnia 1 2.2 mg/l EC50 48h - Daphnia magna [mg/l]

EUGENOL (97-53-0)

LC50 fish 1 13 mg/l Brachydanio rerio (zebra-fish) - 96h

EC50 Daphnia 1 1.13 mg/l EC50 48h - Daphnia magna [mg/l]

METHYL EUGENOL (93-15-2)

LC50 fish 1 6 mg/l Oncorhynchus mykiss (Rainbow trout) - 96h

YLANG COMPLETE OIL

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.2. Persistence and degradability

YLANG COMPLETE OIL (83863-30-3)

Persistence and degradability	May cause long-term adverse effects in the environment.
-------------------------------	---

BETA-CARYOPHYLLENE (87-44-5)

Persistence and degradability	Not established.
-------------------------------	------------------

LINALOOL (78-70-6)

Persistence and degradability	Readily biodegradable. Not established.
-------------------------------	---

Biodegradation	100 % 13 DAYS- ZAHN-WELLENS TEST OECD N° 302 B
----------------	--

GERANYL ACETATE (105-87-3)

Persistence and degradability	May cause long-term adverse effects in the environment.
-------------------------------	---

BENZYL BENZOATE (120-51-4)

Persistence and degradability	May cause long-term adverse effects in the environment.
-------------------------------	---

P-CRESYL METHYLETHER (104-93-8)

Persistence and degradability	persistence. Water. Soil. Weak. and. air. High. May cause long-term adverse effects in the environment.
-------------------------------	---

GERANIOL (106-24-1)

Persistence and degradability	Readily biodegradable. Not established.
-------------------------------	---

Biodegradation	80 - 100 % aerobic, Exposure duration 3 days
----------------	--

METHYL BENZOATE (93-58-3)

Persistence and degradability	May cause long-term adverse effects in the environment.
-------------------------------	---

BENZYL SALICYLATE (118-58-1)

Persistence and degradability	May cause long-term adverse effects in the environment.
-------------------------------	---

EUGENOL (97-53-0)

Persistence and degradability	Readily biodegradable. May cause long-term adverse effects in the environment.
-------------------------------	--

ISOEUGENOL (97-54-1)

Persistence and degradability	Not established.
-------------------------------	------------------

METHYL EUGENOL (93-15-2)

Persistence and degradability	May cause long-term adverse effects in the environment.
-------------------------------	---

12.3. Bioaccumulative potential

YLANG COMPLETE OIL (83863-30-3)

Bioaccumulative potential	Not established.
---------------------------	------------------

BETA-CARYOPHYLLENE (87-44-5)

Bioaccumulative potential	Not established.
---------------------------	------------------

LINALOOL (78-70-6)

Log Pow	2.97
---------	------

Bioaccumulative potential	Not established.
---------------------------	------------------

YLANG COMPLETE OIL

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

GERANYL ACETATE (105-87-3)	
Log Kow	4.04
Bioaccumulative potential	Not established.

BENZYL BENZOATE (120-51-4)	
Log Kow	3.97
Bioaccumulative potential	Not established.

P-CRESYL METHYLETHER (104-93-8)	
Log Kow	2.66
Bioaccumulative potential	Weak. Not established.

GERANIOL (106-24-1)	
Log Pow	2.5 at 25 °C
Bioaccumulative potential	Not established.

METHYL BENZOATE (93-58-3)	
Log Kow	2.12
Bioaccumulative potential	Not established.

BENZYL SALICYLATE (118-58-1)	
Bioaccumulative potential	Not established.

EUGENOL (97-53-0)	
Log Pow	2.7
Log Kow	2.27
Bioaccumulative potential	Not established.

ISOEUGENOL (97-54-1)	
Log Pow	2.1
Log Kow	3.04
Bioaccumulative potential	Not established.

METHYL EUGENOL (93-15-2)	
Log Kow	3.03
Bioaccumulative potential	Not established.

12.4. Mobility in soil

YLANG COMPLETE OIL (83863-30-3)	
Ecology - soil	Low mobility (soil).

P-CRESYL METHYLETHER (104-93-8)	
Ecology - soil	Medium.

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Additional information : Avoid release to the environment.

YLANG COMPLETE OIL

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Ecology - waste materials	: Avoid release to the environment. Hazardous waste due to toxicity.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR)	: Not applicable
UN-No. (IMDG)	: Not applicable
UN-No. (IATA)	: Not applicable
UN-No. (ADN)	: Not applicable
UN-No. (RID)	: Not applicable

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable
Proper Shipping Name (ADN)	: Not applicable
Proper Shipping Name (RID)	: Not applicable

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR)	: Not applicable
----------------------------------	------------------

IMDG

Transport hazard class(es) (IMDG)	: Not applicable
-----------------------------------	------------------

IATA

Transport hazard class(es) (IATA)	: Not applicable
-----------------------------------	------------------

ADN

Transport hazard class(es) (ADN)	: Not applicable
----------------------------------	------------------

RID

Transport hazard class(es) (RID)	: Not applicable
----------------------------------	------------------

14.4. Packing group

Packing group (ADR)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
Packing group (ADN)	: Not applicable
Packing group (RID)	: Not applicable

14.5. Environmental hazards

Dangerous for the environment	: No
Marine pollutant	: No
Other information	: No supplementary information available

14.6. Special precautions for user

Overland transport

No data available

Transport by sea

No data available

Air transport

No data available

Inland waterway transport

No data available

Rail transport

No data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

YLANG COMPLETE OIL

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

YLANG COMPLETE OIL is not on the REACH Candidate List

YLANG COMPLETE OIL is not on the REACH Annex XIV List

YLANG COMPLETE OIL is not subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

YLANG COMPLETE OIL is not subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

Germany

Reference to AwSV : Water hazard class (WGK) 2, Significantly hazardous to water (Classification according to AwSV; ID No. 3830)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. 2	Carcinogenicity, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Muta. 2	Germ cell mutagenicity, Category 2
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H341	Suspected of causing genetic defects.
H351	Suspected of causing cancer.
H361	Suspected of damaging fertility or the unborn child.
H411	Toxic to aquatic life with long lasting effects.

YLANG COMPLETE OIL

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

H412	Harmful to aquatic life with long lasting effects.
------	--

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.