

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 3/6/2019 Revision date: 2/7/2022 Supersedes version of: 7/6/2021 Version: 1.4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

Substance name : BASIL LINALOOL ORGANIC OIL

 EC-No.
 : 283-900-8

 CAS-No.
 : 84775-71-3

 Product code
 : BBASHE04

 Synonyms
 : CAS N°: 8015-73-4

 Product group
 : Organic essential oil

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use,Professional use Industrial/Professional use spec : For professional use only

Industrial

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

EXAFLOR 5 rue des Pyrénées P.O. Box CP 30561 94653 Rungis Cedex - France T +33 (0)1 41 73 23 10

exaflor@orange.fr - www.exaflor.co

1.4. Emergency telephone number

| Country | Organisation/Company | Address | Emergency number | Comment |
|---------|----------------------|---------|-------------------|---------|
| | ORFILA (FRANCE) | | +33 1 45 42 59 59 | |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 2 H319
Skin sensitisation, Category 1 H317
Germ cell mutagenicity, Category 2 H341
Carcinogenicity, Category 2 H351
Hazardous to the aquatic environment — Chronic Hazard, Category 2 H411

Full text of H-statements: see section 16

Adverse physicochemical, human health and environmental effects

Suspected of causing cancer. Suspected of causing genetic defects. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Toxic to aquatic life with long lasting effects.

 2/7/2022 (Revision date)
 EN (English)
 1/15

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP) : Warning

Hazard statements (CLP) : H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.
H319 - Causes serious eye irritation.
H341 - Suspected of causing genetic defects.
H351 - Suspected of causing cancer.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P201 - Obtain special instructions before use.

P261 - Avoid breathing dust, fume, mist, spray. P264 - Wash hands thoroughly after handling.

P280 - Wear eye protection, protective clothing, protective gloves.
P308+P313 - IF exposed or concerned: Get medical advice/attention.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.

P391 - Collect spillage.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Name : BASIL LINALOOL ORGANIC OIL

CAS-No. : 84775-71-3 EC-No. : 283-900-8

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|------------|--|---------|--|
| LINALOOL | CAS-No.: 78-70-6 EC-No.: 201-134-4 | 43 – 62 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 |
| EUGENOL | CAS-No.: 97-53-0 EC-No.: 202-589-1 | ≤ 15 | Acute Tox. 4 (Oral), H302 (ATE=1930 mg/kg de poids corporel) Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411 |
| EUCALYPTOL | CAS-No.: 470-82-6 EC-No.: 207-431-5 | 2 – 11 | Flam. Liq. 3, H226 |
| OCIMENE | CAS-No.: 13877-91-3 EC-No.: 237-641-2 | 0.2 – 2 | Flam. Liq. 3, H226 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411 |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|-----------------------------|---|-------|--|
| CAMPHOR | CAS-No.: 76-22-2 EC-No.: 200-945-0 | < 1.5 | Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg de poids corporel) Acute Tox. 4 (Inhalation:dust,mist), H332 (ATE=1.5 mg/l/4h) Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 Aquatic Chronic 3, H412 |
| ESTRAGOLE (METHYL CHAVICOL) | CAS-No.: 140-67-0 EC-No.: 205-427-8 | 0 – 1 | Acute Tox. 4 (Oral), H302 (ATE=1230 mg/kg de poids corporel) Skin Sens. 1, H317 Muta. 2, H341 Carc. 2, H351 |
| GERANIOL | CAS-No.: 106-24-1 EC-No.: 203-377-1 | 0 – 1 | Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 |
| D-LIMONENE | CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-029-00-7 | 0 – 1 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |
| METHYL EUGENOL | CAS-No.: 93-15-2 EC-No.: 202-223-0 | 0 – 1 | Acute Tox. 4 (Oral), H302 (ATE=810 mg/kg de poids corporel) Muta. 2, H341 Carc. 2, H351 Aquatic Chronic 2, H411 |

Full text of H-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

First-aid measures after inhalation

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Suspected of causing cancer. IF exposed or

concerned: Get medical advice/attention.

: Remove person to fresh air and keep comfortable for breathing. Allow affected person to

breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Wash with plenty of water/... Wash contaminated clothing before reuse. If skin irritation

occurs: Rinse skin with water/shower. Get medical advice/attention. Specific treatment (see Refer to instruction manual/booklet on this label). If skin irritation or rash occurs: Rinse skin with water/shower. Wash skin with plenty of water. Take off contaminated clothing. If skin

irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Get medical

advice/attention. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Suspected of causing genetic defects. Symptoms/effects after inhalation : May cause an allergic skin reaction.

 2/7/2022 (Revision date)
 EN (English)
 3/15

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Symptoms/effects after skin contact : Causes skin irritation. Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Causes serious eye irritation. Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes.

Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew

with proper protection. For further information refer to section 8: "Exposure

controls/personal protection".

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or

diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

 2/7/2022 (Revision date)
 EN (English)
 4/15

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid breathing mist, fume, dust, vapours. Obtain special instructions before use. Use personal protective equipment as required. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Avoid contact with skin and eyes.

Hygiene measures

Wash Wash hands with water and soap thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources. Keep container closed when not in use. Store locked up. Store in a well-ventilated place. Keep cool.

Incompatible products Incompatible materials : Strong bases. Strong acids.

: Sources of ignition. Direct sunlight.

Maximum storage period

: 3 year Shelf life to guarantee the quality and properties of the product; After this period, it is recommended to control organoleptic and physicochemical properties before using the raw

material.

Storage temperature : ≈ 18 (2 - 25) °C

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National occupational exposure and biological limit values

| CAMPHOR (76-22-2) | |
|---------------------------------------|----------|
| France - Occupational Exposure Limits | |
| Local name | Camphre |
| VME (OEL TWA) | 12 mg/m³ |
| VME (OEL TWA) [ppm] 2 ppm | |

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

2/7/2022 (Revision date) EN (English) 5/15

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Chemical goggles or safety glasses. Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask. [In case of inadequate ventilation] wear respiratory protection.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Relative vapour density at 20 °C

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : light yellow. Yellow. amber.
Odour : spicy. anise note. aromatic.

Odour threshold : Not available Melting point : Not applicable Freezing point : Not available : Not available Boiling point Flammability : Non flammable. Explosive limits : Not available Lower explosive limit (LEL) : Not available Upper explosive limit (UEL) : Not available Flash point : 72 °C Auto-ignition temperature : Not available Decomposition temperature : Not available : Not available рΗ Viscosity, kinematic : Not available Solubility : Not available Partition coefficient n-octanol/water (Log Kow) : Not available : Not available Vapour pressure Vapour pressure at 50 °C : Not available Density : Not available Relative density : 0.892 - 0.975

2/7/2022 (Revision date) EN (English) 6/15

: Not available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Particle size : Not applicable Particle size distribution : Not applicable Particle shape : Not applicable : Not applicable Particle aspect ratio Particle aggregation state : Not applicable Particle agglomeration state : Not applicable Particle specific surface area : Not applicable Particle dustiness : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

Refractive index : 1.47 – 1.525

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

LC50 Inhalation - Rat [ppm]

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

| CAMPHOR (76-22-2) | | |
|--|------------------|--|
| LD50 dermal | 3040 mg/kg rat | |
| ESTRAGOLE (METHYL CHAVICOL) (140-67-0) | | |
| LD50 oral rat | 1230 mg/kg | |
| LD50 oral | 1250 mg/kg mouse | |
| LD50 dermal rabbit | > 5000 mg/kg | |
| EUGENOL (97-53-0) | | |
| LD50 oral rat | 1930 mg/kg | |

> 384 ppmv/4h

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| GERANIOL (106-24-1) | |
|--|---|
| LD50 oral rat | 3600 mg/kg |
| LD50 dermal rabbit | > 5000 mg/kg |
| D-LIMONENE (5989-27-5) | |
| LD50 oral rat | 4400 mg/kg |
| LD50 dermal rabbit | > 5000 mg/kg |
| LINALOOL (78-70-6) | |
| LD50 oral rat | 2790 mg/kg |
| LD50 oral | 3120 mg/kg LD50 oral mouse |
| LD50 dermal rabbit | 5610 mg/kg |
| METHYL EUGENOL (93-15-2) | |
| LD50 oral rat | 810 mg/kg |
| LD50 dermal rabbit | > 2025 |
| LC50 Inhalation - Rat | > 4800 mg/kg |
| Skin corrosion/irritation : Serious eye damage/irritation : Respiratory or skin sensitisation : Germ cell mutagenicity : Carcinogenicity : | Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Suspected of causing genetic defects. Suspected of causing cancer. |
| EUGENOL (97-53-0) | |
| IARC group | 3 - Not classifiable |
| D-LIMONENE (5989-27-5) | |
| IARC group | 3 - Not classifiable |
| METHYL EUGENOL (93-15-2) | |
| IARC group | 2B - Possibly carcinogenic to humans |
| Reproductive toxicity Additional information STOT-single exposure Additional information | Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met |
| CAMPHOR (76-22-2) | |
| STOT-single exposure | May cause respiratory irritation. |
| STOT-repeated exposure : Additional information : Aspiration hazard : Additional information : | Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met |
| 11.2. Information on other hazards | |

11.2.1. Endocrine disrupting properties

11.2.2. Other information

Potential adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met

2/7/2022 (Revision date) EN (English) 8/15

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

Ecology - water : Toxic to aquatic life with long lasting effects.

: Not classified

Hazardous to the aquatic environment, short-term

(acute)

Hazardous to the aquatic environment, long-term

(chronic)

: Toxic to aquatic life with long lasting effects.

| CAMPHOR (76-22-2) | | | |
|------------------------------------|---|--|--|
| LC50 - Fish [1] | 50 mg/l LC50 96h fish | | |
| EUGENOL (97-53-0) | | | |
| LC50 - Fish [1] | 13 mg/l Brachydanio rerio (zebra-fish) - 96h | | |
| EC50 - Crustacea [1] | 1.13 mg/l EC50 48h - Daphnia magna [mg/l] | | |
| GERANIOL (106-24-1) | | | |
| LC50 - Fish [1] | env. 22 mg/l Brachydanio rerio (zebra-fish) - 96h | | |
| EC50 - Crustacea [1] | 10.8 mg/l EC50 48h - Daphnia magna [mg/l] | | |
| EC50 - Other aquatic organisms [1] | 13.1 mg/l Desmodesmus subspicatus (green algae) -72h | | |
| D-LIMONENE (5989-27-5) | D-LIMONENE (5989-27-5) | | |
| LC50 - Fish [1] | 0.702 mg/l Pimephales promela (fathead minnow) -96h | | |
| EC50 - Crustacea [1] | 69.6 daphnia - 48h | | |
| LINALOOL (78-70-6) | | | |
| LC50 - Fish [1] | 27.8 mg/l EC 50 (fish : rainbow trout) : - 96h | | |
| LC50 - Other aquatic organisms [1] | 88.3 mg/l Desmodesmus subspicatus (green algae) - 96h | | |
| EC50 - Crustacea [1] | 59 mg/l EC50 48h - Daphnia magna [mg/l] | | |

3.5 mg/l Oncorhynchus mykiss (Rainbow trout)- 96h

6 mg/l Oncorhynchus mykiss (Rainbow trout) - 96h

12.2. Persistence and degradability

METHYL EUGENOL (93-15-2)

NOEC chronic fish

LC50 - Fish [1]

NOEC chronic crustacea

| BASIL LINALOOL ORGANIC OIL (84775-71-3) | | |
|--|---|--|
| Persistence and degradability | May cause long-term adverse effects in the environment. | |
| CAMPHOR (76-22-2) | | |
| Persistence and degradability May cause long-term adverse effects in the environment. | | |
| BOD (% of ThOD) | 94 % ThOD | |
| ESTRAGOLE (METHYL CHAVICOL) (140-67-0) | | |
| Persistence and degradability | Not established. | |
| EUGENOL (97-53-0) | | |
| Persistence and degradability Readily biodegradable. May cause long-term adverse effects in the environment. | | |

25 mg/l daphnia - 48h

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| GERANIOL (106-24-1) | | | |
|---|---|--|--|
| Persistence and degradability | Readily biodegradable. Not established. | | |
| Biodegradation | 80 – 100 % aérobic, Exposure duration 3 days | | |
| D-LIMONENE (5989-27-5) | | | |
| Persistence and degradability | May cause long-term adverse effects in the environment. | | |
| LINALOOL (78-70-6) | | | |
| Persistence and degradability | Readily biodegradable. Not established. | | |
| Biodegradation | 100 % 13 DAYS- ZAHN-WELLENS TEST OECD N° 302 B | | |
| METHYL EUGENOL (93-15-2) | | | |
| Persistence and degradability | May cause long-term adverse effects in the environment. | | |
| OCIMENE (13877-91-3) | | | |
| Persistence and degradability | No information available. persistency. High. Not established. | | |
| 12.3. Bioaccumulative potential | | | |
| BASIL LINALOOL ORGANIC OIL (84775-71-3) | | | |
| Bioaccumulative potential | Not established. | | |
| CAMPHOR (76-22-2) | | | |
| Bioconcentration factor (BCF REACH) | 38 | | |
| Partition coefficient n-octanol/water (Log Pow) | 2.38 | | |
| Partition coefficient n-octanol/water (Log Kow) | 2.95 | | |
| Bioaccumulative potential | Not established. | | |
| ESTRAGOLE (METHYL CHAVICOL) (140-67-0) | | | |
| Partition coefficient n-octanol/water (Log Kow) | 3.47 | | |
| Bioaccumulative potential | Not established. | | |
| EUGENOL (97-53-0) | | | |
| Partition coefficient n-octanol/water (Log Pow) | 2.7 | | |
| Partition coefficient n-octanol/water (Log Kow) | 2.27 | | |
| Bioaccumulative potential | Not established. | | |
| GERANIOL (106-24-1) | | | |
| Partition coefficient n-octanol/water (Log Pow) | 2.5 at 25 °C | | |
| Bioaccumulative potential | Not established. | | |
| D-LIMONENE (5989-27-5) | | | |
| Bioaccumulative potential | Not established. | | |
| LINALOOL (78-70-6) | LINALOOL (78-70-6) | | |
| Partition coefficient n-octanol/water (Log Pow) | 2.97 | | |
| Bioaccumulative potential | Not established. | | |
| METHYL EUGENOL (93-15-2) | | | |
| Partition coefficient n-octanol/water (Log Kow) | 3.03 | | |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| METHYL EUGENOL (93-15-2) | | |
|---------------------------|--|--|
| Bioaccumulative potential | Not established. | |
| OCIMENE (13877-91-3) | | |
| Bioaccumulative potential | No information available. Weak. Not established. | |

12.4. Mobility in soil

| CAMPHOR (76-22-2) | | |
|---|-----------------------------------|--|
| Partition coefficient n-octanol/water (Log Koc) env. 2.67 | | |
| OCIMENE (13877-91-3) | | |
| Ecology - soil | No information available. Medium. | |

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to hazardous or special waste collection point, in accordance with local,

regional, national and/or international regulation.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

UN-No. (ADR) : Not applicable UN-No. (IMDG) : Not applicable UN-No. (IATA) : Not applicable UN-No. (ADN) : Not applicable UN-No. (RID) : Not applicable

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

ADN

Transport hazard class(es) (ADN) : Not applicable

RID

Transport hazard class(es) (RID) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

| EU restriction list (REACH Annex XVII) | | |
|--|---|--|
| Reference code | Applicable on | Entry title or description |
| 3. | EUCALYPTOL; GERANIOL; D- LIMONENE; ESTRAGOLE (METHYL CHAVICOL); EUGENOL ; LINALOOL; OCIMENE; METHYL EUGENOL | Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008 |
| 28. | BASIL LINALOOL ORGANIC OIL | Substances which are classified as carcinogen category 1A or 1B in Part 3 of Annex VI to Regulation (EC) No 1272/2008 and are listed in Appendix 1 or Appendix 2, respectively. |
| 29. | BASIL LINALOOL ORGANIC OIL | Substances which are classified as germ cell mutagen category 1A or 1B in Part 3 of Annex VI to Regulation (EC) No 1272/2008 and are listed in Appendix 3 or Appendix 4, respectively. |
| 3(a) | EUCALYPTOL; D- LIMONENE; OCIMENE | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F |
| 3(b) | BASIL LINALOOL ORGANIC OIL; GERANIOL; D- LIMONENE; ESTRAGOLE (METHYL CHAVICOL); EUGENOL ; LINALOOL; OCIMENE; METHYL EUGENOL | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10 |
| 3(c) | BASIL LINALOOL ORGANIC OIL ; D- LIMONENE ; EUGENOL ; METHYL EUGENOL | Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1 |
| 40. | CAMPHOR; EUCALYPTOL; D- LIMONENE; OCIMENE | Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not. |

BASIL LINALOOL ORGANIC OIL is not on the REACH Candidate List

BASIL LINALOOL ORGANIC OIL is not on the REACH Annex XIV List

BASIL LINALOOL ORGANIC OIL is not subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 july 2012 concerning the export and import of hazardous chemicals.

BASIL LINALOOL ORGANIC OIL is not subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

Germany

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV; ID No. 5822)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

2/7/2022 (Revision date) EN (English) 13/15

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 16: Other information

| Abbreviations and acronyms | | |
|----------------------------|---|--|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways | |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road | |
| ATE | Acute Toxicity Estimate | |
| BCF | Bioconcentration factor | |
| BLV | Biological limit value | |
| BOD | Biochemical oxygen demand (BOD) | |
| COD | Chemical oxygen demand (COD) | |
| DMEL | Derived Minimal Effect level | |
| DNEL | Derived-No Effect Level | |
| EC-No. | European Community number | |
| EC50 | Median effective concentration | |
| EN | European Standard | |
| IARC | International Agency for Research on Cancer | |
| IATA | International Air Transport Association | |
| IMDG | International Maritime Dangerous Goods | |
| LC50 | Median lethal concentration | |
| LD50 | Median lethal dose | |
| LOAEL | Lowest Observed Adverse Effect Level | |
| NOAEC | No-Observed Adverse Effect Concentration | |
| NOAEL | No-Observed Adverse Effect Level | |
| NOEC | No-Observed Effect Concentration | |
| OECD | Organisation for Economic Co-operation and Development | |
| OEL | Occupational Exposure Limit | |
| PBT | Persistent Bioaccumulative Toxic | |
| PNEC | Predicted No-Effect Concentration | |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail | |
| SDS | Safety Data Sheet | |
| STP | Sewage treatment plant | |
| ThOD | Theoretical oxygen demand (ThOD) | |
| TLM | Median Tolerance Limit | |
| VOC | Volatile Organic Compounds | |
| CAS-No. | Chemical Abstract Service number | |
| N.O.S. | Not Otherwise Specified | |
| vPvB | Very Persistent and Very Bioaccumulative | |
| ED | Endocrine disrupting properties | |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information : None.

| Acute Tox. 4 (Inhalation.dust,mist) | Full text of H- and EUH-statements | | |
|--|------------------------------------|--|--|
| Aquatic Acute 1 Hazardous to the aquatic environment — Acute Hazard, Category 1 Aquatic Chronic 1 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Aquatic Chronic 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Aquatic Chronic 3 Hazardous to the aquatic environment — Chronic Hazard, Category 3 Asp. Tox. 1 Aspiration hazard, Category 1 Carc. 2 Carcinogenicity, Category 2 Eye Dam. 1 Serious eye damage/eye irritation, Category 1 Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flam. Liq. 3 Flammable liquids, Category 3 Muta. 2 Germ cell mutagenicity, Category 2 Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Skin sensitisation, Category 3 Harmful if swallowed. H302 Harmful if swallowed. H304 May be Iatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye damage. H339 Harmful if inhaled. H335 May cause respiratory irritation. H341 Suspected of causing genetic defects. H351 Suspected of causing genetic defects. H351 Suspected of causing genetic defects. H400 Very toxic to aquatic life with long lasting effects. | | Acute toxicity (inhalation:dust,mist) Category 4 | |
| Aquatic Chronic 1 Hazardous to the aquatic environment — Chronic Hazard, Category 1 Aquatic Chronic 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Aquatic Chronic 3 Hazardous to the aquatic environment — Chronic Hazard, Category 3 Asp. Tox. 1 Aspiration hazard, Category 1 Carc. 2 Carcinogenicity, Category 2 Eye Dam. 1 Serious eye damage/eye irritation, Category 1 Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flam. Liq. 3 Flammable liquids, Category 3 Muta. 2 Germ cell mutagenicity, Category 2 Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Skin sensitisation, Category 1 STOT SE 3 Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H316 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H341 Suspected of causing genetic defects. H351 Suspected of causing genetic defects. H351 Suspected of causing genetic defects. H400 Very toxic to aquatic life with long lasting effects. H410 Toxic to aquatic life with long lasting effects. | Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 | |
| Aquatic Chronic 2 Hazardous to the aquatic environment — Chronic Hazard, Category 2 Aquatic Chronic 3 Hazardous to the aquatic environment — Chronic Hazard, Category 3 Asp. Tox. 1 Aspiration hazard, Category 1 Carc. 2 Carcinogenicity, Category 2 Eye Dam. 1 Serious eye damage/eye irritation, Category 1 Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flam. Liq. 3 Flammable liquids, Category 3 Muta. 2 Germ cell mutagenicity, Category 2 Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Skin sensitisation, Category 2 Skin Sens. 1 Skin sensitisation, Category 1 STOT SE 3 Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation H226 Flammable liquid and vapour. H300 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H341 Suspected of causing genetic defects. H351 Suspected of causing genetic defects. H351 Suspected of causing cancer. H400 Very toxic to aquatic life with long lasting effects. H410 Very toxic to aquatic life with long lasting effects. | Aquatic Acute 1 | Hazardous to the aquatic environment — Acute Hazard, Category 1 | |
| Aquatic Chronic 3 Hazardous to the aquatic environment — Chronic Hazard, Category 3 Asp. Tox. 1 Aspiration hazard, Category 1 Carc. 2 Carcinogenicity, Category 2 Eye Dam. 1 Serious eye damage/eye irritation, Category 1 Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flam. Liq. 3 Flammable liquids, Category 3 Muta. 2 Germ cell mutagenicity, Category 2 Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Skin sensitisation, Category 1 STOT SE 3 Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Harmful if inhaled. H330 May cause respiratory irritation. H331 Suspected of causing genetic defects. H351 Suspected of causing genetic defects. H351 Suspected of causing cancer. H400 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. | Aquatic Chronic 1 | Hazardous to the aquatic environment — Chronic Hazard, Category 1 | |
| Asp. Tox. 1 Aspiration hazard, Category 1 Carc. 2 Carcinogenicity, Category 2 Eye Dam. 1 Serious eye damage/eye irritation, Category 2 Flam. Liq. 3 Flammable liquids, Category 3 Muta. 2 Germ cell mutagenicity, Category 2 Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Skin sensitisation, Category 1 STOT SE 3 Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H333 May cause respiratory irritation. H341 Suspected of causing genetic defects. H351 Suspected of causing genetic defects. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. | Aquatic Chronic 2 | Hazardous to the aquatic environment — Chronic Hazard, Category 2 | |
| Carc. 2 Carcinogenicity, Category 2 Eye Dam. 1 Serious eye damage/eye irritation, Category 1 Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flam. Liq. 3 Flammable liquids, Category 3 Muta. 2 Germ cell mutagenicity, Category 2 Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Skin sensitisation, Category 1 STOT SE 3 Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H400 Very toxic to aquatic life with long lasting effects. H410 Very toxic to aquatic life with long lasting effects. | Aquatic Chronic 3 | Hazardous to the aquatic environment — Chronic Hazard, Category 3 | |
| Eye Dam. 1 Serious eye damage/eye irritation, Category 1 Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flam. Liq. 3 Flammable liquids, Category 3 Muta. 2 Germ cell mutagenicity, Category 2 Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Skin sensitisation, Category 1 STOT SE 3 Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation H226 Flammable liquid and vapour. H3302 Harmful if swallowed. H3304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye damage. H332 Harmful if inhaled. H335 May cause respiratory irritation. H341 Suspected of causing genetic defects. H351 Suspected of causing genetic defects. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. | Asp. Tox. 1 | Aspiration hazard, Category 1 | |
| Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flam. Liq. 3 Flammable liquids, Category 3 Muta. 2 Germ cell mutagenicity, Category 2 Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Skin sensitisation, Category 1 STOT SE 3 Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H333 May cause respiratory irritation. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H400 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. | Carc. 2 | Carcinogenicity, Category 2 | |
| Flam. Liq. 3 Flammable liquids, Category 3 Muta. 2 Germ cell mutagenicity, Category 2 Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Skin sensitisation, Category 1 STOT SE 3 Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H341 Suspected of causing genetic defects. H351 Suspected of causing genetic defects. H360 Very toxic to aquatic life with long lasting effects. H410 Very toxic to aquatic life with long lasting effects. | Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 | |
| Muta. 2 Germ cell mutagenicity, Category 2 Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Skin sensitisation, Category 1 STOT SE 3 Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H400 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. | Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 | |
| Skin Irrit. 2 Skin corrosion/irritation, Category 2 Skin Sens. 1 Skin sensitisation, Category 1 STOT SE 3 Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H400 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. | Flam. Liq. 3 | Flammable liquids, Category 3 | |
| Skin Sens. 1 Skin sensitisation, Category 1 STOT SE 3 Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. | Muta. 2 | Germ cell mutagenicity, Category 2 | |
| STOT SE 3 Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. | Skin Irrit. 2 | Skin corrosion/irritation, Category 2 | |
| H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H400 Very toxic to aquatic life. H410 Toxic to aquatic life with long lasting effects. | Skin Sens. 1 | Skin sensitisation, Category 1 | |
| H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. | STOT SE 3 | Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation | |
| H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. | H226 | Flammable liquid and vapour. | |
| H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. | H302 | Harmful if swallowed. | |
| H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. | H304 | May be fatal if swallowed and enters airways. | |
| H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. | H315 | Causes skin irritation. | |
| H319 Causes serious eye irritation. H332 Harmful if inhaled. H335 May cause respiratory irritation. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. | H317 | May cause an allergic skin reaction. | |
| H332 Harmful if inhaled. H335 May cause respiratory irritation. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. | H318 | Causes serious eye damage. | |
| H335 May cause respiratory irritation. H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. | H319 | Causes serious eye irritation. | |
| H341 Suspected of causing genetic defects. H351 Suspected of causing cancer. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. | H332 | Harmful if inhaled. | |
| H351 Suspected of causing cancer. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. | H335 | May cause respiratory irritation. | |
| H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. | H341 | Suspected of causing genetic defects. | |
| H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. | H351 | Suspected of causing cancer. | |
| H411 Toxic to aquatic life with long lasting effects. | H400 | Very toxic to aquatic life. | |
| | H410 | Very toxic to aquatic life with long lasting effects. | |
| H412 Harmful to aquatic life with long lasting effects. | H411 | Toxic to aquatic life with long lasting effects. | |
| | H412 | Harmful to aquatic life with long lasting effects. | |

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

2/7/2022 (Revision date) EN (English) 15/15