



# EGYPTIAN GERANIUM OIL ORGANIC

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878  
Issue date: 1/20/2015 Revision date: 6/4/2021 Supersedes version of: 7/8/2020 Version: 1.6

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance  
Substance name : EGYPTIAN GERANIUM OIL ORGANIC  
EC-No. : 290-140-0  
CAS-No. : 90082-51-2  
Product code : BGERHE02  
Synonyms : N° CAS USA : 8000-46-2  
Product group : Organic essential oil

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Industrial use  
Industrial/Professional use spec : Industrial  
For professional use only

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

EXAFLOR  
5 rue des Pyrénées  
P.O. Box CP 30561  
94653 Rungis Cedex - France  
T +33 (0)1 41 73 23 10  
[exaflor@orange.fr](mailto:exaflor@orange.fr) - [www.exaflor.co](http://www.exaflor.co)

#### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
	ORFILA (FRANCE)		+33 1 45 42 59 59	

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315  
Serious eye damage/eye irritation, Category 1 H318  
Skin sensitisation, Category 1 H317  
Aspiration hazard, Category 1 H304  
Hazardous to the aquatic environment — Chronic Hazard, Category 2 H411  
Full text of H- and EUH-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

GHS07

GHS08

GHS09

# EGYPTIAN GERANIUM OIL ORGANIC

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Signal word (CLP)	: Danger
Hazard statements (CLP)	: H304 - May be fatal if swallowed and enters airways. H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H318 - Causes serious eye damage. H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	: P273 - Avoid release to the environment. P280 - Wear protective gloves, protective clothing, eye protection, face shield. P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER, a doctor. P302+P352 - IF ON SKIN: Wash with plenty of with water & soap. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P331 - Do NOT induce vomiting. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P391 - Collect spillage. P405 - Store locked up. P501 - Dispose of contents/container to contents/container to agreed companies according to national regulations.

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Name	: EGYPTIAN GERANIUM OIL ORGANIC
CAS-No.	: 90082-51-2
EC-No.	: 290-140-0

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
CITRONELLOL	CAS-No.: 106-22-9 EC-No.: 203-375-0	25 – 36	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411
GERANIOL	CAS-No.: 106-24-1 EC-No.: 203-377-1	10 – 18	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
LINALOOL	CAS-No.: 78-70-6 EC-No.: 201-134-4	4 – 8.5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
ISOMENTHONE	CAS-No.: 491-07-6 EC-No.: 207-727-4	4 – 8	Skin Irrit. 2, H315 Skin Sens. 1, H317
DL-MENTHONE	CAS-No.: 1074-95-9 EC-No.: 214-049-2	0 – 2.1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
ALPHA-PINENES	CAS-No.: 80-56-8 EC-No.: 201-291-9	0 – 1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
CITRAL	CAS-No.: 5392-40-5 EC-No.: 226-394-6	0 – 1	Skin Irrit. 2, H315 Skin Sens. 1, H317

# EGYPTIAN GERANIUM OIL ORGANIC

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
D-LIMONENE	CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-029-00-7	0 – 0.3	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-statements: see section 16

### 3.2. Mixtures

Not applicable

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Wash with plenty of water/... Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). If skin irritation or rash occurs:
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: May cause an allergic skin reaction.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye damage.
Symptoms/effects after ingestion	: May be fatal if swallowed and enters airways.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

No additional information available

### 5.3. Advice for firefighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures	: Evacuate unnecessary personnel.
----------------------	-----------------------------------

# EGYPTIAN GERANIUM OIL ORGANIC

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.  
Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.  
Collect spillage. Store away from other materials.

### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid breathing smokes, vapours.  
Hygiene measures : Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Heat sources, Direct sunlight. Keep container closed when not in use.  
Incompatible products : Strong bases. Strong acids.  
Incompatible materials : Sources of ignition. Direct sunlight.  
Maximum storage period : 36 months Shelf life to guarantee the quality and properties of the product; After this period, it is recommended to control organoleptic and physicochemical properties before using the raw material.  
Storage temperature : 5 – 25 °C

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1. National occupational exposure and biological limit values

No additional information available

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

No additional information available

# EGYPTIAN GERANIUM OIL ORGANIC

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### 8.2.2.1. Eye and face protection

##### Eye protection:

Chemical goggles or safety glasses

#### 8.2.2.2. Skin protection

##### Skin and body protection:

Wear suitable protective clothing

##### Hand protection:

Wear protective gloves.

#### 8.2.2.3. Respiratory protection

##### Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

#### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

#### Other information:

Do not eat, drink or smoke during use.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Yellow. amber. Greenish.
Appearance	: Liquid mobile. Clear.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: 250 °C
Flammability	: Non flammable.
Explosive limits	: Not available
Lower explosive limit (LEL)	: Not available
Upper explosive limit (UEL)	: Not available
Flash point	: 86 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: Not available
Solubility	: Poorly soluble in water. Solubility in ethanol.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: Not available
Relative density	: 0.885 – 0.905
Relative vapour density at 20 °C	: Not available
Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable

# EGYPTIAN GERANIUM OIL ORGANIC

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Particle dustiness : Not applicable

### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

Refractive index : 1.461 – 1.475

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Not established.

### 10.3. Possibility of hazardous reactions

Not established.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

CITRONELLOL (106-22-9)	
LD50 oral rat	3450 mg/kg
LD50 dermal rabbit	2650 mg/kg
GERANIOL (106-24-1)	
LD50 oral rat	3600 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
LINALOOL (78-70-6)	
LD50 oral rat	2790 mg/kg
LD50 oral	3120 mg/kg LD50 oral mouse
LD50 dermal rabbit	5610 mg/kg
ISOMENTHONE (491-07-6)	
LD50 oral rat	2500 mg/kg

# EGYPTIAN GERANIUM OIL ORGANIC

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

DL-MENTHONE (1074-95-9)	
LD50 oral rat	2500 mg/kg
ALPHA-PINENES (80-56-8)	
LD50 oral rat	3700 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
CITRAL (5392-40-5)	
LD50 oral rat	4960 mg/kg
LD50 oral	6000 mg/kg LD50 oral mouse
LD50 dermal rabbit	2550 mg/kg
D-LIMONENE (5989-27-5)	
LD50 oral rat	4400 mg/kg
LD50 dermal rabbit	> 5000 mg/kg

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met

D-LIMONENE (5989-27-5)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: May be fatal if swallowed and enters airways.

## 11.2. Information on other hazards

### 11.2.1. Endocrine disrupting properties

### 11.2.2. Other information

Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met
---	--

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - water	: Toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.

CITRONELLOL (106-22-9)	
LC50 - Fish [1]	10 – 22 mg/l <i>Leuciscus idus</i> (Ide; golden orfe) - 96h
EC50 - Crustacea [1]	17 mg/l daphnia - 48h
EC50 - Other aquatic organisms [1]	2.4 mg/l algae - 72h

# EGYPTIAN GERANIUM OIL ORGANIC

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

<b>GERANIOL (106-24-1)</b>	
LC50 - Fish [1]	env. 22 mg/l Brachydanio rerio (zebra-fish) - 96h
EC50 - Crustacea [1]	10.8 mg/l EC50 48h - Daphnia magna [mg/l]
EC50 - Other aquatic organisms [1]	13.1 mg/l Desmodesmus subspicatus (green algae) -72h
<b>LINALOOL (78-70-6)</b>	
LC50 - Fish [1]	27.8 mg/l EC 50 (fish : rainbow trout) : - 96h
LC50 - Other aquatic organisms [1]	88.3 mg/l Desmodesmus subspicatus (green algae) - 96h
EC50 - Crustacea [1]	59 mg/l EC50 48h - Daphnia magna [mg/l]
NOEC chronic fish	3.5 mg/l Oncorhynchus mykiss (Rainbow trout)- 96h
NOEC chronic crustacea	25 mg/l daphnia - 48h
<b>ALPHA-PINENES (80-56-8)</b>	
LC50 - Fish [1]	0.28 mg/l Pimephales promela (fathead minnow) - 96h
LC50 - Other aquatic organisms [1]	41 mg/l EC50 48h - Daphnia magna [mg/l]
<b>D-LIMONENE (5989-27-5)</b>	
LC50 - Fish [1]	0.702 mg/l Pimephales promela (fathead minnow) -96h
EC50 - Crustacea [1]	69.6 daphnia - 48h
<b>12.2. Persistence and degradability</b>	
<b>EGYPTIAN GERANIUM OIL ORGANIC (90082-51-2)</b>	
Persistence and degradability	May cause long-term adverse effects in the environment.
<b>CITRONELLOL (106-22-9)</b>	
Persistence and degradability	Readily biodegradable. May cause long-term adverse effects in the environment.
Chemical oxygen demand (COD)	2.05 g O <sub>2</sub> /g substance
<b>GERANIOL (106-24-1)</b>	
Persistence and degradability	Readily biodegradable. Not established.
Biodegradation	80 – 100 % aérobic, Exposure duration 3 days
<b>LINALOOL (78-70-6)</b>	
Persistence and degradability	Readily biodegradable. Not established.
Biodegradation	100 % 13 DAYS- ZAHN-WELLENS TEST OECD N° 302 B
<b>ISOMENTHONE (491-07-6)</b>	
Persistence and degradability	Not established.
<b>DL-MENTHONE (1074-95-9)</b>	
Persistence and degradability	May cause long-term adverse effects in the environment.
<b>ALPHA-PINENES (80-56-8)</b>	
Persistence and degradability	Readily biodegradable. May cause long-term adverse effects in the environment.
<b>CITRAL (5392-40-5)</b>	
Persistence and degradability	Not established.



# EGYPTIAN GERANIUM OIL ORGANIC

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### D-LIMONENE (5989-27-5)

Persistence and degradability	May cause long-term adverse effects in the environment.
-------------------------------	---

### 12.3. Bioaccumulative potential

#### EGYPTIAN GERANIUM OIL ORGANIC (90082-51-2)

Bioaccumulative potential	Not established.
---------------------------	------------------

#### CITRONELLOL (106-22-9)

Partition coefficient n-octanol/water (Log Pow)	3.41
---	------

Bioaccumulative potential	Not established.
---------------------------	------------------

#### GERANIOL (106-24-1)

Partition coefficient n-octanol/water (Log Pow)	2.5 at 25 °C
---	--------------

Bioaccumulative potential	Not established.
---------------------------	------------------

#### LINALOOL (78-70-6)

Partition coefficient n-octanol/water (Log Pow)	2.97
---	------

Bioaccumulative potential	Not established.
---------------------------	------------------

#### ISOMENTHONE (491-07-6)

Bioaccumulative potential	Not established.
---------------------------	------------------

#### DL-MENTHONE (1074-95-9)

Partition coefficient n-octanol/water (Log Pow)	3.05
---	------

Bioaccumulative potential	Not established.
---------------------------	------------------

#### ALPHA-PINENES (80-56-8)

Partition coefficient n-octanol/water (Log Pow)	4.834
---	-------

Bioaccumulative potential	Not established.
---------------------------	------------------

#### CITRAL (5392-40-5)

Bioaccumulative potential	Not established.
---------------------------	------------------

#### D-LIMONENE (5989-27-5)

Bioaccumulative potential	Not established.
---------------------------	------------------

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

Additional information : Avoid release to the environment.

# EGYPTIAN GERANIUM OIL ORGANIC

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

- Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
- Ecology - waste materials : Avoid release to the environment. Hazardous waste due to toxicity.

### SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / RID

#### 14.1. UN number or ID number

- UN-No. (ADR) : Not applicable  
UN-No. (IMDG) : Not applicable  
UN-No. (IATA) : Not applicable  
UN-No. (RID) : Not applicable

#### 14.2. UN proper shipping name

- Proper Shipping Name (ADR) : Not applicable  
Proper Shipping Name (IMDG) : Not applicable  
Proper Shipping Name (IATA) : Not applicable  
Proper Shipping Name (RID) : Not applicable

#### 14.3. Transport hazard class(es)

##### ADR

- Transport hazard class(es) (ADR) : Not applicable  
:



##### IMDG

- Transport hazard class(es) (IMDG) : Not applicable  
:



##### IATA

- Transport hazard class(es) (IATA) : Not applicable  
:



##### RID

- Transport hazard class(es) (RID) : Not applicable  
:



#### 14.4. Packing group

- Packing group (ADR) : Not applicable

# EGYPTIAN GERANIUM OIL ORGANIC

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Packing group (IMDG) : Not applicable  
Packing group (IATA) : Not applicable  
Packing group (RID) : Not applicable

### 14.5. Environmental hazards

Dangerous for the environment : Yes  
Marine pollutant : Yes  
Other information : No supplementary information available

### 14.6. Special precautions for user

#### Overland transport

No data available

#### Transport by sea

No data available

#### Air transport

No data available

#### Rail transport

No data available

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

EGYPTIAN GERANIUM OIL ORGANIC is not on the REACH Candidate List

EGYPTIAN GERANIUM OIL ORGANIC is not on the REACH Annex XIV List

EGYPTIAN GERANIUM OIL ORGANIC is not subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

EGYPTIAN GERANIUM OIL ORGANIC is not subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

##### Germany

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

### Full text of H- and EUH-statements

Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1

# EGYPTIAN GERANIUM OIL ORGANIC

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements	
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.