



# ORGANIC LAUREL (SWEET BAY) OIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878  
Issue date: 8/25/2014 Revision date: 6/15/2021 Supersedes version of: 4/8/2021 Version: 1.7

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form	: Substance
Substance name	: ORGANIC LAUREL (SWEET BAY) OIL
EC-No.	: 283-272-5
CAS-No.	: 8007-48-5
Product code	: BLAUHE01
Synonyms	: CAS USA 8002-41-3
Product group	: Organic essential oil

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category	: Industrial use
Industrial/Professional use spec	: Industrial For professional use only

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

EXAFLOR  
5 rue des Pyrénées  
P.O. Box CP 30561  
94653 Rungis Cedex - France  
T +33 (0)1 41 73 23 10  
[exaflor@orange.fr](mailto:exaflor@orange.fr) - [www.exaflor.co](http://www.exaflor.co)

#### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
	ORFILA (FRANCE)		+33 1 45 42 59 59	

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3	H226
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Germ cell mutagenicity, Category 2	H341
Carcinogenicity, Category 2	H351
Aspiration hazard, Category 1	H304
Hazardous to the aquatic environment — Chronic Hazard, Category 2	H411

Full text of H-statements: see section 16

##### Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. Suspected of causing cancer. Suspected of causing genetic defects. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May be fatal if swallowed and enters airways. Toxic to aquatic life with long lasting effects.

# ORGANIC LAUREL (SWEET BAY) OIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS02

GHS07

GHS08

GHS09

Signal word (CLP)

: Danger

Hazard statements (CLP)

: H226 - Flammable liquid and vapour.  
H304 - May be fatal if swallowed and enters airways.  
H315 - Causes skin irritation.  
H317 - May cause an allergic skin reaction.  
H319 - Causes serious eye irritation.  
H341 - Suspected of causing genetic defects.  
H351 - Suspected of causing cancer.  
H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP)

: P201 - Obtain special instructions before use.  
P210 - Keep away from heat, sparks, open flames. No smoking.  
P261 - Avoid breathing fume, gas, dust, vapours.  
P264 - Wash hands thoroughly after handling.  
P280 - Wear protective gloves, protective clothing, eye protection.  
P301+P310+P331 - IF SWALLOWED: Immediately call a POISON CENTER, a doctor. Do NOT induce vomiting.  
P308+P313 - IF exposed or concerned: Get medical advice/attention.  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.  
P337+P313 - If eye irritation persists: Get medical advice/attention.  
P362+P364 - Take off contaminated clothing and wash it before reuse.  
P391 - Collect spillage.

### 2.3. Other hazards

No additional information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Name : ORGANIC LAUREL (SWEET BAY) OIL  
CAS-No. : 8007-48-5  
EC-No. : 283-272-5

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
EUCALYPTOL	CAS-No.: 470-82-6 EC-No.: 207-431-5	36 – 55	Flam. Liq. 3, H226
A-TERPINYL ACETATE	CAS-No.: 80-26-2 EC-No.: 201-265-7	5 – 13	Skin Irrit. 2, H315 Aquatic Chronic 2, H411
SABINENE	CAS-No.: 3387-41-5 EC-No.: 222-212-4	5 – 13	Flam. Liq. 3, H226
LINALOOL	CAS-No.: 78-70-6 EC-No.: 201-134-4	0.5 – 12	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317

# ORGANIC LAUREL (SWEET BAY) OIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ALPHA-PINENES	CAS-No.: 80-56-8 EC-No.: 201-291-9	4 – 10	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
METHYL EUGENOL	CAS-No.: 93-15-2 EC-No.: 202-223-0	≤ 6	Acute Tox. 4 (Oral), H302 (ATE=810 mg/kg de poids corporel) Muta. 2, H341 Carc. 2, H351 Aquatic Chronic 2, H411
BETA-PINENES	CAS-No.: 127-91-3 EC-No.: 204-872-5	2 – 6	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
4-TERPINEOL	CAS-No.: 562-74-3 EC-No.: 209-235-5	1.5 – 5	Acute Tox. 4 (Oral), H302 (ATE=1300 mg/kg de poids corporel) Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
D-LIMONENE	CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-029-00-7	1 – 4	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
ALPHA-TERPINEOL	CAS-No.: 98-55-5 EC-No.: 202-680-6	1 – 4	Skin Irrit. 2, H315 Eye Irrit. 2, H319
P-CYMENE	CAS-No.: 99-87-6 EC-No.: 202-796-7	≤ 2.5	Flam. Liq. 3, H226 Repr. 2, H361 Aquatic Chronic 2, H411
GAMMA-TERPINENE	CAS-No.: 99-85-4 EC-No.: 202-794-6	0 – 2.5	Flam. Liq. 3, H226 Repr. 2, H361 Asp. Tox. 1, H304
EUGENOL	CAS-No.: 97-53-0 EC-No.: 202-589-1	0.2 – 2	Acute Tox. 4 (Oral), H302 (ATE=1930 mg/kg de poids corporel) Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411
MYRCENE	CAS-No.: 123-35-3 EC-No.: 204-622-5	0.5 – 1.5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2, H319
ESTRAGOLE (METHYL CHAVICOL)	CAS-No.: 140-67-0 EC-No.: 205-427-8	≤ 0.5	Acute Tox. 4 (Oral), H302 (ATE=1230 mg/kg de poids corporel) Skin Sens. 1, H317 Muta. 2, H341 Carc. 2, H351

Full text of H-statements: see section 16

### 3.2. Mixtures

Not applicable

# ORGANIC LAUREL (SWEET BAY) OIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Suspected of causing cancer. Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash with plenty of water/... Wash contaminated clothing before reuse. If skin irritation occurs: Gently wash with plenty of soap and water. Get medical advice/attention. Specific treatment (see Read label before use, on this label). If skin irritation or rash occurs: Wash with plenty of water/.... If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Consult an eye specialist. Get medical advice/attention. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor. Do not induce vomiting. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: Suspected of causing genetic defects.
Symptoms/effects after inhalation	: May cause an allergic skin reaction.
Symptoms/effects after skin contact	: Causes skin irritation. Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Causes serious eye irritation. Eye irritation.
Symptoms/effects after ingestion	: May be fatal if swallowed and enters airways. Risk of lung oedema.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: Flammable liquid and vapour.
Explosion hazard	: May form flammable/explosive vapour-air mixture.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

#### 5.3. Advice for firefighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.
------------------	---

##### 6.1.1. For non-emergency personnel

Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.
----------------------	---

# ORGANIC LAUREL (SWEET BAY) OIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".
- Emergency procedures : Ventilate area.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

- For containment : Collect spillage.
- Methods for cleaning up : Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. Notify authorities if product enters sewers or public waters.
- Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.
- Precautions for safe handling : Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Avoid breathing smokes, vapours. Obtain special instructions before use. Use personal protective equipment as required. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes.
- Hygiene measures : Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof ventilating equipment.
- Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up.
- Incompatible products : Strong bases. Strong acids.
- Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.
- Maximum storage period : 36 months Shelf life to guarantee the quality and properties of the product; After this period, it is recommended to control organoleptic and physicochemical properties before using the raw material.
- Storage temperature : 10 – 25 °C

### 7.3. Specific end use(s)

No additional information available

# ORGANIC LAUREL (SWEET BAY) OIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### 8.1.1. National occupational exposure and biological limit values

No additional information available

##### 8.1.2. Recommended monitoring procedures

No additional information available

##### 8.1.3. Air contaminants formed

No additional information available

##### 8.1.4. DNEL and PNEC

No additional information available

##### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

##### 8.2.1. Appropriate engineering controls

###### Appropriate engineering controls:

Ensure good ventilation of the work station.

##### 8.2.2. Personal protection equipment

###### Personal protective equipment:

Avoid all unnecessary exposure.

###### Personal protective equipment symbol(s):



##### 8.2.2.1. Eye and face protection

###### Eye protection:

Chemical goggles or safety glasses. Safety glasses

##### 8.2.2.2. Skin protection

###### Skin and body protection:

Wear suitable protective clothing

###### Hand protection:

Wear protective gloves.

##### 8.2.2.3. Respiratory protection

###### Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

##### 8.2.2.4. Thermal hazards

No additional information available

##### 8.2.3. Environmental exposure controls

###### Environmental exposure controls:

Avoid release to the environment.

###### Other information:

Do not eat, drink or smoke during use.

# ORGANIC LAUREL (SWEET BAY) OIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: light yellow. Yellow.
Appearance	: Liquid mobile. Clear.
Odour	: characteristic. cineol-like. peppermint odour. camphoric.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Flammable liquid and vapour.
Explosive limits	: Not available
Lower explosive limit (LEL)	: Not available
Upper explosive limit (UEL)	: Not available
Flash point	: 50 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: Not available
Solubility	: Solubility in ethanol. Insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: Not available
Relative density	: 0.905 – 0.929
Relative vapour density at 20 °C	: Not available
Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable
Particle dustiness	: Not applicable

#### 9.2. Other information

##### 9.2.1. Information with regard to physical hazard classes

No additional information available

##### 9.2.2. Other safety characteristics

Refractive index : 1.46 – 1.48

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Flammable liquid and vapour.

#### 10.2. Chemical stability

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

#### 10.3. Possibility of hazardous reactions

Not established.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks. Avoid contact with hot surfaces. No flames, no sparks. Eliminate all sources of ignition.

# ORGANIC LAUREL (SWEET BAY) OIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 10.5. Incompatible materials

Strong acids. Strong bases.

### 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### ORGANIC LAUREL (SWEET BAY) OIL (8007-48-5)

LD50 oral rat	≥ 3500 mg/kg
---------------	--------------

LD50 dermal rabbit	≥ 5000 mg/kg
--------------------	--------------

#### A-TERPINYL ACETATE (80-26-2)

LD50 oral rat	5075 mg/kg
---------------	------------

#### LINALOOL (78-70-6)

LD50 oral rat	2790 mg/kg
---------------	------------

LD50 oral	3120 mg/kg LD50 oral mouse
-----------	----------------------------

LD50 dermal rabbit	5610 mg/kg
--------------------	------------

#### ALPHA-PINENES (80-56-8)

LD50 oral rat	3700 mg/kg
---------------	------------

LD50 dermal rabbit	> 5000 mg/kg
--------------------	--------------

#### METHYL EUGENOL (93-15-2)

LD50 oral rat	810 mg/kg
---------------	-----------

LD50 dermal rabbit	> 2025
--------------------	--------

LC50 Inhalation - Rat	> 4800 mg/kg
-----------------------	--------------

#### 4-TERPINEOL (562-74-3)

LD50 oral rat	1300 mg/kg
---------------	------------

LD50 dermal rabbit	2500 mg/kg
--------------------	------------

#### D-LIMONENE (5989-27-5)

LD50 oral rat	4400 mg/kg
---------------	------------

LD50 dermal rabbit	> 5000 mg/kg
--------------------	--------------

#### EUGENOL (97-53-0)

LD50 oral rat	1930 mg/kg
---------------	------------

LC50 Inhalation - Rat [ppm]	> 384 ppmv/4h
-----------------------------	---------------

#### MYRCENE (123-35-3)

LD50 oral rat	> 5000 mg/kg
---------------	--------------

LD50 dermal rabbit	> 5000 mg/kg
--------------------	--------------



# ORGANIC LAUREL (SWEET BAY) OIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

<b>P-CYMENE (99-87-6)</b>	
LD50 oral rat	4750 mg/kg
LD50 dermal rabbit	5000
<b>ESTRAGOLE (METHYL CHAVICOL) (140-67-0)</b>	
LD50 oral rat	1230 mg/kg
LD50 oral	1250 mg/kg mouse
LD50 dermal rabbit	> 5000 mg/kg
<b>GAMMA-TERPINENE (99-85-4)</b>	
LD50 oral rat	3850
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Suspected of causing genetic defects.
Carcinogenicity	: Suspected of causing cancer.
<b>METHYL EUGENOL (93-15-2)</b>	
IARC group	2B - Possibly carcinogenic to humans
<b>D-LIMONENE (5989-27-5)</b>	
IARC group	3 - Not classifiable
<b>EUGENOL (97-53-0)</b>	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
<b>4-TERPINEOL (562-74-3)</b>	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: May be fatal if swallowed and enters airways.

## 11.2. Information on other hazards

### 11.2.1. Endocrine disrupting properties

### 11.2.2. Other information

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.  
Ecology - water : Toxic to aquatic life with long lasting effects.  
Hazardous to the aquatic environment, short-term (acute) : Not classified  
Hazardous to the aquatic environment, long-term (chronic) : Toxic to aquatic life with long lasting effects.

# ORGANIC LAUREL (SWEET BAY) OIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

<b>LINALOOL (78-70-6)</b>	
LC50 - Fish [1]	27.8 mg/l EC 50 (fish : rainbow trout) : - 96h
LC50 - Other aquatic organisms [1]	88.3 mg/l Desmodesmus subspicatus (green algae) - 96h
EC50 - Crustacea [1]	59 mg/l EC50 48h - Daphnia magna [mg/l]
NOEC chronic fish	3.5 mg/l Oncorhynchus mykiss (Rainbow trout)- 96h
NOEC chronic crustacea	25 mg/l daphnia - 48h
<b>ALPHA-PINENES (80-56-8)</b>	
LC50 - Fish [1]	0.28 mg/l Pimephales promela (fathead minnow) - 96h
LC50 - Other aquatic organisms [1]	41 mg/l EC50 48h - Daphnia magna [mg/l]
<b>METHYL EUGENOL (93-15-2)</b>	
LC50 - Fish [1]	6 mg/l Oncorhynchus mykiss (Rainbow trout) - 96h
<b>D-LIMONENE (5989-27-5)</b>	
LC50 - Fish [1]	0.702 mg/l Pimephales promela (fathead minnow) -96h
EC50 - Crustacea [1]	69.6 daphnia - 48h
<b>EUGENOL (97-53-0)</b>	
LC50 - Fish [1]	13 mg/l Brachydanio rerio (zebra-fish) - 96h
EC50 - Crustacea [1]	1.13 mg/l EC50 48h - Daphnia magna [mg/l]
<b>P-CYMENE (99-87-6)</b>	
LC50 - Fish [1]	48 mg/l 96H -Cyprinodon variegatus (Sheep shead minnow)
EC50 - Crustacea [1]	6.5 mg/l EC50 48h - Daphnia magna [mg/l]
ErC50 algae	4.03 mg/l 72h - Scenedesmus capricornutum (Fresh water algae)
<b>12.2. Persistence and degradability</b>	
<b>ORGANIC LAUREL (SWEET BAY) OIL (8007-48-5)</b>	
Persistence and degradability	May cause long-term adverse effects in the environment.
<b>A-TERPINYL ACETATE (80-26-2)</b>	
Persistence and degradability	May cause long-term adverse effects in the environment.
<b>LINALOOL (78-70-6)</b>	
Persistence and degradability	Readily biodegradable. Not established.
Biodegradation	100 % 13 DAYS- ZAHN-WELLENS TEST OECD N° 302 B
<b>ALPHA-PINENES (80-56-8)</b>	
Persistence and degradability	Readily biodegradable. May cause long-term adverse effects in the environment.
<b>BETA-PINENES (127-91-3)</b>	
Persistence and degradability	Not established.
<b>METHYL EUGENOL (93-15-2)</b>	
Persistence and degradability	May cause long-term adverse effects in the environment.
<b>4-TERPINEOL (562-74-3)</b>	
Persistence and degradability	Not established.

# ORGANIC LAUREL (SWEET BAY) OIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

<b>D-LIMONENE (5989-27-5)</b>	
Persistence and degradability	May cause long-term adverse effects in the environment.
<b>ALPHA-TERPINEOL (98-55-5)</b>	
Persistence and degradability	Not established.
<b>EUGENOL (97-53-0)</b>	
Persistence and degradability	Readily biodegradable. May cause long-term adverse effects in the environment.
<b>MYRCENE (123-35-3)</b>	
Persistence and degradability	Not established.
<b>P-CYMENE (99-87-6)</b>	
Persistence and degradability	Readily biodegradable.
Biodegradation	100 %
<b>ESTRAGOLE (METHYL CHAVICOL) (140-67-0)</b>	
Persistence and degradability	Not established.
<b>GAMMA-TERPINENE (99-85-4)</b>	
Persistence and degradability	Not established.
<b>12.3. Bioaccumulative potential</b>	
<b>ORGANIC LAUREL (SWEET BAY) OIL (8007-48-5)</b>	
Bioaccumulative potential	Not established.
<b>A-TERPINYL ACETATE (80-26-2)</b>	
Partition coefficient n-octanol/water (Log Kow)	3.96
Bioaccumulative potential	Not established.
<b>LINALOOL (78-70-6)</b>	
Partition coefficient n-octanol/water (Log Pow)	2.97
Bioaccumulative potential	Not established.
<b>ALPHA-PINENES (80-56-8)</b>	
Partition coefficient n-octanol/water (Log Pow)	4.834
Bioaccumulative potential	Not established.
<b>BETA-PINENES (127-91-3)</b>	
Bioaccumulative potential	Not established.
<b>METHYL EUGENOL (93-15-2)</b>	
Partition coefficient n-octanol/water (Log Kow)	3.03
Bioaccumulative potential	Not established.
<b>4-TERPINEOL (562-74-3)</b>	
Bioaccumulative potential	Not established.
<b>D-LIMONENE (5989-27-5)</b>	
Bioaccumulative potential	Not established.

# ORGANIC LAUREL (SWEET BAY) OIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

<b>ALPHA-TERPINEOL (98-55-5)</b>	
Bioaccumulative potential	Not established.
<b>EUGENOL (97-53-0)</b>	
Partition coefficient n-octanol/water (Log Pow)	2.7
Partition coefficient n-octanol/water (Log Kow)	2.27
Bioaccumulative potential	Not established.
<b>MYRCENE (123-35-3)</b>	
Partition coefficient n-octanol/water (Log Kow)	4.17
Bioaccumulative potential	Not established.
<b>P-CYMENE (99-87-6)</b>	
Partition coefficient n-octanol/water (Log Kow)	4.1
<b>ESTRAGOLE (METHYL CHAVICOL) (140-67-0)</b>	
Partition coefficient n-octanol/water (Log Kow)	3.47
Bioaccumulative potential	Not established.
<b>GAMMA-TERPINENE (99-85-4)</b>	
Bioaccumulative potential	Not established.

### 12.4. Mobility in soil

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

Additional information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.  
Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to contents/container to agreed companies according to national regulations.  
Additional information : Handle empty containers with care because residual vapours are flammable. Flammable vapours may accumulate in the container.  
Ecology - waste materials : Avoid release to the environment. Hazardous waste due to toxicity.

## SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

### 14.1. UN number or ID number

UN-No. (ADR) : UN 1169  
UN-No. (IMDG) : UN 1169

# ORGANIC LAUREL (SWEET BAY) OIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

UN-No. (IATA) : UN 1169  
UN-No. (ADN) : UN 1169  
UN-No. (RID) : UN 1169

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : EXTRACTS, AROMATIC, LIQUID  
Proper Shipping Name (IMDG) : Not applicable  
Proper Shipping Name (IATA) : Not applicable  
Proper Shipping Name (ADN) : Not applicable  
Proper Shipping Name (RID) : Not applicable  
Transport document description (ADR) : UN 1169 EXTRACTS, AROMATIC, LIQUID, 3, III, (D/E), ENVIRONMENTALLY HAZARDOUS  
Transport document description (IMDG) : UN 1169 , 3, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS  
Transport document description (IATA) : UN 1169 , 3, ENVIRONMENTALLY HAZARDOUS  
Transport document description (ADN) : UN 1169 , 3, ENVIRONMENTALLY HAZARDOUS  
Transport document description (RID) : UN 1169 , 3, ENVIRONMENTALLY HAZARDOUS

### 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR) : 3  
Danger labels (ADR) : 3



#### IMDG

Transport hazard class(es) (IMDG) : 3



#### IATA

Transport hazard class(es) (IATA) : 3



#### ADN

Transport hazard class(es) (ADN) : 3



#### RID

Transport hazard class(es) (RID) : 3  
Danger labels (RID) : 3



# ORGANIC LAUREL (SWEET BAY) OIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 14.4. Packing group

Packing group (ADR)	: III
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
Packing group (ADN)	: Not applicable
Packing group (RID)	: Not applicable


### 14.5. Environmental hazards

Dangerous for the environment	: Yes
Marine pollutant	: Yes
Other information	: No supplementary information available

### 14.6. Special precautions for user

#### Overland transport

Classification code (ADR)	: F1
Special provisions (ADR)	: 601, 640E
Limited quantities (ADR)	: 5I
Excepted quantities (ADR)	: E1
Vehicle for tank carriage	: FL
Transport category (ADR)	: 3
Hazard identification number (Kemler No.)	: 30
Orange plates	:



Tunnel restriction code (ADR)	: D/E
-------------------------------	-------

#### Transport by sea

No data available

#### Air transport

No data available

#### Inland waterway transport

No data available

#### Rail transport

No data available

### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

ORGANIC LAUREL (SWEET BAY) OIL is not on the REACH Candidate List

ORGANIC LAUREL (SWEET BAY) OIL is not on the REACH Annex XIV List

ORGANIC LAUREL (SWEET BAY) OIL is not subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

ORGANIC LAUREL (SWEET BAY) OIL is not subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

##### Germany

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV; ID No. 5814)

# ORGANIC LAUREL (SWEET BAY) OIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

### Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BLV	Biological limit value
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
EC-No.	European Community number
EN	European Standard
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
WGK	Water Hazard Class

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : None.

### Full text of H- and EUH-statements

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
---------------------	-----------------------------------

# ORGANIC LAUREL (SWEET BAY) OIL

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. 2	Carcinogenicity, Category 2
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Muta. 2	Germ cell mutagenicity, Category 2
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.
H351	Suspected of causing cancer.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.