



LIME EXPRESSED ORGANIC OIL

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878
Issue date: 6/13/2017 Revision date: 3/10/2022 Supersedes version of: 2/8/2022 Version: 1.5

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance
Substance name : LIME EXPRESSED ORGANIC OIL
EC-No. : 290-010-3
CAS-No. : 90063-52-8
Product code : BLIMHE02
Synonyms : CAS USA No 8008-26-2
Product group : Organic essential oil

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use
Industrial/Professional use spec : Industrial
For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

EXAFLOR
5 rue des Pyrénées
P.O. Box CP 30561
94653 Rungis Cedex - France
T +33 (0)1 41 73 23 10
exaflor@orange.fr - www.exaflor.co

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
	ORFILA (FRANCE)		+33 1 45 42 59 59	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3 H226
Skin corrosion/irritation, Category 2 H315
Skin sensitisation, Category 1 H317
Reproductive toxicity, Category 2 H361
Hazardous to the aquatic environment — Acute Hazard, Category 1 H400
Hazardous to the aquatic environment — Chronic Hazard, Category 1 H410
Full text of H-statements: see section 16

Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. Suspected of damaging fertility or the unborn child. Causes skin irritation. May cause an allergic skin reaction. Very toxic to aquatic life with long lasting effects.

LIME EXPRESSED ORGANIC OIL

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS02

GHS07

GHS08

GHS09

Signal word (CLP)

: Warning

Hazard statements (CLP)

: H226 - Flammable liquid and vapour.
H315 - Causes skin irritation.
H317 - May cause an allergic skin reaction.
H361 - Suspected of damaging fertility or the unborn child.
H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP)

: P201 - Obtain special instructions before use.
P210 - Keep away from heat, sparks, open flames, hot surfaces. No smoking.
P261 - Avoid breathing dust, fume, mist, spray.
P264 - Wash hands thoroughly after handling.
P280 - Wear protective gloves, protective clothing, eye protection.
P308+P313 - IF exposed or concerned: Get medical advice/attention.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P391 - Collect spillage.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Name : LIME EXPRESSED ORGANIC OIL
CAS-No. : 90063-52-8
EC-No. : 290-010-3

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
D-LIMONENE	CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-029-00-7	55 – 62.1	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
GAMMA-TERPINENE	CAS-No.: 99-85-4 EC-No.: 202-794-6	10.6 – 15	Flam. Liq. 3, H226 Repr. 2, H361 Asp. Tox. 1, H304
BETA-PINENES	CAS-No.: 127-91-3 EC-No.: 204-872-5	1.6 – 12.8	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
CITRAL	CAS-No.: 5392-40-5 EC-No.: 226-394-6	2.2 – 6.5	Skin Irrit. 2, H315 Skin Sens. 1, H317
BISABOLENE	CAS-No.: 495-62-5 EC-No.: 207-805-8	0 – 5	Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304

LIME EXPRESSED ORGANIC OIL

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
GERANIOL	CAS-No.: 106-24-1 EC-No.: 203-377-1	0.07 – 0.4	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
LINALOOL	CAS-No.: 78-70-6 EC-No.: 201-134-4	0 – 0.21	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317

Full text of H-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash with plenty of water/... Wash contaminated clothing before reuse. If skin irritation occurs: Gently wash with plenty of soap and water. Get medical advice/attention. Specific treatment (see Read label before use. on this label). If skin irritation or rash occurs: Gently wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Immediately call a POISON CENTER/doctor. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: May cause an allergic skin reaction.
Symptoms/effects after skin contact	: Causes skin irritation. Irritation. May cause an allergic skin reaction.
Symptoms/effects after ingestion	: May be fatal if swallowed and enters airways.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
------------------------------	--

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Flammable liquid and vapour.
Explosion hazard	: May form flammable/explosive vapour-air mixture.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
--------------------------------	--

LIME EXPRESSED ORGANIC OIL

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.
Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.
Precautions for safe handling : Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Avoid breathing smokes, vapours. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes.
Hygiene measures : Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof ventilating equipment.
Storage conditions : Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up.
Incompatible materials : Heat sources.
Maximum storage period : 12 months Shelf life to guarantee the quality and properties of the product; After this period, it is recommended to control organoleptic and physicochemical properties before using the raw material.
Storage temperature : 10 (5 – 25) °C

7.3. Specific end use(s)

No additional information available

LIME EXPRESSED ORGANIC OIL

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: light yellow. Yellow. Green. Green-brown.
Appearance	: Liquid Clear. [May Contain precipitated waxes].
Odour	: characteristic. pleasant fruity.

LIME EXPRESSED ORGANIC OIL

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Flammable liquid and vapour.
Explosive limits	: Not available
Lower explosive limit (LEL)	: Not available
Upper explosive limit (UEL)	: Not available
Flash point	: 49 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: Not available
Solubility	: Poorly soluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: Not available
Relative density	: 0.85 – 0.89
Relative vapour density at 20 °C	: Not available
Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable
Particle dustiness	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

Refractive index : 1.47 – 1.5

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapour.

10.2. Chemical stability

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Open flame. Overheating. Direct sunlight. Heat. Sparks. Avoid contact with hot surfaces. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

May release flammable gases.

LIME EXPRESSED ORGANIC OIL

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

LIME EXPRESSED ORGANIC OIL (90063-52-8)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg

D-LIMONENE (5989-27-5)	
LD50 oral rat	4400 mg/kg
LD50 dermal rabbit	> 5000 mg/kg

GAMMA-TERPINENE (99-85-4)	
LD50 oral rat	3850

CITRAL (5392-40-5)	
LD50 oral rat	4960 mg/kg
LD50 oral	6000 mg/kg LD50 oral mouse
LD50 dermal rabbit	2550 mg/kg

BISABOLENE (495-62-5)	
LD50 oral rat	> 5000 mg/kg Food and Cosmetics Toxicology. Vol. 13, Pg. 725, 1975
LD50 dermal rabbit	> 5000 mg/kg Food and Cosmetics Toxicology. Vol. 13, Pg. 725, 1975

GERANIOL (106-24-1)	
LD50 oral rat	3600 mg/kg
LD50 dermal rabbit	> 5000 mg/kg

LINALOOL (78-70-6)	
LD50 oral rat	2790 mg/kg
LD50 oral	3120 mg/kg LD50 oral mouse
LD50 dermal rabbit	5610 mg/kg

Skin corrosion/irritation : Causes skin irritation.
Serious eye damage/irritation : Not classified
Respiratory or skin sensitisation : May cause an allergic skin reaction.
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

D-LIMONENE (5989-27-5)	
IARC group	3 - Not classifiable

Reproductive toxicity : Suspected of damaging fertility or the unborn child.
STOT-single exposure : Not classified
STOT-repeated exposure : Not classified
Aspiration hazard : Not classified

11.2. Information on other hazards

No additional information available

LIME EXPRESSED ORGANIC OIL

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Very toxic to aquatic life with long lasting effects.
Ecology - water	: Very toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Very toxic to aquatic life.
Hazardous to the aquatic environment, long-term (chronic)	: Very toxic to aquatic life with long lasting effects.

D-LIMONENE (5989-27-5)	
LC50 - Fish [1]	0.702 mg/l Pimephales promela (fathead minnow) -96h
EC50 - Crustacea [1]	69.6 daphnia - 48h
GERANIOL (106-24-1)	
LC50 - Fish [1]	env. 22 mg/l Brachydanio rerio (zebra-fish) - 96h
EC50 - Crustacea [1]	10.8 mg/l EC50 48h - Daphnia magna [mg/l]
EC50 - Other aquatic organisms [1]	13.1 mg/l Desmodesmus subspicatus (green algae) -72h
LINALOOL (78-70-6)	
LC50 - Fish [1]	27.8 mg/l EC 50 (fish : rainbow trout) : - 96h
LC50 - Other aquatic organisms [1]	88.3 mg/l Desmodesmus subspicatus (green algae) - 96h
EC50 - Crustacea [1]	59 mg/l EC50 48h - Daphnia magna [mg/l]
NOEC chronic fish	3.5 mg/l Oncorhynchus mykiss (Rainbow trout)- 96h
NOEC chronic crustacea	25 mg/l daphnia - 48h

12.2. Persistence and degradability

LIME EXPRESSED ORGANIC OIL (90063-52-8)	
Persistence and degradability	May cause long-term adverse effects in the environment.
D-LIMONENE (5989-27-5)	
Persistence and degradability	May cause long-term adverse effects in the environment.
BETA-PINENES (127-91-3)	
Persistence and degradability	Not established.
GAMMA-TERPINENE (99-85-4)	
Persistence and degradability	Not established.
CITRAL (5392-40-5)	
Persistence and degradability	Not established.
BISABOLENE (495-62-5)	
Persistence and degradability	Not established.
GERANIOL (106-24-1)	
Persistence and degradability	Readily biodegradable. Not established.
Biodegradation	80 – 100 % aérobic, Exposure duration 3 days
LINALOOL (78-70-6)	
Persistence and degradability	Readily biodegradable. Not established.

LIME EXPRESSED ORGANIC OIL

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

LINALOOL (78-70-6)	
Biodegradation	100 % 13 DAYS- ZAHN-WELLENS TEST OECD N° 302 B
12.3. Bioaccumulative potential	
D-LIMONENE (5989-27-5)	
Bioaccumulative potential	Not established.
BETA-PINENES (127-91-3)	
Bioaccumulative potential	Not established.
GAMMA-TERPINENE (99-85-4)	
Bioaccumulative potential	Not established.
CITRAL (5392-40-5)	
Bioaccumulative potential	Not established.
BISABOLENE (495-62-5)	
Bioaccumulative potential	Not established.
GERANIOL (106-24-1)	
Partition coefficient n-octanol/water (Log Pow)	2.5 at 25 °C
Bioaccumulative potential	Not established.
LINALOOL (78-70-6)	
Partition coefficient n-octanol/water (Log Pow)	2.97
Bioaccumulative potential	Not established.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Dispose of contents/container to contents/container to agreed companies according to national regulations.
Additional information	: Handle empty containers with care because residual vapours are flammable. Flammable vapours may accumulate in the container.
Ecology - waste materials	: Hazardous waste due to toxicity.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

LIME EXPRESSED ORGANIC OIL

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

14.1. UN number or ID number

UN-No. (ADR)	: UN 1993
UN-No. (IMDG)	: Not applicable
UN-No. (IATA)	: Not applicable
UN-No. (ADN)	: Not applicable
UN-No. (RID)	: Not applicable

14.2. UN proper shipping name

Proper Shipping Name (ADR)	: FLAMMABLE LIQUID, N.O.S.
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable
Proper Shipping Name (ADN)	: Not applicable
Proper Shipping Name (RID)	: Not applicable
Transport document description (ADR)	: UN 1993 FLAMMABLE LIQUID, N.O.S., 3, III, (D/E), ENVIRONMENTALLY HAZARDOUS

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR)	: 3
Danger labels (ADR)	: 3



IMDG

Transport hazard class(es) (IMDG)	: Not applicable
-----------------------------------	------------------



IATA

Transport hazard class(es) (IATA)	: Not applicable
-----------------------------------	------------------



ADN

Transport hazard class(es) (ADN)	: Not applicable
----------------------------------	------------------



RID

Transport hazard class(es) (RID)	: Not applicable
----------------------------------	------------------



14.4. Packing group

Packing group (ADR)	: III
Packing group (IMDG)	: Not applicable

LIME EXPRESSED ORGANIC OIL

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable


14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes
Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : F1
Special provisions (ADR) : 274, 601, 640E
Limited quantities (ADR) : 5I
Excepted quantities (ADR) : E1
Packing instructions (ADR) : P001, IBC03, LP01, R001
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions (ADR) : TP1, TP29
Tank code (ADR) : LGBF
Vehicle for tank carriage : FL
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Operation (ADR) : S2
Hazard identification number (Kemler No.) : 30
Orange plates :



Tunnel restriction code (ADR) : D/E

Transport by sea

No data available

Air transport

No data available

Inland waterway transport

No data available

Rail transport

No data available

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

LIME EXPRESSED ORGANIC OIL

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	LIME EXPRESSED ORGANIC OIL ; D-LIMONENE ; BETA-PINENES ; GAMMA-TERPINENE	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	LIME EXPRESSED ORGANIC OIL ; D-LIMONENE ; BETA-PINENES ; GAMMA-TERPINENE ; CITRAL ; BISABOLENE ; GERANIOL ; LINALOOL	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	LIME EXPRESSED ORGANIC OIL ; D-LIMONENE	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	LIME EXPRESSED ORGANIC OIL ; D-LIMONENE ; BETA-PINENES ; GAMMA-TERPINENE	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

LIME EXPRESSED ORGANIC OIL is not on the REACH Candidate List

LIME EXPRESSED ORGANIC OIL is not on the REACH Annex XIV List

LIME EXPRESSED ORGANIC OIL is not subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

LIME EXPRESSED ORGANIC OIL is not subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

Germany

Water hazard class (WGK) : WGK 3, Highly hazardous to water (Classification according to AwSV; ID No. 3821)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BLV	Biological limit value
CAS-No.	Chemical Abstract Service number
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level

LIME EXPRESSED ORGANIC OIL

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Abbreviations and acronyms	
DNEL	Derived-No Effect Level
EC50	Median effective concentration
EC-No.	European Community number
EN	European Standard
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative
WGK	Water Hazard Class

Full text of H- and EUH-statements	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.

LIME EXPRESSED ORGANIC OIL

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements

H410	Very toxic to aquatic life with long lasting effects.
------	---

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.