



TECHNICAL DATA SHEET

Issue date: 21/07/2014

Revision date: 01/06/2021

ORGANIC DISTILLED LIME OIL

Version: 1.4

Supersedes version of:
26/10/2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

EXAFLOL
5 rue des Pyrénées
P.O. Box CP 30561
94653 Rungis Cedex - France
T +33 (0)1 41 73 23 10
exaflool@orange.fr - www.exaflool.co

Name : ORGANIC DISTILLED LIME OIL
Product code : BLIMHE01
Origin : Sri Lanka

SECTION 2: PRODUCTION PROCESS

Manufacture : Steam distillation from fruits of Citrus aurantifolia (Christm.) Swingle

SECTION 3: REGULATORY SITUATION

Identification of the product : Essential oil
Botanical name : Citrus aurantifolia (Christm.) Swingle
INCI Name : CITRUS AURANTIFOLIA OIL
Synonyms : CAS USA: 8008-26-2
CAS-No. : 90063-52-8
EC-No. : 290-010-3
REACH registration No : 01-2120138646-51
FEMA : 2631
FDA : 182.20
CEE : 141n

SECTION 4: Physical and chemical properties

Physical state : Liquid.
Appearance : Liquid mobile. Clear.
Colour : Colourless. Yellow. Greenish.
Odour : characteristic.
Flash point : 35 °C
Melting point : Not applicable
Relative density : 0,857 – 0,885
Refractive index : 1,474 – 1,479
Optical rotation : 1 – 42 °
Solubility : Poorly soluble in water.
Composition : LIMONENE; G-TERPINENE; TERPINOLENE; A-TERPINEOL

SECTION 5: Handling and storage

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.
Precautions for safe handling : Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Avoid breathing smokes, vapours. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin and eyes.
Hygiene measures : Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
Technical measures : Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof ventilating equipment.
Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Heat sources, Direct sunlight. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up.
Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight. Heat sources.

ORGANIC DISTILLED LIME OIL

Technical data sheet

Maximum storage period	: 12 months Shelf life to guarantee the quality and properties of the product; After this period, it is recommended to control organoleptic and physicochemical properties before using the raw material.
Maximal quantity	: Not applicable
Storage temperature	: 5 – 25 °C
Information on mixed storage	: No specific measures are necessary.
Storage area	: Store in a well-ventilated place. Store away from heat. Keep away from any flames or sparking source.
Special rules on packaging	: Store in a closed container. Never return spills in original containers for possible later re-use. Keep in the original container if possible.

Exaflor Technical Data Sheet

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.