

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 5/20/2014 Revision date: 6/17/2021 Supersedes version of: 3/17/2021 Version: 1.8

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **1.1. Product identifier**

Product form	: Substance
Substance name	: ORGANIC NIAOULI OIL
EC-No.	: 310-217-5
CAS-No.	: 132940-73-9
Product code	: BNIAHE01
Synonyms	: CAS No (USA) : 8014-68-8
Product group	: Organic essential oil

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category	: Industrial use
Industrial/Professional use spec	: Industrial
	For professional use only

#### 1.2.2. Uses advised against

#### No additional information available

#### **1.3. Details of the supplier of the safety data sheet**

EXAFLOR 5 rue des Pyrénées P.O. Box CP 30561 94653 Rungis Cedex - France T +33 (0)1 41 73 23 10 exaflor@orange.fr - www.exaflor.co

#### 1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
	ORFILA (FRANCE)		+33 1 45 42 59 59	

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 3	H226
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Aspiration hazard, Category 1	H304
Hazardous to the aquatic environment — Acute Hazard, Category 1	H400
Hazardous to the aquatic environment — Chronic Hazard, Category 1	H410
Full text of H-statements: see section 16	

#### Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May be fatal if swallowed and enters airways. Very toxic to aquatic life with long lasting effects.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

## 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/20	008 [CLP]
Hazard pictograms (CLP)	GHS02 GHS07 GHS08 GHS09
Signal word (CLP)	: Danger
<b>o</b> ( )	<ul> <li>H226 - Flammable liquid and vapour.</li> <li>H304 - May be fatal if swallowed and enters airways.</li> <li>H315 - Causes skin irritation.</li> <li>H317 - May cause an allergic skin reaction.</li> <li>H319 - Causes serious eye irritation.</li> <li>H410 - Very toxic to aquatic life with long lasting effects.</li> </ul>
Precautionary statements (CLP)	<ul> <li>P210 - Keep away from heat, sparks, open flames. No smoking.</li> <li>P261 - Avoid breathing fume, gas, dust, vapours.</li> <li>P264 - Wash hands thoroughly after handling.</li> <li>P280 - Wear protective gloves, protective clothing, eye protection.</li> <li>P301+P310+P331 - IF SWALLOWED: Immediately call a POISON CENTER, a doctor. Do NOT induce vomiting.</li> <li>P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.</li> <li>P337+P313 - If eye irritation persists: Get medical advice/attention.</li> <li>P362+P364 - Take off contaminated clothing and wash it before reuse.</li> <li>P391 - Collect spillage.</li> </ul>

## 2.3. Other hazards

No additional information available

## **SECTION 3: Composition/information on ingredients**

3.1. Substances	
Name	: ORGANIC NIAOULI OIL
CAS-No.	: 132940-73-9
EC-No.	: 310-217-5

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
EUCALYPTOL	CAS-No.: 470-82-6 EC-No.: 207-431-5	45 – 65	Flam. Liq. 3, H226
ALPHA-PINENES	CAS-No.: 80-56-8 EC-No.: 201-291-9	5 – 15	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
ALPHA-TERPINEOL	CAS-No.: 98-55-5 EC-No.: 202-680-6	4 – 15	Skin Irrit. 2, H315 Eye Irrit. 2, H319
D-LIMONENE	CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-029-00-7	3.4 – 10	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
BETA-PINENES	CAS-No.: 127-91-3 EC-No.: 204-872-5	≤ 4	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
P-CYMENE	CAS-No.: 99-87-6 EC-No.: 202-796-7	0.3 – 1.5	Flam. Liq. 3, H226 Repr. 2, H361 Aquatic Chronic 2, H411
4-TERPINEOL	CAS-No.: 562-74-3 EC-No.: 209-235-5	≤ 1	Acute Tox. 4 (Oral), H302 (ATE=1300 mg/kg de poids corporel) Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
LINALOOL	CAS-No.: 78-70-6 EC-No.: 201-134-4	≤ 0.5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
GERANIOL	CAS-No.: 106-24-1 EC-No.: 203-377-1	≤ 0.2	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
BENZALDEHYDE	CAS-No.: 100-52-7 EC-No.: 202-860-4 EC Index-No.: 605-012-00-5	≤ 0.2	Acute Tox. 4 (Oral), H302 (ATE=1300 mg/kg de poids corporel) Acute Tox. 4 (Dermal), H312 (ATE=1250 mg/kg de poids corporel) Aquatic Chronic 3, H412

### 3.2. Mixtures

Not applicable

## **SECTION 4: First aid measures**

4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash with plenty of water/ Wash contaminated clothing before reuse. If skin irritation occurs: Rinse skin with water/shower. Get medical advice/attention. Specific treatment (see Read label before use. on this label). If skin irritation or rash occurs: Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Consult an eye specialist. Get medical advice/attention. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor. Do not induce vomiting. Call a physician immediately.
4.2. Most important symptoms and effects	s, both acute and delayed
Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion	<ul> <li>May cause an allergic skin reaction.</li> <li>Causes skin irritation. Irritation. May cause an allergic skin reaction.</li> <li>Causes serious eye irritation. Eye irritation.</li> <li>May be fatal if swallowed and enters airways. Risk of lung oedema.</li> </ul>

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	<ul><li>Foam. Dry powder. Carbon dioxide. Water spray. Sand.</li><li>Do not use a heavy water stream.</li></ul>
5.2. Special hazards arising from the subs	tance or mixture
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	<ul> <li>Flammable liquid and vapour.</li> <li>May form flammable/explosive vapour-air mixture.</li> <li>Toxic fumes may be released.</li> </ul>
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measur	es
6.1. Personal precautions, protective equip	ment and emergency procedures
General measures	: Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.
6.1.2. For emergency responders	
Protective equipment Emergency procedures	<ul> <li>Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".</li> <li>Ventilate area.</li> </ul>
Emergency procedures	
6.2. Environmental precautions	

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up	
For containment	: Collect spillage.
Methods for cleaning up	: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapours are flammable.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Precautions for safe handling Hygiene measures	<ul> <li>Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Avoid breathing smokes, vapours. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Avoid contact with skin and eyes.</li> <li>Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.</li> </ul>
7.2. Conditions for safe storage, including	any incompatibilities
Technical measures	: Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof ventilating equipment.
Storage conditions	<ul> <li>Keep only in the original container in a cool, well ventilated place away from : Heat sources, Direct sunlight. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up.</li> </ul>
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.
Maximum storage period	: 36 months Shelf life to guarantee the quality and properties of the product; After this period, it is recommended to control organoleptic and physicochemical properties before using the raw material.
Storage temperature	: 5−25 °C
7.3. Specific end use(s)	

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### 8.1.1. National occupational exposure and biological limit values

No additional information available

## 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

## 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

### Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 8.2.2.1. Eye and face protection

#### Eye protection:

Chemical goggles or safety glasses. Safety glasses

#### 8.2.2.2. Skin protection

**Skin and body protection:** Wear suitable protective clothing

Hand protection: Wear protective gloves.

#### 8.2.2.3. Respiratory protection

Respiratory protection: [In case of inadequate ventilation] wear respiratory protection.

8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Environmental exposure controls:

Avoid release to the environment.

#### Other information:

Do not eat, drink or smoke during use.

## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

and the second sec	and the second
Physical state	: Liquid
Colour	: Colourless. light yellow.
Odour	: characteristic. strong. camphoric.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Flammable liquid and vapour.
Explosive limits	: Not available
Lower explosive limit (LEL)	: Not available
Upper explosive limit (UEL)	: Not available
Flash point	: 48 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: Not available
Viscosity, kinematic	: Not available
Solubility	: Poorly soluble in water. Solubility in ethanol.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: Not available
Relative density	: 0.9 – 0.935
Relative vapour density at 20 °C	: Not available
Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable
Particle dustiness	: Not applicable

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

Refractive index

: 1.462 – 1.472

## SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Flammable liquid and vapour.

**10.2. Chemical stability** 

Flammable liquid and vapour. May form flammable/explosive vapour-air mixture.

#### 10.3. Possibility of hazardous reactions

Not established.

### **10.4. Conditions to avoid**

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks. Avoid contact with hot surfaces. No flames, no sparks. Eliminate all sources of ignition.

**10.5. Incompatible materials** 

Strong acids. Strong bases.

**10.6. Hazardous decomposition products** 

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

### **SECTION 11: Toxicological information**

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008		
Acute toxicity (dermal) :	Not classified Not classified Not classified	
D-LIMONENE (5989-27-5)		
LD50 oral rat	4400 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
ALPHA-PINENES (80-56-8)		
LD50 oral rat	3700 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
P-CYMENE (99-87-6)		
LD50 oral rat	4750 mg/kg	
LD50 dermal rabbit	5000	
4-TERPINEOL (562-74-3)		
LD50 oral rat	1300 mg/kg	
LD50 dermal rabbit	2500 mg/kg	

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

LINALOOL (78-70-6)	
LD50 oral rat	2790 mg/kg
LD50 oral	3120 mg/kg LD50 oral mouse
LD50 dermal rabbit	5610 mg/kg
GERANIOL (106-24-1)	
LD50 oral rat	3600 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Additional information Carcinogenicity Additional information D-LIMONENE (5989-27-5)	<ul> <li>Causes skin irritation.</li> <li>Causes serious eye irritation.</li> <li>May cause an allergic skin reaction.</li> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> </ul>
IARC group	3 - Not classifiable
Reproductive toxicity Additional information STOT-single exposure Additional information	<ul> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> <li>Not classified</li> <li>Based on available data, the classification criteria are not met</li> </ul>
4-TERPINEOL (562-74-3)	
STOT-single exposure STOT-repeated exposure Additional information Aspiration hazard	May cause respiratory irritation.         : Not classified         : Based on available data, the classification criteria are not met         : May be fatal if swallowed and enters airways.
11.2. Information on other hazards	
11.2.1. Endocrine disrupting properties 11.2.2. Other information Potential adverse human health effects and	: Based on available data, the classification criteria are not met
orenniai auverse numan nealth enects and	. Dased on available data, the diassification childlid die hot met

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - water : Hazardous to the aquatic environment, short-term : (acute)	Very toxic to aquatic life with long lasting effects. Very toxic to aquatic life with long lasting effects. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.
D-LIMONENE (5989-27-5)	
LC50 - Fish [1]	0.702 mg/l Pimephales promela (fathead minnow) -96h
EC50 - Crustacea [1]	69.6 daphnia - 48h
ALPHA-PINENES (80-56-8)	
LC50 - Fish [1]	0.28 mg/l Pimephales promela (fathead minnow) - 96h
LC50 - Other aquatic organisms [1]	41 mg/l EC50 48h - Daphnia magna [mg/l]

symptoms

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

P-CYMENE (99-87-6)	1
LC50 - Fish [1]	48 mg/l 96H -Cyprinodon variegatus (Sheep shead minnow)
EC50 - Crustacea [1]	6.5 mg/l EC50 48h - Daphnia magna [mg/l]
ErC50 algae	4.03 mg/l 72h - Scenedesmus capricornutum (Fresh water algae)
LINALOOL (78-70-6)	
LC50 - Fish [1]	27.8 mg/l EC 50 (fish : rainbow trout) : - 96h
LC50 - Other aquatic organisms [1]	88.3 mg/l Desmodesmus subspicatus (green algae) - 96h
EC50 - Crustacea [1]	59 mg/l EC50 48h - Daphnia magna [mg/l]
NOEC chronic fish	3.5 mg/l Oncorhynchus mykiss (Rainbow trout)- 96h
NOEC chronic crustacea	25 mg/l daphnia - 48h
GERANIOL (106-24-1)	
LC50 - Fish [1]	env. 22 mg/l Brachydanio rerio (zebra-fish) - 96h
EC50 - Crustacea [1]	10.8 mg/l EC50 48h - Daphnia magna [mg/l]
EC50 - Other aquatic organisms [1]	13.1 mg/l Desmodesmus subspicatus (green algae) -72h
12.2. Persistence and degradability	
ORGANIC NIAOULI OIL (132940-73-9)	
Persistence and degradability	May cause long-term adverse effects in the environment.
ALPHA-TERPINEOL (98-55-5)	
Persistence and degradability	Not established.
D-LIMONENE (5989-27-5)	
Persistence and degradability	May cause long-term adverse effects in the environment.
ALPHA-PINENES (80-56-8)	
Persistence and degradability	Readily biodegradable. May cause long-term adverse effects in the environment.
BETA-PINENES (127-91-3)	
Persistence and degradability	Not established.
P-CYMENE (99-87-6)	
Persistence and degradability	Readily biodegradable.
Biodegradation	100 %
4-TERPINEOL (562-74-3)	
Persistence and degradability	Not established.
LINALOOL (78-70-6)	
Persistence and degradability	Readily biodegradable. Not established.
Biodegradation	100 % 13 DAYS- ZAHN-WELLENS TEST OECD N° 302 B

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

12.3. Bioaccumulative potential		
ORGANIC NIAOULI OIL (132940-73-9)		
Bioaccumulative potential	Not established.	
ALPHA-TERPINEOL (98-55-5)		
Bioaccumulative potential	Not established.	
D-LIMONENE (5989-27-5)		
Bioaccumulative potential	Not established.	
ALPHA-PINENES (80-56-8)		
Partition coefficient n-octanol/water (Log Pow)	4.834	
Bioaccumulative potential	Not established.	
BETA-PINENES (127-91-3)		
Bioaccumulative potential	Not established.	
P-CYMENE (99-87-6)		
Partition coefficient n-octanol/water (Log Kow)	4.1	
4-TERPINEOL (562-74-3)		
Bioaccumulative potential	Not established.	
LINALOOL (78-70-6)		
Partition coefficient n-octanol/water (Log Pow)	2.97	
Bioaccumulative potential	Not established.	
GERANIOL (106-24-1)		
Partition coefficient n-octanol/water (Log Pow)	2.5 at 25 °C	
Bioaccumulative potential	Not established.	
12.4. Mobility in soil		

No additional information available

### 12.5. Results of PBT and vPvB assessment

No additional information available

## **12.6. Endocrine disrupting properties**

No additional information available

12.7. Other adverse effects

Additional information

: Avoid release to the environment.

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Waste treatment methods Product/Packaging disposal recommendations	<ul> <li>Dispose of contents/container in accordance with licensed collector's sorting instructions.</li> <li>Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to contents/container to agreemented companies according to national regulations.</li> </ul>	
Additional information	<ul><li>regulations.</li><li>Handle empty containers with care because residual vapours are flammable. Flammable vapours may accumulate in the container.</li></ul>	

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Ecology - waste materials

: Avoid release to the environment. Hazardous waste due to toxicity.

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

## 14.1. UN number or ID number

UN-No. (ADR)	: UN 1169
UN-No. (IMDG)	: UN 1169
UN-No. (IATA)	: UN 1169
UN-No. (ADN)	: UN 1169
UN-No. (RID)	: UN 1169

### 14.2. UN proper shipping name

Proper Shipping Name (ADR)	: EXTRACTS, AROMATIC, LIQUID
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable
Proper Shipping Name (ADN)	: Not applicable
Proper Shipping Name (RID)	: Not applicable
Transport document description (ADR)	: UN 1169 EXTRACTS, AROMATIC, LIQUID, 3, III, (D/E), ENVIRONMENTALLY HAZARDOUS
Transport document description (IMDG)	: UN 1169 , 3, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
Transport document description (IATA)	: UN 1169 , 3, ENVIRONMENTALLY HAZARDOUS
Transport document description (ADN)	: UN 1169 , 3, ENVIRONMENTALLY HAZARDOUS
Transport document description (RID)	: UN 1169, 3, ENVIRONMENTALLY HAZARDOUS

## 14.3. Transport hazard class(es)

#### ADR

Transport hazard class(es) (ADR)	
Danger labels (ADR)	



:



IMDG

Transport hazard class(es) (IMDG)



: 3 :

ΙΑΤΑ

Transport hazard class(es) (IATA)

## ADN

Transport hazard class(es) (ADN)



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

RID Transport hazard class(es) (RID) Danger labels (RID)	: 3 : 3
14.4. Packing group	
Packing group (ADR) Packing group (IMDG) Packing group (IATA) Packing group (ADN) Packing group (RID)	<ul> <li>III</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> </ul>
14.5. Environmental hazards	
Dangerous for the environment Marine pollutant Other information	: Yes : Yes : No supplementary information available
14.6. Special precautions for user	
Overland transport Classification code (ADR) Special provisions (ADR) Limited quantities (ADR) Excepted quantities (ADR) Vehicle for tank carriage Transport category (ADR) Hazard identification number (Kemler No.) Orange plates	: F1 : $601, 640E$ : $5I$ : $E1$ : $FL$ : $3$ : $30$ : $30$ : $30$ : $1169$
Tunnel restriction code (ADR)	: D/E
Transport by sea No data available	
Air transport No data available	
Inland waterway transport No data available	
Rail transport No data available	
14.7. Maritime transport in bulk according	ng to IMO instruments
Not applicable	
SECTION 15: Regulatory information	n
15.1. Safety, health and environmental r	egulations/legislation specific for the substance or mixture

## 15.1.1. EU-Regulations

No REACH Annex XVII restrictions ORGANIC NIAOULI OIL is not on the REACH Candidate List

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ORGANIC NIAOULI OIL is not on the REACH Annex XIV List

ORGANIC NIAOULI OIL is not subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 july 2012 concerning the export and import of hazardous chemicals.

ORGANIC NIAOULI OIL is not subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

### 15.1.2. National regulations

France       Occupational diseases		
RG 84	Conditions caused by liquid organic solvents for professional use: saturated or unsaturated aliphatic or cyclic liquid hydrocarbons and mixtures thereof; liquid halogenated hydrocarbons; nitrated derivatives of aliphatic hydrocarbons; alcohols; glycols, glycol ethers; ketones; aldehydes; aliphatic and cyclic ethers, including tetrahydrofuran; esters; dimethylformamide and dimethylacetamine; acetonitrile and propionitrile; pyridine; dimethylsulfone and dimethylsulfoxide	

#### Germany

Water hazard class (WGK) Hazardous Incident Ordinance (12. BImSchV) WGK 2, Significantly hazardous to water (Classification according to AwSV; ID No. 6398)
 Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

**15.2. Chemical safety assessment** 

No chemical safety assessment has been carried out

## **SECTION 16: Other information**

Abbreviations and acronyms		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BLV	Biological limit value	
CAS-No.	Chemical Abstract Service number	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC50	Median effective concentration	
EC-No.	European Community number	
EN	European Standard	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OEL	Occupational Exposure Limit	

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Abbreviations and acronyms		
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
vPvB	Very Persistent and Very Bioaccumulative	
WGK	Water Hazard Class	

Data sources

 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
 None.

Other information

Full text of H- and EUH-statements		
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
Repr. 2	Reproductive toxicity, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H312	Harmful in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	
H361	Suspected of damaging fertility or the unborn child.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements	
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.