

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 10/1/2014 Revision date: 6/24/2021 Supersedes version of: 7/2/2020 Version: 1.5

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Substance
Substance name	: YLANG COMPLETE ORGANIC OIL
EC-No.	: 281-092-1
CAS-No.	: 83863-30-3
Product code	: BYLAHE02
Synonyms	: OTHER CAS No : 8006-81-3 ; 68606-83-7
Product group	: Organic essential oil

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	:	Industrial use
Industrial/Professional use spec	:	Industrial
		For professional use only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

EXAFLOR 5 rue des Pyrénées P.O. Box CP 30561 94653 Rungis Cedex - France T +33 (0)1 41 73 23 10 <u>exaflor@orange.fr</u> - <u>www.exaflor.co</u>

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
	ORFILA (FRANCE)		+33 1 45 42 59 59	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 1	H318
Skin sensitisation, Category 1	H317
Reproductive toxicity, Category 2	H361
Aspiration hazard, Category 1	H304
Hazardous to the aquatic environment — Chronic Hazard, Category 3	H412
Full text of H-statements: see section 16	

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

	GHS05 GHS07 GHS08		
Signal word (CLP)	: Danger		
Hazard statements (CLP)	: H304 - May be fatal if swallowed and enters airways.		
	H315 - Causes skin irritation.		
	H317 - May cause an allergic skin reaction.		
	H318 - Causes serious eye damage.		
	H361 - Suspected of damaging the unborn child. (No certainty about hazards to the foetus)		
	H412 - Harmful to aquatic life with long lasting effects.		
Precautionary statements (CLP)	: P201 - Obtain special instructions before use.		
	P202 - Do not handle until all safety precautions have been read and understood.		
	P261 - Avoid breathing fume, gas, dust, vapours.		
	P264 - Wash hands thoroughly after handling.		
	P272 - Contaminated work clothing should not be allowed out of the workplace.		
	P273 - Avoid release to the environment.		
	P280 - Wear protective gloves, protective clothing, eye protection.		
	P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER, a doctor.		
	P302+P352 - IF ON SKIN: Wash with plenty of with water & soap.		
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
	P308+P313 - IF exposed or concerned: Get medical advice/attention. medical advice.		
	P310 - Immediately call a POISON CENTER, a doctor.		
	P321 - Specific treatment (see Read label before use. on this label).		
	P331 - Do NOT induce vomiting.		
	P332+P313 - If skin irritation occurs: Get medical advice/attention.		
	P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.		
	P362+P364 - Take off contaminated clothing and wash it before reuse. P405 - Store locked up.		
	P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.		

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Name	: YLANG COMPLETE ORGANIC OIL
CAS-No.	: 83863-30-3
EC-No.	: 281-092-1

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
BETA-CARYOPHYLLENE	CAS-No.: 87-44-5 EC-No.: 201-746-1	7.5 – 18	Not classified
LINALOOL	CAS-No.: 78-70-6 EC-No.: 201-134-4	2 – 16	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
GERANYL ACETATE	CAS-No.: 105-87-3 EC-No.: 203-341-5	4 – 11.8	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412
BENZYL BENZOATE	CAS-No.: 120-51-4 EC-No.: 204-402-9 EC Index-No.: 607-085-00-9	4 – 10	Acute Tox. 4 (Oral), H302 (ATE=1700 mg/kg de poids corporel) Aquatic Chronic 2, H411

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
P-CRESYL METHYLETHER	CAS-No.: 104-93-8 EC-No.: 203-253-7	1.8 – 7	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 (ATE=1920 mg/kg de poids corporel) Repr. 2, H361 Aquatic Chronic 3, H412
METHYL BENZOATE	CAS-No.: 93-58-3 EC-No.: 202-259-7	0.5 – 5	Acute Tox. 4 (Oral), H302 (ATE=1177 mg/kg de poids corporel) Aquatic Chronic 3, H412
GERANIOL	CAS-No.: 106-24-1 EC-No.: 203-377-1	0.8 – 5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
BENZYL SALICYLATE	CAS-No.: 118-58-1 EC-No.: 204-262-9	1 – 4	Skin Sens. 1, H317 Aquatic Chronic 2, H411
FARNESOL	CAS-No.: 4602-84-0 EC-No.: 225-004-1	1.4 – 3	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
EUGENOL	CAS-No.: 97-53-0 EC-No.: 202-589-1	≤ 0.9	Acute Tox. 4 (Oral), H302 (ATE=1930 mg/kg de poids corporel) Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411
ISOEUGENOL	CAS-No.: 97-54-1 EC-No.: 202-590-7	≤ 0.3	Acute Tox. 4 (Oral), H302 (ATE=1560 mg/kg de poids corporel) Acute Tox. 4 (Dermal), H312 (ATE=1900 mg/kg de poids corporel) Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
METHYL EUGENOL	CAS-No.: 93-15-2 EC-No.: 202-223-0	0 – 0.05	Acute Tox. 4 (Oral), H302 (ATE=810 mg/kg de poids corporel) Muta. 2, H341 Carc. 2, H351 Aquatic Chronic 2, H411

3.2. Mixtures

Not applicable

SECTION 4: First aid measures	
4.1. Description of first aid measures	i de la constante de la constan
First-aid measures general	: Never give anything by mouth to an unconscious person. IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Wash with plenty of water/ Wash contaminated clothing before reuse. If skin irritation occurs: Rinse skin with water/shower. Get medical advice/attention. Specific treatment (see Refer to instruction manual/booklet on this label). If skin irritation or rash occurs: Rinse skin with water/shower.
First-aid measures after eye contact	 Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

4.2. Most important symptoms and effects, both acute and delayed Symptoms/effects : Suspected of damaging fertility or the unborn child. Symptoms/effects after inhalation : May cause an allergic skin reaction. Symptoms/effects after skin contact : Causes skin irritation. Symptoms/effects after eye contact : Causes serious eye damage. Symptoms/effects after ingestion : May be fatal if swallowed and enters airways.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measur	es
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	Foam. Dry powder. Carbon dioxide. Water spray. Sand.Do not use a heavy water stream.
5.2. Special hazards arising from th	e substance or mixture
No additional information available	
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures	
6.1. Personal precautions, protections	ctive equipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment Emergency procedures	 Equip cleanup crew with proper protection. Ventilate area.
C <i>j</i> <i>i</i>	
6.2. Environmental precautions	
Prevent entry to sewers and public wate	ers. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containr	nent and cleaning up
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.4. Reference to other sections	

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid breathing smokes, vapours. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.	
Hygiene measures	: Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

7.2. Conditions for safe storage, including any incompatibilities		
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Heat sources, Direct sunlight. Keep container closed when not in use.	
Incompatible products	: Strong bases. Strong acids.	
Incompatible materials	: Sources of ignition. Direct sunlight.	
Maximum storage period	: 3 year Shelf life to guarantee the quality and properties of the product; After this period, it is recommended to control organoleptic and physicochemical properties before using the raw material.	
Storage temperature	: ~ 18 (5 – 25) °C	

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

8.2.2. Personal protection equipment

Personal protective equipment: Avoid all unnecessary exposure.

8.2.2.1. Eye and face protection

Eye protection: Chemical goggles or safety glasses

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection: [In case of inadequate ventilation] wear respiratory protection.

8.2.2.4. Thermal hazards

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: light yellow. dark yellow. orange.
Appearance	: Liquid mobile.
Odour	: characteristic. flowery and jamine like. sweet.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Non flammable.
Explosive limits	: Not available
Lower explosive limit (LEL)	: Not available
Upper explosive limit (UEL)	: Not available
Flash point	: 76 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
рН	: Not available
Viscosity, kinematic	: < 7000000 mm²/s @ 40°C
Solubility	: Insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: 1750 – 3000 hPa
Density	: Not available
Relative density	: 0.906 – 0.976
Relative vapour density at 20 °C	: Not available
Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable
Particle dustiness	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

Refractive index

: 1.495 - 1.515

ECTION 10: Stability and reactivity
.1. Reactivity
additional information available
.2. Chemical stability
t established.
.3. Possibility of hazardous reactions
t established.

Safety Data Sheet

10.4. Conditions to avoid	
Direct sunlight. Extremely high or low temperatures.	
10.5. Incompatible materials	
Strong acids. Strong bases.	
10.6. Hazardous decomposition products	
fume. Carbon monoxide. Carbon dioxide.	
SECTION 11: Toxicological information	

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008			
Acute toxicity (oral) : Not classified			
	Not classified Not classified		
Acute toxicity (inhalation) : Not classified YLANG COMPLETE ORGANIC OIL (83863-30-3)			
LD50 oral rat	≥ 5000 mg/kg		
LD50 dermal rabbit	≥ 5000 mg/kg		
LINALOOL (78-70-6)			
LD50 oral rat	2790 mg/kg		
LD50 oral	3120 mg/kg LD50 oral mouse		
LD50 dermal rabbit	5610 mg/kg		
GERANYL ACETATE (105-87-3)	·		
LD50 oral rat	6330 mg/kg		
, Dermal, Guinea pig	= 100 mg (24 Hours, May cause moderate irritation.)		
Skin irritation, Dermal, rabbit	= 100 mg (24 Hours, Notes to physician : Risk of severe skin irritation)		
BENZYL BENZOATE (120-51-4)			
LD50 oral rat	1700 mg/kg		
LD50 oral	1400 mg/kg LD50 oral mouse		
LD50 dermal rat	4000 mg/kg		
LD50 dermal rabbit	4000 mg/kg		
LD50, mammalian, acute, oral, rabbit, systemic	= 1680 mg/kg		
LD50, mammalian, acute, oral, Guinea pig, systemic	= 1121 mg/kg		
P-CRESYL METHYLETHER (104-93-8)			
LD50 oral rat	1920 mg/kg		
LD50 dermal rabbit	> 5000 mg/kg		
GERANIOL (106-24-1)			
LD50 oral rat	3600 mg/kg		
LD50 dermal rabbit	> 5000 mg/kg		
METHYL BENZOATE (93-58-3)			
LD50 oral rat	1177 mg/kg		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

BENZYL SALICYLATE (118-58-1)			
LD50 oral rat	2227 mg/kg		
LD50 dermal rabbit	14150 mg/kg		
FARNESOL (4602-84-0)			
LD50 oral rat	6000 mg/kg		
LD50 oral	7400 mg/kg mouse		
LD50 dermal rabbit	> 5000 mg/kg		
EUGENOL (97-53-0)			
LD50 oral rat	1930 mg/kg		
LC50 Inhalation - Rat [ppm]	> 384 ppmv/4h		
ISOEUGENOL (97-54-1)			
LD50 oral rat	1560 mg/kg		
LD50 oral	1410 mg/kg Guinea pig		
LD50 dermal rabbit	1900 mg/kg		
Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Additional information Carcinogenicity Additional information	 Causes skin irritation. Causes serious eye damage. May cause an allergic skin reaction. Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met 		
EUGENOL (97-53-0)			
IARC group	3 - Not classifiable		
Reproductive toxicity STOT-single exposure Additional information STOT-repeated exposure Additional information Aspiration hazard YLANG COMPLETE ORGANIC OIL (83	 Suspected of damaging the unborn child. (No certainty about hazards to the foetus). Not classified Based on available data, the classification criteria are not met Not classified Based on available data, the classification criteria are not met May be fatal if swallowed and enters airways. 		
Viscosity, kinematic	< 7000000 mm²/s @ 40°C		
11.2. Information on other hazards			
11.2.1. Endocrine disrupting properties			
11.2.2. Other information			

11.2.2. Other information

Potential adverse human health effects and	:	Based on available data, the classification criteria are not met
symptoms		

SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - water Hazardous to the aquatic environment, short-term (acute)	Harmful to aquatic life with long lasting effects.Not classified	
Hazardous to the aquatic environment, long-term (chronic)	: Harmful to aquatic life with long lasting effects.	

Safety Data Sheet

EC50 - Crustacce [1] 11.2 mg1 EC50 48h - Daphnia magne [mg1] LINALCOL (75-70-6) Z.8 mg1 EC50 (8h : rainbow trout) - 96h LC50 - Other aquatic organisms [1] 83.8 mg1 Desmodesmus subspicatus (green algan) - 96h EC50 - Crustaccea [1] 69 mg1 EC50 48h - Daphnia magne [mg1] NOEC chronic fish 3.5 mg1 Onconfynchus mykins (Rainbow trout) - 96h NOEC chronic orastacea 25 mg1 Boco (Gammarus fasciatus) 96h EC50 - Crustaccea (1) 4.8 mg1 Scod (Gammarus fasciatus) 96h LC50 - Final (1) 4.8 mg1 Scod (Gammarus fasciatus) 96h LC50 - Final (1) 4.8 mg1 Scod (Gammarus fasciatus) 96h LC50 - Final (1) 4.8 mg1 Scod (Gammarus fasciatus) 96h LC50 - Final (1) 4.2 mg1 ECs0 48h - Daphnia magne [mg1] EC50 - Crustaccea (1) 4.2 mg1 ECs0 48h - Daphnia magne [mg1] EC50 - Crustaccea (1) 60 mu - 22 mg1 Brachydanio renio (zabra-fish) - 86h EC50 - Crustaccea (1) 10.8 mg1 ECs0 48h - Daphnia magne [mg1] EC50 - Final (1) 11.8 mg1 Ecs0 48h - Daphnia magne [mg1] EC50 - Crustaccea (1) 62.8 mg1 Ecs0 24h - Daphnia magne [mg1] EC50 - Crustaccea (1) 62.8 mg1 Ecs0 24h - Daphnia magne [mg1] EC50 - Crustaccea (1) 62.8 mg1 Ecs0 24h - Daphnia	YLANG COMPLETE ORGANIC OIL (83863-30-3)			
LC50 - Fish [1] 27.8 mg/l EC 50 (fish : rainbow trout) : - 96h LC50 - Onker aquatic organisms [1] 88.3 mg/l Desmodesmus subspicatus (green algae) - 96h EC50 - Crustacea [1] 56 mg/l EC50 48h - Daphnia magna [mg/l] NOEC chronic fush 3.5 mg/l Oncothynchus mykiss (Rainbow trout) - 96h NOEC chronic crustacea 25 mg/l daphnia - 48h BENZYL BENZOATE (120-51-4) LC50 - Fish [2] LC50 - Fish [2] 4.8 mg/l Scul (Gammarus fasciatus) 96h LC50 - Other aquatic organisms [1] 9.8 mg/l Scul (Gammarus fasciatus) 96h LC50 - Fish [2] 4.8 mg/l Scul (Gammarus fasciatus) 96h LC50 - Fish [1] 4.8 mg/l Scul (Gammarus fasciatus) 96h LC50 - Fish [1] 4.8 mg/l Scul (Gammarus fasciatus) 96h C50 - Crustacea [1] 4.4 mg/l EC50 48h - Daphnia magna [mg/l] GERANIOL (106-24-1) LC50 - One raquatic organisms [1] LC50 - Fish [1] env. 22 mg/l Brachydanic rerio (zebra-fish) - 96h EC50 - Crustacea [1] 10.8 mg/l Deschdesmus subspicatus (green algae) 72h METHYL BENZOATE (93-58-3) LC50 - Fish [1] LC50 - Fish [1] 2.3 mg/l Brachydanic rerio (zebra-fish) - 96h EC50 - Crustacea [1] 1.8 mg/l Oncorhynchus mykiss (Rainbow trout) -96h EC50 - Crustacea [1] 1.8	EC50 - Crustacea [1] 11.2 mg/l EC50 48h - Daphnia magna [mg/l]			
LC50 - Other aquatic organisms [1] 88.3 mg/l Desmodesmus subspicatus (green algae) - 96h EC50 - Crustaces [1] 59 mg/l EC50 48h - Daphnia magna [mg/l] NOEC chronic fish 3.5 mg/l Oncortynchus mykiss (Rainbow trout) -96h NOEC chronic orustacea 25 mg/l daphnia - 48h BENZYL BENZOATE (120-51-4) LC50 - Fish [2] LC50 - Fish [2] 4.8 mg/l Scud (Gammarus fasciatus) 96h LC50 - Fish [1] 9.8 mg/l Scud (Gammarus fasciatus) 96h LC50 - Fish [1] 46 mg/l 96H - Leuciscus idus (golden orfe) EC50 - Crustacea [1] 44.2 mg/l EC50 48h - Daphnia magna [mg/l] GERANIOL (106-24-1) CC50 - Fish [1] CS0 - Fish [1] env. 22 mg/l Brachydanio rerio (zebra-fish) - 96h EC50 - Crustacea [1] 10.8 mg/l EC50 48h - Daphnia magna [mg/l] EC50 - Other aquatic organisms [1] 13.1 mg/l Desmodesmus subspicatus (green algae) -72h METHYL BENZOATE (93-58-3) LC50 - Fish [1] 23 mg/l Brachydanio rerio (zebra-fish) - 96h EC50 - Crustacea [1] 13.8 mg/l Oncorhynchus mykiss (Rainbow trout) -96h EC50 - Crustacea [1] EC50 - Crustacea [1] 13 mg/l Brachydanio rerio (zebra-fish) - 96h EC50 - Crustacea [1] 2.2 mg/l EC50 48h - Daphnia magna [mg/l] EC50 - Cr	LINALOOL (78-70-6)			
EC50 - Crustacea [1] 50 mg/l EC50 48h - Daphnia magna [mg/l] NOEC chronic fish 3.5 mg/l Oncorhynchus myktiss (Rainbow trout)- 96h NOEC chronic crustacea 25 mg/l daphnia - 48h BENZYL BENZOATE (120-51-4) LC50 - Fish [2] LC50 - Fish [2] 4.8 mg/l Scud (Gammarus fasciatus) 96h LC50 - Other aquatic organisms [1] 9.8 mg/l Scud (Gammarus fasciatus) 24h P-CRESYL MEHYLETHER (104-93-8) LC50 - Fish [1] LC50 - Fish [1] 46 mg/l 96H - Leuciscus idus (golden orfe) EC50 - Crustacea [1] 44 2 mg/l EC50 48h - Daphnia magna [mg/l] GERANIOL (106-24-1) LC50 - Fish [1] LC50 - Fish [1] env. 22 mg/l Brachydanic renio (zebra-fish) - 96h EC50 - Crustacea [1] 10.8 mg/l EC50 48h - Daphnia magna [mg/l] EC50 - Crustacea [1] 10.8 mg/l EC50 48h - Daphnia magna [mg/l] EC50 - Crustacea [1] 23 mg/l Brachydanic renio (zabra-fish) - 96h EC50 - Crustacea [1] 23 mg/l Brachydanic renio (zabra-fish) - 96h EC50 - Crustacea [1] 23 mg/l Brachydanic renio (zabra-fish) - 96h EC50 - Crustacea [1] 1.8 mg/l Oncorhynchus mykiss (Rainbow trout) -96h EC50 - Crustacea [1] 1.8 mg/l Oncorhynchus mykiss (Rainbow trout) -96h <t< td=""><td>LC50 - Fish [1]</td><td>27.8 mg/l EC 50 (fish : rainbow trout) : - 96h</td></t<>	LC50 - Fish [1]	27.8 mg/l EC 50 (fish : rainbow trout) : - 96h		
NOEC chronic fish 3.5 mg1 Oncorthynchus mykiss (Rainbow trout)-96h NOEC chronic crustacea 25 mg1 daphria - 48h BENZYL BENZOATE (120-51-4) LC50 - Fish [2] LC50 - Fish [2] 4.8 mg1 Scud (Gammarus fasciatus) 96h LC50 - Fish [2] 4.8 mg1 Scud (Gammarus fasciatus) 96h LC50 - Fish [1] 9.8 mg1 Scud (Gammarus fasciatus) 96h LC50 - Fish [1] 46 mg1 98H - Leuciscus idus (golden orfe) EC50 - Crustacea [1] 44 2.2 mg1 EC50 48h - Daphnia magna [mg/1] GERANIOL (106-24-1) Intervention (zebra-fish) - 96h LC50 - Fish [1] env. 22 mg1 Brachydanio rerio (zebra-fish) - 96h EC50 - Crustacea [1] 10.8 mg1 EC50 48h - Daphnia magna [mg/1] EC50 - Crustacea [1] 10.8 mg1 EC50 48h - Daphnia magna [mg/1] EC50 - Crustacea [1] 23 mg1 Brachydanio rerio (zebra-fish) - 96h EC50 - Crustacea [1] 23 mg1 Brachydanio rerio (zebra-fish) - 96h EC50 - Crustacea [1] 23 mg1 Brachydanio rerio (zebra-fish) - 96h EC50 - Crustacea [1] 23 mg1 Brachydanio rerio (zebra-fish) - 96h EC50 - Crustacea [1] 1.8 mg1 Oncorhynchus mykiss (Rainbow trout) -96h EC50 - Crustacea [1] 1.8 mg1 Oncorhynchus mykiss (Rainbow trout) -96h EC50 - Crustacea [1] 1.13 mg1 Brachydan	LC50 - Other aquatic organisms [1]	88.3 mg/l Desmodesmus subspicatus (green algae) - 96h		
NOEC chronic crustacea 25 mg/l daphnia - 48h BENZYL BENZOATE (120-51-4) LC50 - Fish [2] 4.8 mg/l Scud (Gammarus fasciatus) 96h LC50 - Other aquatic organisms [1] 9.8 mg/l Scud (Gammarus fasciatus) 24h P-CRESYL METHYLETHER (104-93-8) LC50 - Crustacea [1] 44.2 mg/l BC50 48h - Daphnia magna (mg/l) GERANIOL (106-24-1) LC50 - Crustacea [1] 44.2 mg/l EC50 48h - Daphnia magna (mg/l) EC50 - Crustacea [1] 10.8 mg/l EC50 48h - Daphnia magna (mg/l) EC50 - Crustacea [1] EC50 - Crustacea [1] 13.1 mg/l Desmodesmus subspicatus (green algae) -72h METHYL BENZOATE (93-58-3) LC50 - Fish [1] 23 mg/l Brachydanio rerio (zebra-fish) - 98h EC50 - Crustacea [1] 23 mg/l Brachydanio rerio (zebra-fish) - 98h EC50 - Crustacea [1] EC50 - Crustacea [1] 23 mg/l Brachydanio rerio (zebra-fish) - 98h EC50 - Crustacea [1] EC50 - Crustacea [1] 2.2 mg/l EC50 48h - Daphnia magna [mg/l] EC50 - Crustacea [1] 2.2 mg/l EC50 48h - Daphnia magna [mg/l] EC50 - Crustacea [1] 1.8 mg/l Oncorhynchus mykiss (Rainbow troul) -96h EC50 - Crustacea [1] 1.3 mg/l Brachydanio rerio (zebra-fish) - 98h EC50 - Crustacea [1] 1.8 mg/l Oncorhynchus mykiss (Rainbow troul) -96h EC50 - Crustacea [1] 1.3 mg/l EC50 48h - Daphnia magna [mg/l]	EC50 - Crustacea [1]	59 mg/l EC50 48h - Daphnia magna [mg/l]		
BENZYL BENZOATE (120-51-4) LC50 - Fish [2] 4.8 mgl Soud (Gammarus fasciatus) 96h LC50 - Other aquatic organisms [1] 9.8 mgl Soud (Gammarus fasciatus) 24h P-CRESYL METHYLETHER (104-93-8) Intervent of the second	NOEC chronic fish	3.5 mg/l Oncorhynchus mykiss (Rainbow trout)- 96h		
LC50 - Fish [2] 4.8 mgl Scud (Gammarus fasciatus) 96h LC50 - Other aquatic organisms [1] 9.8 mgl Scud (Gammarus fasciatus) 24h P-CRESYL METHYLETHER (104-93-8) LC50 - Fish [1] 46 mgl 96H - Leuciscus idus (golden orfe) LC50 - Fish [1] 44.2 mgl EC50 48h - Daphnia magna [mg/l] GERANIOL (106-24-1) LC50 - Crustacea [1] env. 22 mg/l Brachydanio reiro (zebra-fish) - 96h EC50 - Crustacea [1] 10.8 mgl EC50 48h - Daphnia magna [mg/l] EC50 - Crustacea [1] env. 22 mg/l Brachydanio reiro (zebra-fish) - 96h EC50 - Crustacea [1] 13.1 mgl Desmodesmus subspicatus (green algae) -72h METHYL BENZOATE (93-58-3) LC50 - Fish [1] 23 mgl Brachydanio reiro (zebra-fish) - 96h EC50 - Crustacea [1] 62.6 mgl EC50 24h - Daphnia magna [mg/l] FARNESOL (4602-84-0) LC50 - Fish [1] 23 mgl Brachydanio reiro (zebra-fish) - 96h EC50 - Crustacea [1] 2.2 mgl EC50 24h - Daphnia magna [mg/l] EC50 - Crustacea [1] 1.8 mgl Oncorhynchus mykiss (Rainbow trout) -96h EC50 - Crustacea [1] 1.3 mgl Brachydanio reiro (zabra-fish) - 96h EC50 - Crustacea [1] 1.3 mgl Brachydanio reiro (zabra-fish) - 96h EC50 - Crustacea [1] 1.3 mgl Brachydanio reiro (zabra-fish) - 96h EC50 - Crustacea [1] 1.3 mgl Brachydanio reiro (zabra-fish) - 96h	NOEC chronic crustacea	25 mg/l daphnia - 48h		
LC50 - Other aquatic organisms [1] 9.8 mg/l Scud (Gammarus fasciatus) 24h P-CRESYL METHYLETHER (104-93-8) LC50 - Fish [1] 46 mg/l 96H - Leuciscus idus (golden orle) LC50 - Fish [1] 44.2 mg/l EC50 48h - Daphnia magna [mg/l] GERANIOL (106-24-1) LC50 - Fish [1] anv. 22 mg/l Brachydanio renio (zabra-fish) - 98h EC50 - Crustacea [1] 10.8 mg/l EC50 48h - Daphnia magna [mg/l] EC50 - Other aquatic organisms [1] 13.1 mg/l Desmodesmus subspicatus (green algae) -72h METHYL BENZOATE (93-58-3) LC50 - Fish [1] 23 mg/l Brachydanio renio (zabra-fish) - 96h EC50 - Crustacea [1] 22.6 mg/l EC50 24h - Daphnia magna [mg/l] FARNESOL (4602-84-0) LC50 - Fish [1] 23 mg/l Brachydanio renio (zebra-fish) - 96h EC50 - Crustacea [1] 2.2 mg/l EC50 24h - Daphnia magna [mg/l] EC50 - Crustacea [1] 18 mg/l Oncorhynchus mykiss (Rainbow trout) -96h EC50 - Crustacea [1] 2.2 mg/l EC50 48h - Daphnia magna [mg/l] EUGENOL (97-53-0) LC50 - Fish [1] 13 mg/l Brachydanio renio (zebra-fish) - 96h EC50 - Crustacea [1] 1.1 3 mg/l Brachydanio renio (zebra-fish) - 96h EC50 - Crustacea [1] 1.3 mg/l Brachydanio renio (zebra-fish) - 96h EC50 - Crustacea [1] 1.1 3 mg/l Brachydanio renio (zebra-fish) - 96h EC50 - Crustacea [1] 1.1 3 mg/l Brachydanio renio (zebr	BENZYL BENZOATE (120-51-4)			
P-CRESYL METHYLETHER (104-93-6) LC50 - Fish [1] 46 mg/l 96H - Leuciscus idus (golden orfe) EC50 - Crustacea [1] 44.2 mg/l EC50 48h - Daphnia magna [mg/l] GERANIOL (106-24-1) LC50 - Fish [1] LC50 - Fish [1] env. 22 mg/l Brachydanio rerio (zebra-fish) - 96h EC50 - Crustacea [1] 10.8 mg/l EC50 48h - Daphnia magna [mg/l] EC50 - Crustacea [1] 13.1 mg/l Desmodesmus subspicatus (green algae) -72h METHYL BENZOATE (93-58-3) LC50 - Fish [1] LC50 - Fish [1] 23 mg/l Brachydanio rerio (zebra-fish) - 96h EC50 - Crustacea [1] 62.6 mg/l EC50 24h - Daphnia magna [mg/l] FARNESOL (4602-84-0) LC50 - Fish [1] LC50 - Fish [1] 18 mg/l Oncorhynchus mykiss (Rainbow trout) -96h EC50 - Crustacea [1] 2.2 mg/l EC50 48h - Daphnia magna [mg/l] EUGENOL (97-53-0) LC50 - Fish [1] LC50 - Fish [1] 13 mg/l Brachydanio rerio (zebra-fish) - 96h EC50 - Crustacea [1] 13 mg/l Brachydanio rerio (zebra-fish) - 96h EC50 - Crustacea [1] 13 mg/l Brachydanio rerio (zebra-fish) - 96h EC50 - Crustacea [1] 13 mg/l Brachydanio rerio (zebra-fish) - 96h EC50 - Crustacea [1] 13 mg/l Brachydanio rerio (zebra	LC50 - Fish [2]	4.8 mg/l Scud (Gammarus fasciatus) 96h		
LCS0 - Fish [1] 46 mg/l 96H - Leuciscus idus (golden orfe) ECS0 - Crustacea [1] 44.2 mg/l ECS0 48h - Daphnia magna [mg/l] GERANIOL (106-24-1) LCS0 - Fish [1] LCS0 - Fish [1] env. 22 mg/l Brachydanio rerio (zebra-fish) - 96h ECS0 - Crustacea [1] 10.8 mg/l ECS0 48h - Daphnia magna [mg/l] ECS0 - Other aquatic organisms [1] 13.1 mg/l Desmodesmus subspicatus (green algae) -72h METHYL BENZOATE (93-58-3) LCS0 - Fish [1] LCS0 - Fish [1] 23 mg/l Brachydanio rerio (zebra-fish) - 96h ECS0 - Crustacea [1] 62.6 mg/l ECS0 24h - Daphnia magna [mg/l] FARNESOL (4602-84-0) LCS0 - Fish [1] LCS0 - Fish [1] 1.8 mg/l Oncorhynchus mykiss (Rainbow trout) -96h ECS0 - Crustacea [1] 2.2 mg/l ECS0 48h - Daphnia magna [mg/l] EUGENOL (97-53-0) LCS0 - Fish [1] LCS0 - Fish [1] 13 mg/l Brachydanio rerio (zebra-fish) - 96h ECS0 - Crustacea [1] 13 mg/l Brachydanio rerio (zebra-fish) - 96h ECS0 - Crustacea [1] 13 mg/l Brachydanio rerio (zebra-fish) - 96h ECS0 - Crustacea [1] 13 mg/l Brachydanio rerio (zebra-fish) - 96h ECS0 - Crustacea [1] 13 mg/l Brachydanio rerio (zebra-fish) - 96h ECS0	LC50 - Other aquatic organisms [1]	9.8 mg/l Scud (Gammarus fasciatus) 24h		
EC50 - Crustacea [1] 44.2 mg/l EC50 48h - Daphnia magna [mg/l] GERANIOL (106-24-1) env. 22 mg/l Brachydanio rerio (zebra-fish) - 96h EC50 - Crustacea [1] 10.8 mg/l EC50 48h - Daphnia magna [mg/l] EC50 - Other aquatic organisms [1] 13.1 mg/l Desmodesmus subspicatus (green algae) -72h METHYL BENZOATE (93-58-3) LC50 - Fish [1] 23 mg/l Brachydanio rerio (zebra-fish) - 96h EC50 - Crustacea [1] 62.6 mg/l EC50 24h - Daphnia magna [mg/l] EC50 - Crustacea [1] 62.6 mg/l EC50 24h - Daphnia magna [mg/l] FARNESOL (4602-84-0) LC50 - Fish [1] 1.8 mg/l Oncorhynchus mykiss (Rainbow trout) -96h EC50 - Crustacea [1] 1.8 mg/l Oncorhynchus mykiss (Rainbow trout) -96h EC50 - Crustacea [1] 1.8 mg/l Oncorhynchus mykiss (Rainbow trout) -96h EC50 - Crustacea [1] 1.3 mg/l EC50 48h - Daphnia magna [mg/l] EUGENOL (97-53-0) LC50 - Fish [1] 1.3 mg/l Brachydanio rerio (zebra-fish) - 96h EC50 - Crustacea [1] 1.13 mg/l EC50 48h - Daphnia magna [mg/l] 12.2. Persistence and degradability YLANG COMPLETE ORGANIC OIL (83663-30-3) Persistence and degradability YLANG COMPLETE ORGANIC OIL (83663-30-3) Persistence and degradability May cause long-term adverse effects in the environment. LINALOOL (78-70-6) Persisistence and de	P-CRESYL METHYLETHER (104-93-8)			
GERANIOL (106-24-1) LC50 - Fish [1] env. 22 mg/l Brachydanio rerio (zebra-fish) - 96h EC50 - Crustacea [1] 10.8 mg/l EC50 48h - Daphnia magna [mg/l] EC50 - Other aquatic organisms [1] 13.1 mg/l Desmodesmus subspicatus (green algae) -72h METHYL BENZOATE (93-58-3) LC50 - Fish [1] 23 mg/l Brachydanio rerio (zebra-fish) - 96h EC50 - Crustacea [1] 62.6 mg/l EC50 24h - Daphnia magna [mg/l] FARNESOL (4602-84-0) LC50 - Fish [1] 1.8 mg/l Oncorhynchus mykiss (Rainbow trout) -96h EC50 - Crustacea [1] EC50 - Crustacea [1] 1.8 mg/l Oncorhynchus mykiss (Rainbow trout) -96h EC50 - Crustacea [1] EC50 - Crustacea [1] 1.8 mg/l Oncorhynchus mykiss (Rainbow trout) -96h EC50 - Crustacea [1] EC50 - Crustacea [1] 1.8 mg/l Oncorhynchus mykiss (Rainbow trout) -96h EC50 - Crustacea [1] EC50 - Crustacea [1] 1.8 mg/l Brachydanio rerio (zebra-fish) - 96h EC50 - Crustacea [1] EC50 - Crustacea [1] 1.3 mg/l Brachydanio rerio (zebra-fish) - 96h EC50 - Crustacea [1] 1.13 mg/l EC50 48h - Daphnia magna [mg/l] 12.2. Persistence and degradability Yugo Counce [1] 1.3 mg/l EC50 48h - Daphnia magna [mg/l] 12.2 mg/l	LC50 - Fish [1]	46 mg/l 96H - Leuciscus idus (golden orfe)		
LC50 - Fish [1] env. 22 mg/l Brachydanio rerio (zebra-fish) - 96h EC50 - Crustacea [1] 10.8 mg/l EC50 48h - Daphnia magna [mg/l] EC50 - Other aquatic organisms [1] 13.1 mg/l Desmodesmus subspicatus (green algae) -72h METHYL BENZOATE (93-58-3) LC50 - Fish [1] 23 mg/l Brachydanio rerio (zebra-fish) - 96h EC50 - Crustacea [1] 23 mg/l Brachydanio rerio (zebra-fish) - 96h EC50 - Crustacea [1] 62.6 mg/l EC50 24h - Daphnia magna [mg/l] FARNESOL (4602-84-0) LC50 - Fish [1] 1.8 mg/l Oncorhynchus mykiss (Rainbow trout) -96h EC50 - Crustacea [1] 2.2 mg/l EC50 48h - Daphnia magna [mg/l] EUGENOL (97-53-0) LC50 - Fish [1] 1.3 mg/l Brachydanio rerio (zebra-fish) - 96h EC50 - Crustacea [1] 1.3 mg/l Brachydanio rerio (zebra-fish) - 96h EC50 - Crustacea [1] 1.3 mg/l Brachydanio rerio (zebra-fish) - 96h EC50 - Crustacea [1] 1.1 mg/l EC50 48h - Daphnia magna [mg/l] LL2. Perisitence and degradability May cause long-term adverse effects in the environment. EC50 - Crustacea [1] 1.1 mg/l EC50 48h - Daphnia magna [mg/l] 1.2.2. LL2. Persistence and degradability May cause long-term adverse effects in the environment. ELNALOOL (78-70-6) Persistence and degradability May cause long-term adverse effects in the envir	EC50 - Crustacea [1]	44.2 mg/l EC50 48h - Daphnia magna [mg/l]		
EC50 - Crustacea [1] 10.8 mg/l EC50 48h - Daphnia magna [mg/l] EC50 - Other aquatic organisms [1] 13.1 mg/l Desmodesmus subspicatus (green algae) -72h METHYL BENZOATE (93-58-3)	GERANIOL (106-24-1)			
EC50 - Other aquatic organisms [1] 13.1 mg/l Desmodesmus subspicatus (green algae) -72h METHYL BENZOATE (93-58-3) LC50 - Fish [1] 23 mg/l Brachydanio rerio (zebra-fish) - 96h EC50 - Crustacea [1] 62.6 mg/l EC50 24h - Daphnia magna [mg/l] FARNESOL (4602-84-0) LC50 - Fish [1] 1.8 mg/l Oncorhynchus mykiss (Rainbow trout) -96h EC50 - Crustacea [1] 2.2 mg/l EC50 48h - Daphnia magna [mg/l] EUGENOL (97-53-0) LC50 - Fish [1] 13 mg/l Brachydanio rerio (zebra-fish) - 96h EC50 - Crustacea [1] 13 mg/l Brachydanio rerio (zebra-fish) - 96h EC50 - Crustacea [1] 13 mg/l Brachydanio rerio (zebra-fish) - 96h EC50 - Crustacea [1] 13 mg/l Brachydanio rerio (zebra-fish) - 96h EC50 - Crustacea [1] 13 mg/l Brachydanio rerio (zebra-fish) - 96h EC50 - Crustacea [1] 13 mg/l Brachydanio rerio (zebra-fish) - 96h EC50 - Crustacea [1] 1.13 mg/l EC50 48h - Daphnia magna [mg/l] 12.2. Persistence and degradability May cause long-term adverse effects in the environment. LINALOOL (78-70-6) Persistence and degradability May cause long-term adverse effects in the environment. LINALOOL (78-70-6) Persistence and degradability May cause long-term adverse effects in the environment. Biodegradation 100 % 13 DAYS-	LC50 - Fish [1]	env. 22 mg/l Brachydanio rerio (zebra-fish) - 96h		
METHYL BENZOATE (93-58-3) LC50 - Fish [1] 23 mg/l Brachydanio rerio (zebra-fish) - 96h EC50 - Crustacea [1] 62.6 mg/l EC50 24h - Daphnia magna [mg/l] FARNESOL (4602-84-0) Image: Comparison of the state of	EC50 - Crustacea [1]	10.8 mg/l EC50 48h - Daphnia magna [mg/l]		
LC50 - Fish [1] 23 mg/l Brachydanio rerio (zebra-fish) - 96h EC50 - Crustacea [1] 62.6 mg/l EC50 24h - Daphnia magna [mg/l] FARNESOL (4602-84-0) Image: Complex comple	EC50 - Other aquatic organisms [1]	13.1 mg/l Desmodesmus subspicatus (green algae) -72h		
EC50 - Crustacea [1] 62.6 mg/l EC50 24h - Daphnia magna [mg/l] FARNESOL (4602-84-0) LC50 - Fish [1] 1.8 mg/l Oncorhynchus mykiss (Rainbow trout) -96h EC50 - Crustacea [1] 2.2 mg/l EC50 48h - Daphnia magna [mg/l] EUGENOL (97-53-0) Image: Complexity of the second sec	METHYL BENZOATE (93-58-3)			
FARNESOL (4602-84-0) LC50 - Fish [1] 1.8 mg/l Oncorhynchus mykiss (Rainbow trout) -96h EC50 - Crustacea [1] 2.2 mg/l EC50 48h - Daphnia magna [mg/l] EUGENOL (97-53-0) LC50 - Fish [1] 13 mg/l Brachydanio rerio (zebra-fish) - 96h EC50 - Crustacea [1] 1.3 mg/l Brachydanio rerio (zebra-fish) - 96h EC50 - Crustacea [1] 1.13 mg/l EC50 48h - Daphnia magna [mg/l] 12.2. Persistence and degradability 1.13 mg/l EC50 48h - Daphnia magna [mg/l] 12.2. Persistence and degradability May cause long-term adverse effects in the environment. LINALOOL (78-70-6) Persistence and degradability Persistence and degradability Readily biodegradable. Not established. Biodegradation 100 % 13 DAYS- ZAHN-WELLENS TEST OECD N° 302 B GERANYL ACETATE (105-87-3) Persistence and degradability Persistence and degradability May cause long-term adverse effects in the environment. BENZYL BENZOATE (120-51-4) May cause long-term adverse effects in the environment.	LC50 - Fish [1]	23 mg/l Brachydanio rerio (zebra-fish) - 96h		
LC50 - Fish [1] 1.8 mg/l Oncorhynchus mykiss (Rainbow trout) -96h EC50 - Crustacea [1] 2.2 mg/l EC50 48h - Daphnia magna [mg/l] EUGENOL (97-53-0) Image: Complex and the environment of the environment of the environment. LC50 - Fish [1] 13 mg/l Brachydanio rerio (zebra-fish) - 96h EC50 - Crustacea [1] 1.13 mg/l EC50 48h - Daphnia magna [mg/l] 12.2. Persistence and degradability 1.13 mg/l EC50 48h - Daphnia magna [mg/l] 12.2. Persistence and degradability May cause long-term adverse effects in the environment. IINALOOL (78-70-6) Persistence and degradability Persistence and degradability Readily biodegradable. Not established. Biodegradation 100 % 13 DAYS- ZAHN-WELLENS TEST OECD N° 302 B GERANYL ACETATE (105-87-3) Persistence and degradability Persistence and degradability May cause long-term adverse effects in the environment. BENZYL BENZOATE (120-51-4) May cause long-term adverse effects in the environment.	EC50 - Crustacea [1]	62.6 mg/l EC50 24h - Daphnia magna [mg/l]		
EC50 - Crustacea [1] 2.2 mg/l EC50 48h - Daphnia magna [mg/l] EUGENOL (97-53-0) Image: Complex	FARNESOL (4602-84-0)			
EUGENOL (97-53-0) LC50 - Fish [1] 13 mg/l Brachydanio rerio (zebra-fish) - 96h EC50 - Crustacea [1] 1.13 mg/l EC50 48h - Daphnia magna [mg/l] 12.2. Persistence and degradability YLANG COMPLETE ORGANIC OIL (83863-30-3) Persistence and degradability May cause long-term adverse effects in the environment. LINALOOL (78-70-6) Persistence and degradability Readily biodegradable. Not established. Biodegradation 100 % 13 DAYS- ZAHN-WELLENS TEST OECD N° 302 B GERANYL ACETATE (105-87-3) Persistence and degradability May cause long-term adverse effects in the environment. BENZYL BENZOATE (120-51-4)	LC50 - Fish [1]	1.8 mg/l Oncorhynchus mykiss (Rainbow trout) -96h		
LC50 - Fish [1] 13 mg/l Brachydanio rerio (zebra-fish) - 96h EC50 - Crustacea [1] 1.13 mg/l EC50 48h - Daphnia magna [mg/l] 12.2. Persistence and degradability 12.2. Persistence and degradability YLANG COMPLETE ORGANIC OIL (83863-30-3) Persistence and degradability May cause long-term adverse effects in the environment. LINALOOL (78-70-6) Persistence and degradability Readily biodegradable. Not established. Biodegradation 100 % 13 DAYS- ZAHN-WELLENS TEST OECD N° 302 B GERANYL ACETATE (105-87-3) Persistence and degradability Persistence and degradability May cause long-term adverse effects in the environment. BENZYL BENZOATE (120-51-4) May cause long-term adverse effects in the environment.	EC50 - Crustacea [1]	2.2 mg/l EC50 48h - Daphnia magna [mg/l]		
EC50 - Crustacea [1] 1.13 mg/l EC50 48h - Daphnia magna [mg/l] 12.2. Persistence and degradability YLANG COMPLETE ORGANIC OIL (83863-30-3) Persistence and degradability May cause long-term adverse effects in the environment. LINALOOL (78-70-6) Persistence and degradability Readily biodegradable. Not established. Biodegradation 100 % 13 DAYS- ZAHN-WELLENS TEST OECD N° 302 B GERANYL ACETATE (105-87-3) Persistence and degradability May cause long-term adverse effects in the environment. BENZYL BENZOATE (120-51-4)	EUGENOL (97-53-0)			
12.2. Persistence and degradability YLANG COMPLETE ORGANIC OIL (83863-30-3) Persistence and degradability May cause long-term adverse effects in the environment. LINALOOL (78-70-6) Persistence and degradability Readily biodegradable. Not established. Biodegradation 100 % 13 DAYS- ZAHN-WELLENS TEST OECD N° 302 B GERANYL ACETATE (105-87-3) Persistence and degradability May cause long-term adverse effects in the environment. BENZYL BENZOATE (120-51-4)	LC50 - Fish [1]	13 mg/l Brachydanio rerio (zebra-fish) - 96h		
YLANG COMPLETE ORGANIC OIL (83863-30-3) Persistence and degradability May cause long-term adverse effects in the environment. LINALOOL (78-70-6) Persistence and degradability Readily biodegradable. Not established. Biodegradation 100 % 13 DAYS- ZAHN-WELLENS TEST OECD N° 302 B GERANYL ACETATE (105-87-3) Persistence and degradability Persistence and degradability May cause long-term adverse effects in the environment. BENZYL BENZOATE (120-51-4) May cause long-term adverse effects in the environment.	EC50 - Crustacea [1]	1.13 mg/l EC50 48h - Daphnia magna [mg/l]		
Persistence and degradability May cause long-term adverse effects in the environment. LINALOOL (78-70-6) Persistence and degradability Persistence and degradability Readily biodegradable. Not established. Biodegradation 100 % 13 DAYS- ZAHN-WELLENS TEST OECD N° 302 B GERANYL ACETATE (105-87-3) Persistence and degradability Persistence and degradability May cause long-term adverse effects in the environment. BENZYL BENZOATE (120-51-4) Environment.	12.2. Persistence and degradability			
LINALOOL (78-70-6) Persistence and degradability Readily biodegradable. Not established. Biodegradation 100 % 13 DAYS- ZAHN-WELLENS TEST OECD N° 302 B GERANYL ACETATE (105-87-3) Persistence and degradability May cause long-term adverse effects in the environment. BENZYL BENZOATE (120-51-4)	YLANG COMPLETE ORGANIC OIL (83863-30-3)			
Persistence and degradability Readily biodegradable. Not established. Biodegradation 100 % 13 DAYS- ZAHN-WELLENS TEST OECD N° 302 B GERANYL ACETATE (105-87-3) Persistence and degradability May cause long-term adverse effects in the environment. BENZYL BENZOATE (120-51-4)	Persistence and degradability	May cause long-term adverse effects in the environment.		
Biodegradation 100 % 13 DAYS- ZAHN-WELLENS TEST OECD N° 302 B GERANYL ACETATE (105-87-3) Persistence and degradability May cause long-term adverse effects in the environment. BENZYL BENZOATE (120-51-4)	LINALOOL (78-70-6)			
GERANYL ACETATE (105-87-3) Persistence and degradability May cause long-term adverse effects in the environment. BENZYL BENZOATE (120-51-4)	Persistence and degradability	Readily biodegradable. Not established.		
Persistence and degradability May cause long-term adverse effects in the environment. BENZYL BENZOATE (120-51-4)	Biodegradation	100 % 13 DAYS- ZAHN-WELLENS TEST OECD N° 302 B		
BENZYL BENZOATE (120-51-4)	GERANYL ACETATE (105-87-3)			
	Persistence and degradability May cause long-term adverse effects in the environment.			
Persistence and degradability May cause long-term adverse effects in the environment.	BENZYL BENZOATE (120-51-4)			
	Persistence and degradability	May cause long-term adverse effects in the environment.		

Safety Data Sheet

P-CRESYL METHYLETHER (104-93-8)			
Persistence and degradability	persistency. Water. Soil. Weak. and. Air. High. May cause long-term adverse effects in the environment.		
GERANIOL (106-24-1)			
Persistence and degradability	Readily biodegradable. Not established.		
Biodegradation	80 – 100 % aérobic, Exposure duration 3 days		
METHYL BENZOATE (93-58-3)			
Persistence and degradability	May cause long-term adverse effects in the environment.		
BENZYL SALICYLATE (118-58-1)			
Persistence and degradability	May cause long-term adverse effects in the environment.		
EUGENOL (97-53-0)			
Persistence and degradability	Readily biodegradable. May cause long-term adverse effects in the environment.		
ISOEUGENOL (97-54-1)			
Persistence and degradability	Not established.		
12.3. Bioaccumulative potential			
YLANG COMPLETE ORGANIC OIL (83863-30-	-3)		
Bioaccumulative potential	Not established.		
LINALOOL (78-70-6)			
Partition coefficient n-octanol/water (Log Pow)	2.97		
Bioaccumulative potential	Not established.		
GERANYL ACETATE (105-87-3)			
Partition coefficient n-octanol/water (Log Kow)	4.04		
Bioaccumulative potential	Not established.		
BENZYL BENZOATE (120-51-4)			
Partition coefficient n-octanol/water (Log Kow)	3.97		
Bioaccumulative potential	Not established.		
P-CRESYL METHYLETHER (104-93-8)			
Partition coefficient n-octanol/water (Log Kow)	2.66		
Bioaccumulative potential	Weak. Not established.		
GERANIOL (106-24-1)			
Partition coefficient n-octanol/water (Log Pow)	2.5 at 25 °C		
Bioaccumulative potential	Not established.		
METHYL BENZOATE (93-58-3)			
Partition coefficient n-octanol/water (Log Kow)	2.12		
Bioaccumulative potential	Not established.		
BENZYL SALICYLATE (118-58-1)			
Bioaccumulative potential	Not established.		

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

EUGENOL (97-53-0)		
Partition coefficient n-octanol/water (Log Pow)	2.7	
Partition coefficient n-octanol/water (Log Kow)	2.27	
Bioaccumulative potential	Not established.	
ISOEUGENOL (97-54-1)		
Partition coefficient n-octanol/water (Log Pow)	2.1	
Partition coefficient n-octanol/water (Log Kow)	3.04	
Bioaccumulative potential	Not established.	
12.4. Mobility in soil		
YLANG COMPLETE ORGANIC OIL (83863-30-	-3)	
Ecology - soil	Low mobility (soil).	
P-CRESYL METHYLETHER (104-93-8)		
Ecology - soil	Medium.	
12.5. Results of PBT and vPvB assessment		
No additional information available		
12.6. Endocrine disrupting properties		
No additional information available		
12.7. Other adverse effects		
Additional information :	Avoid release to the environment.	

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Ecology - waste materials	: Avoid release to the environment. Hazardous waste due to toxicity.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

UN-No. (ADR)	: Not applicable	
UN-No. (IMDG)	: Not applicable	
UN-No. (IATA)	: Not applicable	
UN-No. (ADN)	: Not applicable	
UN-No. (RID)	: Not applicable	
14.2. UN proper shipping name		
Proper Shipping Name (ADR)	: Not applicable	
Proper Shipping Name (IMDG)	: Not applicable	
Proper Shipping Name (IATA)	: Not applicable	
Proper Shipping Name (ADN)	: Not applicable	
Proper Shipping Name (RID)	: Not applicable	

.

Safety Data Sheet

14.3. Transport hazard class(es)	
ADR Transport hazard class(es) (ADR)	: Not applicable
IMDG Transport hazard class(es) (IMDG)	: Not applicable
IATA Transport hazard class(es) (IATA)	: Not applicable
ADN Transport hazard class(es) (ADN)	: Not applicable
RID Transport hazard class(es) (RID)	: Not applicable
14.4. Packing group	
Packing group (ADR) Packing group (IMDG) Packing group (IATA) Packing group (ADN) Packing group (RID)	 Not applicable Not applicable Not applicable Not applicable Not applicable
14.5. Environmental hazards	
Dangerous for the environment Marine pollutant Other information	 No No supplementary information available
14.6. Special precautions for user	
Overland transport No data available	
Transport by sea No data available	
Air transport No data available	
Inland waterway transport No data available	
Rail transport No data available	
14.7. Maritime transport in bulk accor	ding to IMO instruments
Not applicable	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)			
Reference code	Applicable on	Entry title or description	
3(a)	P-CRESYL METHYLETHER	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	
3(b)	YLANG COMPLETE ORGANIC OIL ; P- CRESYL METHYLETHER ; METHYL BENZOATE ; ISOEUGENOL ; EUGENOL ; BENZYL SALICYLATE ; BENZYL BENZOATE ; LINALOOL ; FARNESOL ; GERANIOL ; GERANYL ACETATE ; METHYL EUGENOL	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	
3(c)	YLANG COMPLETE ORGANIC OIL ; P- CRESYL METHYLETHER ; METHYL BENZOATE ; EUGENOL ; BENZYL SALICYLATE ; BENZYL BENZOATE ; GERANYL ACETATE ; METHYL EUGENOL	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	
30.	YLANG COMPLETE ORGANIC OIL	Substances which are classified as reproductive toxicant category 1A or 1B in Part 3 of Annex VI to Regulation (EC) No 1272/2008 and are listed in Appendix 5 or Appendix 6, respectively.	
40.	P-CRESYL METHYLETHER	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	

YLANG COMPLETE ORGANIC OIL is not on the REACH Candidate List

YLANG COMPLETE ORGANIC OIL is not on the REACH Annex XIV List

YLANG COMPLETE ORGANIC OIL is not subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 july 2012 concerning the export and import of hazardous chemicals.

YLANG COMPLETE ORGANIC OIL is not subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

Germany

Water hazard class (WGK)	:	WGK 2, Significantly hazardous to water (Classification according to AwSV)
Hazardous Incident Ordinance (12. BImSchV)	:	Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 16: Other information	
Data sources	REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Other information	: None.

Full text of H- and EUH-statements		
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2	
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3	
Asp. Tox. 1	Aspiration hazard, Category 1	
Carc. 2	Carcinogenicity, Category 2	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Liq. 3	Flammable liquids, Category 3	
Muta. 2	Germ cell mutagenicity, Category 2	
Repr. 2	Reproductive toxicity, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	
H304	May be fatal if swallowed and enters airways.	
H312	Harmful in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H341	Suspected of causing genetic defects.	
H351	Suspected of causing cancer.	
H361	Suspected of damaging fertility or the unborn child.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	

The classification complies with

: ATP 8

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.